

DUAL ACTION

Rose & Flower Insect Killer

CONTINUOUS SPRAY

KILLS BY CONTACT & PROTECTS up to 30 DAYS



Extermina por contacto & protege hasta por 30 días ESPAÑOL

- Kills Aphids, Caterpillars, Japanese Beetles & other listed Pests
- Also for use on Houseplants

KEEP OUT OF REACH OF CHILDREN See back panel for additional precautionary statements

READ THE LABEL FIRST! DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product while bees are foraging.

Do not apply this product to plants that are flowering.

Only apply after all flower petals have fallen off.

Read and follow all label directions.

BEFORE YOU USE: Read these restrictions before using: RESTRICTIONS:

For Outdoor Use Only

- Do not contact treated areas until dry.
- People and nets may re-enter after the treated area is dry Do not spray the product into fish pools, streams, or lakes.
- Remove animal feeding dishes prior to application.
- Do not water the treated area to the point of run-off.
- Do not make applications during rain.
- Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios. During application, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters
- Do not apply to fruits or vegetables used for food.
- Do not apply to areas which are waterlogged or saturated, which will not allow penetration into the root zone of the plant.
- Do not use in small enclosed areas where spray may be inhaled
- All outdoor applications must be limited to spot (no more than 2 sq ft) or crack and crevice treatments only, except for the following permitted uses:
- · Applications to vegetation.

SHAKE WELL BEFORE USE. Hold can 12 to 15 inches from foliage. Squeeze trigger to dispense product. Spray leaves, stems and tender ne shoots. To kill insects that hide, spray the underside of the leaves. Apply until the leaves are evenly coated with spray, but not dripping

WHERE TO USE

For use in outdoor residential garden.

WHEN TO USE

Apply when listed pests are seen or found. Reapply every 7 to 10 days until infestation is eliminated. Do not exceed 0.4 lbs imidacloprid per acre per year. This can contains 0.00024 lbs of imidacloprid.

Adelgids, Ants (except Pharaoh), Aphids, Armyworms, Bagworms, Boxelder Bugs, Caterpillars, Clover mites, Cockroaches, Crickets, Cutworms, Earwigs, Elm leaf beetles, Flies, Fungus Gnats, Grasshoppers, Gypsy moth larvae, Japanese Beetles, Kudzu bugs, Lace Bugs, Leaf-feeding beetles. Leaf-feeding caterpillars, Leafhoppers (including glassy-winged sharpshooters), Leafminers, Mealybugs, Midges, Mosquitoes, Moths, Pine Shoot Moths, Pine Tip Moths, Plant bugs, Psyllids, Rose Midges, Rose Slugs, Sawflies, Scale insects (crawler stages), Sowbugs, Spittlebugs, Spiders, Stink Bugs (including brown marmorated stink bugs), Thrips, Weevils (including root weevils), and Whiteflies.

TO KILL LISTED INSECTS ON ROSES, FLOWERS HOUSEPLANTS, GROUND COVERS, AND SHRUBS

Do not apply this product while bees are foraging. Do not apply this product to flowers that are flowering. Only apply after all flower petals have fallen off. For houseplants, move outside, treat, let dry, bring back indoors. Use when insects or damage first appear. Hold spray 12-15 inches from foliage. Spray leaves, stems and tender new shoots. To kill insects that hide, spray the underside of the leaves. Apply until leaves are evenly coated with spray, but not dripping. Kills listed insects through contact and keeps killing for up to 30 days. For severe infestations, repeat every 7 to 14 days as necessary. Do not wet the foliage within one hour after applying. To avoid serious damage to plants, eliminate pests early in the season before they multiply.

NOTICE: Research and testing have determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. To the extent consistent with applicable law, the Ruyer assumes responsibility for lack of performance or safety if not used according to the directions.

EPA Reg. 92564-59

Distributed by: SBM Life Science Corp. 1001 Winstead Drive, Suite 500, Cary, NC 27513

BioAdvanced is a trademark of SBM Life Science Corp.

PRECAUTIONARY STATEMENTS

Wash hands before eating, drinking, chewing gum, using tobacco, o using the toilet.

For medical emergency information, you may call toll-free 1-877-229-3763. Have the product container or label with you when calling poison control center or doctor or going for treatment.

For product questions or comments, call toll-free 1-877-229-3724 or visit our website at www.BioAdvanced.com

PHYSICAL CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate containe Exposure to temperatures above 120°F may cause bursting. Do not spray directly into any electrical equipment such as radios, televisions, computers, etc. (where there is exposed wiring or contact points) due to the possibility of short circuits and shock hazard

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates and fish. This product is highly toxic to bees. Do not apply this product when bees are foraging. To protect the environment, do not allow pesticide to enter or run off into storm drains. drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

PROTECTION OF POLLINATORS

APPLICATION RESTRICTIONS EXIST FOR THIS PRODUCT BECAUSE OF RISK TO BEES AND OTHER INSECT POLLINATORS. FOLLOW APPLICATION RESTRICTIONS FOUND IN THE DIRECTIONS FOR USE TO PROTECT POLLINATORS oduct can kill bees and other insect pollinator.

Bees and other insect pollinators will forage on plants when they flower, shed pollen, or produce nectar.

- Bees and other insect pollinators can be exposed to this pesticide from: Direct contact during foliar applications, or contact with residues on plant surfaces after foliar applications
- Ingestion of residues in nectar and pollen when the pesticide is applied as a seed treatment, soil, tree injection, as well as foliar applications. When Using This Product Take Steps To:
- Minimize exposure of this product to bees and other insect pollinators when they are foraging on pollinator attractive plants around the application site Minimize drift of this product on to beehives or to off-site pollinator attractive habitat. Drift of this product onto beehives or off-site to

pollinator attractive habitat can result in bee kills. nformation on protecting bees and other insect pollinators may be found at the Pesticide Environmental Stewardship website at:

http://pesticidestewardship.org/PollinatorProtection/Pages/default.aspx Pesticide incidents (for example, bee kills) should immediately be reported to the state/tribal lead agency. For contact information for your state, go to: www.aapco.org/officials.html

Pesticide incidents should also be reported to the National Pesticide Information Center at: www.npic.orst.edu or directly to EPA at: beekill@epa.go

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal PESTICIDE STORAGE: Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. CONTAINER HANDLING

Do Not Puncture or Incinerate!

If Empty: Place in trash or offer for recycling, if available

If Partly Filled: Call your local solid waste agency for disposal instructions. Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

!LEA LA ETIQUETA ANTES DE USAR EL PRODUCTO! MANTENER FUERA DEL **ALCANCE DE LOS NIÑOS**

Para realizar preguntas o comentarios sobre el producto, llame al número gratuito 1-877-229-3724 o visitte nuestra página Web www.RioAdvanced.com



Contains no CFCs or other ozone depleting substances. Federal regulations prohibit



81762392d 170509V1



DUAL ACTION

Rose & Flower Insect Killer

CONTINUOUS SPRAY

KILLS BY CONTACT & PROTECTS up to 30 DAYS



Extermina por contacto & protege hasta por 30 días esp



Also for use on Houseplants

KEEP OUT OF REACH OF CHILDREN

See back panel for additional precautionary statements FOR RESIDENTIAL USE O<u>NL</u>Y Active Ingredients: Imidacloprid0.025 B-Cyfluthrin0.0125

Not for sale, sale into, distribution and or use in Nas Suffolk, Kings, and Queens counties of New York This can contains 0.00024 lbs of imidacloprid. NET WEIGHT 15.7 OZ (445g)

READ THE LABEL FIRST!

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



Do not apply this product while bees are foraging. Do not apply this product to plants that are flowering.
Only apply after all flower petals have fallen off.

Read and follow all label directions.

BEFORE YOU USE: Read these restrictions before using: RESTRICTIONS:

For Outdoor Use Only

- Do not contact treated areas until dry.
- People and pets may re-enter after the treated area is dry.
- Do not spray the product into fish pools, streams, or lakes.
- Remove animal feeding dishes prior to application. Do not water the treated area to the point of run-off.
- Do not make applications during rain.
- Do not apply directly to impervious horizontal surfaces such as sidewalks. driveways, and patios. During application, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters.
- Do not apply to fruits or vegetables used for food.
- Do not apply to areas which are waterlogged or saturated, which will not allow penetration into the root zone of the plant.
- Do not use in small enclosed areas where spray may be inhaled All outdoor applications must be limited to spot (no more than 2 sq ft)
- or crack and crevice treatments only, except for the following permitted uses:
 - · Applications to vegetation.

HOW TO USE

SHAKE WELL BEFORE USE. Hold can 12 to 15 inches from foliage. Squeeze trigger to dispense product. Spray leaves, stems and tender new shoots. To kill insects that hide, spray the underside of the leaves. Apply until the leaves are evenly coated with spray, but not dripping.

WHERE TO USE

For use in outdoor residential garden.

WHEN TO USE

Apply when listed pests are seen or found, Reapply every 7 to 10 days until infestation is eliminated. Do not exceed 0.4 lbs imidacloprid per acre per year. This can contains 0.00024 lbs of imidacloprid.

Adelgids, Ants (except Pharaoh), Aphids, Armyworms, Bagworms, Boxelder Bugs, Caterpillars, Clover mites, Cockroaches, Crickets, Cutworms, Earwigs, Elm leaf beetles, Flies, Fungus Gnats, Grasshoppers, Gypsy moth larvae, Japanese Beetles, Kudzu bugs, Lace Bugs, Leaf-feeding beetles, Leaf-feeding caterpillars, Leafhoppers (including glassy-winged sharpshooters), Leafminers, Mealybugs, Midges, Mosquitoes, Moths, Pine Shoot Moths, Pine Tip Moths, Plant bugs, Psyllids, Rose Midges, Rose Slugs, Sawflies, Scale insects (crawler stages), Sowbugs, Spittlebugs, Spiders, Stink Bugs (including brown marmorated stink bugs), Thrips, Weevils (including root weevils), and Whiteflies.

TO KILL LISTED INSECTS ON ROSES, FLOWERS HOUSEPLANTS, GROUND COVERS, AND SHRUBS

Do not apply this product while bees are foraging. Do not apply this product to flowers that are flowering. Only apply after all flower petals have fallen off. For houseplants, move outside, treat, let dry, bring back indoors. Use when insects or damage first appear, Hold spray 12-15 inches from foliage, Spray leaves, stems and tender new shoots. To kill insects that hide, spray the underside of the leaves. Apply until leaves are evenly coated with spray, but not dripping. Kills listed insects through contact and keeps killing for up to 30 days. For severe infestations, repeat every 7 to 14 days as necessary. Do not wet the foliage within one hour after applying. To avoid serious damage to plants, eliminate pests early in the season before they multiply.

NOTICE: Research and testing have determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. To the extent consistent with applicable law, the Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

EPA Reg. 92564-59

Distributed by: SBM Life Science Corp. 1001 Winstead Drive, Suite 500, Carv. NC 27513

BioAdvanced is a trademark of SBM Life Science Corp.

PRECAUTIONARY STATEMENTS

Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

For medical emergency information, you may call toll-free 1-877-229-3763. Have the product container or label with you when calling poison control center or doctor or going for treatment.

For product questions or comments, call toll-free 1-877-229-3724 or visit our website at www BioAdvanced com

PHYSICAL CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 120°F may cause bursting. Do not spray directly into any electrical equipment such as radios, televisions, computers, etc. (where there is exposed wiring or contact points) due to the possibility of short circuits and shock hazard

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates and fish. This product is highly toxic to bees. Do not apply this product when bees are foraging. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

PROTECTION OF POLLINATORS

TO BEES AND OTHER INSECT POLLINATORS. FOLLOW APPLICATION RESTRICTIONS FOUND IN THE DIRECTIONS FOR USE TO PROTECT POLLINATORS This product can kill bees and other insect pollinators.

Bees and other insect pollinators will forage on plants when they flower, shed pollen, or produce nectar.

Bees and other insect pollinators can be exposed to this pesticide from:

- Direct contact during foliar applications, or contact with residues on plant surfaces after foliar applications Ingestion of residues in nectar and pollen when the pesticide is applied
- as a seed treatment, soil, tree injection, as well as foliar applications. When Using This Product Take Steps To: Minimize exposure of this product to bees and other insect pollinators when
- they are foraging on pollinator attractive plants around the application site. Minimize drift of this product on to beehives or to off-site pollinator.
- attractive habitat. Drift of this product onto beehives or off-site to pollinator attractive habitat can result in bee kills.

Information on protecting bees and other insect pollinators may be found at the Pesticide Environmental Stewardship website at:

http://pesticidestewardship.org/PollinatorProtection/Pages/default.aspx Pesticide incidents (for example, bee kills) should immediately be reported to the state/tribal lead agency. For contact information for your state, go to: www.aapco.org/officials.html

Pesticide incidents should also be reported to the National Pesticide Information Center at: www.npic.orst.edu or directly to EPA at: beekill@epa.gov

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. PESTICIDE STORAGE: Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.

CONTAINER HANDLING:

Do Not Puncture or Incinerate!

If Empty: Place in trash or offer for recycling, if available. If Partly Filled: Call your local solid waste agency for disposal instructions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

LEA LA ETIOUETA ANTES DE USAR EL PRODUCTO! MANTENER FUERA DEL **ALCANCE DE LOS NIÑOS**

Para realizar preguntas o comentarios sobre el producto, llame al número gratuito 1-877-229-3724 o visitte nuestra página Web www.BioAdvanced.com



Contains no CFCs or other ozone depleting substances Federal regulations prohibit CFC propellants in aerosols.



DOT 2Q M5749 DSC

81762392d 170509V1



.5" x 1.5" OPTIONAL BOTTLE STICKER