

BIOADVANCED
SCIENCE-BASED SOLUTIONS

HomePest Insect Killer

CONTINUOUS SPRAY
ALL-PURPOSE[†]
INSECT SPRAY



Insecticida multiuso 

- **Kills Ants*, Cockroaches, Spiders, Scorpions, Fleas & other listed Insects**
- **Controls over 50 listed Pests**
- **Odor Free**

*except Pharaoh Ants
†Kills over 50 listed pests

KEEP OUT OF REACH OF CHILDREN
See back panel for additional precautionary statements FOR RESIDENTIAL USE ONLY

Active Ingredients:
Imidacloprid 0.025%
B-Cyfluthrin 0.125%
Other Ingredients 29.9625%
Total 100.0000%

Not for sale, sale into, distribution and or use in Nassau, Suffolk, Kings and Queens counties of New York.
This can contain 0.00024 lbs of imidacloprid.

**NET WEIGHT
15.7 OZ (445g)**

READ THE LABEL FIRST!

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- Do not apply this product while bees are foraging.
- Do not apply this product to plants that are flowering.
- Only apply after all flower petals have fallen off.

Read and follow all label directions.

BEFORE YOU USE: Read these restrictions before using:

- RESTRICTIONS: For Indoor Use**
- Do not contact treated surfaces until dry.
 - People and pets may re-enter after the treated area is dry.
 - Remove animal feeding dishes prior to application.
 - Do not use in small enclosed areas where spray may be inhaled.
 - Cover exposed food or remove from area being treated.
 - In the home, cover or thoroughly wash all food processing surfaces and utensils following treatment.
 - Do not apply to furniture or upholstery where prolonged contact with humans will occur.
 - Do not spray bed linens or other materials, which come in direct contact with occupants of the bed.
- For Outdoor Use**
- Do not contact treated areas until dry.
 - People and pets may re-enter after the treated area is dry.
 - Do not spray the product into fish pools, streams, or lakes.
 - Remove animal feeding dishes prior to application.
 - Do not water the treated area to the point of run-off.
 - Do not make applications during rain.
 - Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios except as a spot (no more than 2 sq ft) or crack and crevice treatment. During application, do not allow pesticide to enter or run into storm drains, drainage ditches, gutters, or surface waters.
 - Do not apply to fruits or vegetables used for food.
 - All outdoor applications must be limited to spot (no more than 2 sq ft) or crack and crevice treatments only, except for the following permitted uses:
 - Applications to vegetation.

HOW TO USE

SHAKE WELL BEFORE USE. Hold can 12 to 15 inches from the surface to be treated. Squeeze trigger to dispense product and spray until surface is slightly wet but not to the point of run off.

WHERE TO USE

For use in and around the home, kitchens, apartment buildings, nursing homes and for use in outdoor residential garden.

WHEN TO USE

Apply when listed pests are seen or found. Repeat every 7 to 10 days until infestation is eliminated. Do not exceed 0.4 lbs imidacloprid per acre per year. This can contains 0.00024 lbs of imidacloprid.

KILLS

Adelgids, Ants (except Pharaoh), Aphids, Armyworms, Bagworms, Bed Bugs, Boxelder Bugs, Carpenter Ants, Caterpillars, Chiggers, Clothes moths, Clover mites, Codmoths, Crickets, Cutworms, Earwigs, Elm leaf beetles, Fire ants, Fleas, Flies, Fungus Gnats, Grasshoppers, Gypsy moth larvae, Japanese Beetles, Kutzu Bugs, Lace Bugs, Leaf-feeding beetles, Leaf-feeding caterpillars, Leafhoppers (including glass-winged sharpshooters), Leafminers, Mealybugs, Mosquitoes, Sawflies, Moths, Pine Shoot Moths, Pine Tip Moths, Pillbugs, Plant bugs, Pylyids, Rose Midges, Rose Slugs, Sawflies, Scale insects (crawler stages), Scorpions, Sowbugs, Spittlebugs, Spiders, Stink Bugs (including brown marmorated stink bugs), Thrips, Ticks (including deer ticks), Wasps, Weevils (including root weevils), and Whiteflies.

TO KILL BED BUGS AND BED BUG EGGS

Spray bugs and eggs directly wherever possible. Remove linens and wash before reuse. On infested mattresses, apply as spot (no more than 2 sq ft) treatment only to tufts, seams, folds, and edges until most allow tufts to dry before re-making bed. Apply to bedsprings, box springs, and the interior of bed frames or headboards, including all cracks and joints. Apply to cracks and crevices on all baseboards, moldings, beneath floor coverings and carpets, closets, shelves, curtains, furniture, picture frames, and luggage that may harbor bed bugs. Keeps on killing bed bugs for up to 30 days.

TO KILL TICKS AND FLEAS

Apply as a spot (no more than 2 sq ft) treatment on and around pet sleeping quarters, bedding, and pet's habitat. Treat carpeting, furniture and floor coverings where fleas and ticks are found.

TO KILL LISTED CRAWLING PESTS

Indoors, spray around baseboards, into cracks and crevices, and other places where insects live and hide (under sinks, cabinets, refrigerators, stoves, behind and beneath cabinets, damp areas, etc.) until surfaces are wet. Outdoors, apply as a crack and crevice or spot (no more than 2 sq ft) treatment, where insects may enter the home (windows, doors, porches, patios, etc.) or where they have been seen or can find shelter.

TO KILL ANTS (except Pharaoh)

Indoors, apply to ant trails on walls or baseboards, around doors, windows, and wherever ants may enter the home. Outdoors, treat around windows and doors, along sidewalks, or other areas where ants are seen.

TO KILL LISTED FLYING INDOOR PESTS

Apply to surfaces where house flies or other listed flying insects congregate, collect, or rest.

EPA Reg. 92564-59

Distributed by: SBM Life Science Corp.
1011 Winslead Drive, Suite 500, Cary, NC 27513

BioAdvanced is a trademark of SBM Life Science Corp.



TO KILL WASPS

Make applications directly into nests. Remove and destroy treated nests if possible, or retreat nests as necessary.

TO KILL LISTED INSECTS ON ROSES, FLOWERS, HOUSEPLANTS, GROUND COVERS, AND SHRUBS

Do not apply this product while bees are foraging. Do not apply this product to flowers that are flowering. Only apply after all flower petals have fallen off. For houseplants, move outside, treat dry, bring back indoors. Use when insects or damage first appear. Hold spray 12-15 inches from foliage. Spray leaves, stems and tender new shoots. To kill insects that hide, spray the underside of the leaves. Apply until leaves are evenly coated with spray, but not dripping. Kills listed insects through contact and keeps killing for up to 30 days. For severe infestations, repeat every 7 to 14 days as necessary. Do not wet the foliage within one hour after applying. To avoid serious damage to plants, eliminate pests early in the season before they multiply.

PRECAUTIONARY STATEMENTS

Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. For medical emergency information, you may call toll-free 1-877-229-3763. Have the product container or label with you when calling poison control center or doctor or going for treatment. For product questions or comments, call toll-free 1-877-229-3724 or visit our website at www.BioAdvanced.com

PHYSICAL CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 120°F may cause bursting. Do not spray directly into any electrical equipment such as radios, televisions, computers, etc. (where there is exposed wiring or contact points) due to the possibility of short circuits and shock hazard.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates and fish. This product is highly toxic to bees. Do not apply this product when bees are foraging. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

PROTECTION OF POLLINATORS

APPLICATION RESTRICTIONS EXIST FOR THIS PRODUCT BECAUSE OF RISK TO BEES AND OTHER INSECT POLLINATORS. FOLLOW APPLICATION RESTRICTIONS FOUND IN THE DIRECTIONS FOR USE TO PROTECT POLLINATORS.

This product can kill bees and other insect pollinators.

Bees and other insect pollinators will forage on plants when they flower, shed pollen, or produce nectar. Bees and other insect pollinators can be exposed to this pesticide from:
• Direct contact during foliar applications, or contact with residues on plant surfaces after foliar applications.
• Ingestion of residues in nectar and pollen when the pesticide is applied as a seed treatment, soil, tree injection, as well as foliar applications.

When Using This Product Take Steps To:

- Minimize exposure of this product to bees and other insect pollinators when they are foraging on pollinator attractive plants around the application site.
 - Minimize drift of this product on to beehives or to off-site pollinator attractive habitat. Drift of this product onto beehives or off-site to pollinator attractive habitat can result in bee kills.
- Information on protecting bees and other insect pollinators may be found at the Pesticide Environmental Stewardship website at: <http://pesticidestewardship.org/PollinatorProtection/Pages/default.aspx>
Pesticide incidents (for example, bee kills) should immediately be reported to the state/tribal lead agency. For contact information for your state, go to: www.aapco.org/officials.html
Pesticide incidents should also be reported to the National Pesticide Information Center at: www.npic.orst.edu or directly to EPA at: beekill@epa.gov

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.
PESTICIDE STORAGE: Store in original container in a cool, dry place, out of the reach of children, preferably in locked storage cabinet.
CONTAINER HANDLING: Do Not Puncture or Incinerate!
If Empty: Place in trash or offer for recycling, if available.
If Partly Filled: Call your local solid waste agency for disposal instructions.

NOTICE: Research and testing have determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. To the extent consistent with applicable law, the Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

¡LEA LA ETIQUETA ANTES DE USAR EL PRODUCTO!

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

Para realizar preguntas o comentarios sobre el producto, llame al número gratuito 1-877-229-3724 o visite nuestra página www.BioAdvanced.com

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.



81744297 170509V1

DOT 2Q M5749 DSC



BIOADVANCED

SCIENCE-BASED SOLUTIONS

HomePest

**Insect
Killer**

CONTINUOUS SPRAY

**ALL-PURPOSE[†]
INSECT SPRAY**



Insecticida multiuso



- **Kills Ants*, Cockroaches, Spiders, Scorpions, Fleas & other listed Insects**
- **Controls over 50 listed Pests**
- **Odor Free**

*except Pharaoh Ants

[†]Kills over 50 listed pests

KEEP OUT OF REACH OF CHILDREN

See back panel for additional
precautionary statements

FOR RESIDENTIAL USE ONLY

Active Ingredients:
Imidacloprid.....0.025%
D-Cyfluthrin.....0.0125%
Other Ingredients.....99.9625%
Total.....100.0000%

Not for sale, sale into, distribution and/or use in Nassau,
Suffolk, Kings, and Queens counties of New York
This can contains 0.00024 lbs of imidacloprid.

**NET WEIGHT
15.7 OZ (445g)**

READ THE LABEL FIRST!



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- Do not apply this product while bees are foraging.
- Do not apply this product to plants that are flowering.
- Only apply after all flower petals have fallen off.

Read and follow all label directions.

BEFORE YOU USE: Read these restrictions before using:

RESTRICTIONS: For Indoor Use

- Do not contact treated surfaces until dry. • People and pets may re-enter after the treated area is dry.
- Remove animal feeding dishes prior to application.
- Do not use in small enclosed areas where spray may be inhaled.
- Cover exposed food or remove from area being treated.
- In the home, cover or thoroughly wash all food processing surfaces and utensils following treatment.
- Do not apply to furniture or upholstery where prolonged contact with humans will occur.
- Do not spray bed linens or other materials, which come in direct contact with occupants of the bed.

For Outdoor Use

- Do not contact treated areas until dry. • People and pets may re-enter after the treated area is dry
- Do not spray the product into fish pools, streams, or lakes.
- Remove animal feeding dishes prior to application.
- Do not water the treated area to the point of run-off. • Do not make applications during rain.
- Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios except as a spot (no more than 2 sq ft) or crack and crevice treatment. During application, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters.
- Do not apply to fruits or vegetables used for food.
- All outdoor applications must be limited to spot (no more than 2 sq ft) or crack and crevice treatments only, except for the following permitted uses:
 - Applications to vegetation.

HOW TO USE

SHAKE WELL BEFORE USE. Hold can 12 to 15 inches from the surface to be treated. Squeeze trigger to dispense product and spray until surface is slightly wet but not to the point of run off.

WHERE TO USE

For use in and around the home, kitchens, apartment buildings, nursing homes and for use in outdoor residential garden.

WHEN TO USE

Apply when listed pests are seen or found. Reapply every 7 to 10 days until infestation is eliminated. Do not exceed 0.4 lbs imidacloprid per acre per year. This can contains 0.00024 lbs of imidacloprid.

KILLS

Adelgids, Ants (except Pharaoh), Aphids, Armyworms, Bagworms, Bed Bugs, Boxelder Bugs, Carpenter Ants, Caterpillars, Chiggers, Clothes moths, Clover mites, Cockroaches, Crickets, Cutworms, Earwigs, Elm leaf beetles, Fire ants, Fleas, Flies, Fungus Gnats, Grasshoppers, Gypsy moth larvae, Japanese Beetles, Kudzu Bugs, Lace Bugs, Leaf-feeding beetles, Leaf-feeding caterpillars, Leafhoppers (including glassy-winged sharpshooters), Leafminers, Mealybugs, Midges, Mosquitoes, Moths, Pine Shoot Moths, Pine Tip Moths, Pillbugs, Plant bugs, Psyllids, Rose Midges, Rose Slugs, Sawflies, Scale insects (crawler stages), Scorpions, Sowbugs, Spittlebugs, Spiders, Stink Bugs (including brown marmorated stink bugs), Thrips, Ticks (including deer ticks), Wasps, Weevils (including root weevils), and Whiteflies.

TO KILL BED BUGS AND BED BUG EGGS

Spray bugs and eggs directly wherever possible. Remove linens and wash before reuse. On infested mattresses, apply as spot (no more than 2 sq ft) treatment only to tufts, seams, folds, and edges until moist; allow mattress to dry before remaking bed. Apply to bedsprings, box springs, and the interior of bed frames or headboards, including all cracks and joints. Apply to cracks and crevices on all baseboards, moldings, beneath floor coverings and carpets, closets, shelves, curtains, furniture, picture frames, and luggage that may harbor bed bugs. Keeps on killing bed bugs for up to 30 days.

TO KILL TICKS AND FLEAS

Apply as a spot (no more than 2 sq ft) treatment on and around pet sleeping quarters, bedding, and pet's habitat. Treat carpeting, furniture and floor coverings where fleas and ticks are found.

TO KILL LISTED CRAWLING PESTS

Indoors, spray around baseboards, into cracks and crevices, and other places where insects live and hide (under sinks, cabinets, refrigerators, stoves, behind and beneath cabinets, damp areas, etc.) until surfaces are wet. **Outdoors,** apply as a crack and crevice or spot (no more than 2 sq ft) treatment, where insects may enter the home (windows, doors, porches, patios, etc.) or where they have been seen or can find shelter.

TO KILL ANTS (except Pharaoh)

Indoors, apply to ant trails on walls or baseboards, around doors, windows, and wherever ants may enter the home. **Outdoors,** treat around windows and doors, along sidewalks, or other areas where ants are seen.

TO KILL LISTED FLYING INDOOR PESTS

Apply to surfaces where house flies or other listed flying insects congregate, collect, or rest.

EPA Reg. 92564-59

Distributed by: SBM Life Science Corp.
1001 Winstead Drive, Suite 500, Cary, NC 27513

BioAdvanced is a trademark of SBM Life Science Corp.

81744297e 170509V1



Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.

DOT 2Q M5749 DSC



TO KILL WASPS

Make applications directly into nests. Remove and destroy treated nests if possible, or retreat nests as necessary.

TO KILL LISTED INSECTS ON ROSES, FLOWERS, HOUSEPLANTS, GROUND COVERS, AND SHRUBS

Do not apply this product while bees are foraging. Do not apply this product to flowers that are flowering. Only apply after all flower petals have fallen off. For houseplants, move outside, treat, let dry, bring back indoors. Use when insects or damage first appear. Hold spray 12-15 inches from foliage. Spray leaves, stems and tender new shoots. To kill insects that hide, spray the underside of the leaves. Apply until leaves are evenly coated with spray, but not dripping. Kills listed insects through contact and keeps killing for up to 30 days. For severe infestations, repeat every 7 to 14 days as necessary. Do not wet the foliage within one hour after applying. To avoid serious damage to plants, eliminate pests early in the season before they multiply.

PRECAUTIONARY STATEMENTS

Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
For medical emergency information, you may call toll-free 1-877-229-3763. Have the product container or label with you when calling poison control or doctor or going for treatment.
For product questions or comments, call toll-free 1-877-229-3724 or visit our website at www.BioAdvanced.com

PHYSICAL CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 120°F may cause bursting. Do not spray directly into any electrical equipment such as radios, televisions, computers, etc. (where there is exposed wiring or contact points) due to the possibility of short circuits and shock hazard.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates and fish. This product is highly toxic to bees. Do not apply this product when bees are foraging. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

PROTECTION OF POLLINATORS

APPLICATION RESTRICTIONS EXIST FOR THIS PRODUCT BECAUSE OF RISK TO BEES AND OTHER INSECT POLLINATORS. FOLLOW APPLICATION RESTRICTIONS FOUND IN THE DIRECTIONS FOR USE TO PROTECT POLLINATORS.

This product can kill bees and other insect pollinators.

Bees and other insect pollinators will forage on plants when they flower, shed pollen, or produce nectar.

Bees and other insect pollinators can be exposed to this pesticide from:

- Direct contact during foliar applications, or contact with residues on plant surfaces after foliar applications.
- Ingestion of residues in nectar and pollen when the pesticide is applied as a seed treatment, soil, tree injection, as well as foliar applications.

When Using This Product Take Steps To:

- Minimize exposure of this product to bees and other insect pollinators when they are foraging on pollinator attractive plants around the application site.
- Minimize drift of this product on to beehives or to off-site pollinator attractive habitat. Drift of this product onto beehives or off-site to pollinator attractive habitat can result in bee kills.

Information on protecting bees and other insect pollinators may be found at the Pesticide Environmental Stewardship website at: <http://pesticidestewardship.org/PollinatorProtection/Pages/default.aspx>
Pesticide incidents (for example, bee kills) should immediately be reported to the state/tribal lead agency. For contact information for your state, go to: www.aapco.org/officials.html
Pesticide incidents should also be reported to the National Pesticide Information Center at: www.npic.orst.edu or directly to EPA at: beekill@epa.gov

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.
PESTICIDE STORAGE: Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.

CONTAINER HANDLING: Do Not Puncture or Incinerate!

If Empty: Place in trash or offer for recycling, if available.
If Partly Filled: Call your local solid waste agency for disposal instructions.

NOTICE: Research and testing have determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. To the extent consistent with applicable law, the Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

!LEA LA ETIQUETA ANTES DE USAR EL PRODUCTO! MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

Para realizar preguntas o comentarios sobre el producto, llame al número gratuito 1-877-229-3724 o visite nuestra página Web www.BioAdvanced.com





.5" x 1.5"
OPTIONAL BOTTLE STICKER