

THERMACELL®

TICK CONTROL TUBES



— AN AID TO —
CONTROL TICKS

THAT MAY CARRY LYME DISEASE

TREATS
5,500
sq. ft.

KEEP OUT OF REACH OF CHILDREN

CAUTION: See bottom panel for additional
precautionary statements.

Active Ingredient:

Permethrin* 7.4%
Other Ingredients 92.6%
Total 100.00%
*Cis/trans ratio: min. 35% (+/-) cis
and max. 65% (+/-) trans.

Contains:

6 Tick Control Tubes
Net Contents 0.16 oz (4.5 g) ea
Total Net Contents 0.96 oz (27 g)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR OUTDOOR APPLICATION ONLY. For the reduction of ticks associated with the mice that serve as reservoirs for pathogens causing Lyme disease and babesiosis. Ticks feeding on these animals become infected and may transmit disease to humans, dogs, and horses.

For best results, place tubes flat on the ground in all brush-covered and wooded areas to be treated. Do not exceed the maximum distance of 10 yards between tubes in any direction. Limit treatment areas to those areas inhabited by mice, and need not include mown lawns or open grasslands. Position tubes so that mice have access to the open ends. Product works best if not covered by leaves or other material.

FOR TREATMENT AROUND YARDS: Place tubes within 1 yard of the edge of mown lawn, in flower gardens, under bushes and along fences, wherever mice may reside. For complete coverage, apply tubes to all brush-covered or wooded areas within 50 yards surrounding the yard area to be protected.

FOR TREATMENT OF WOODLOTS: Place tubes in a contiguous array (such as a grid design), with no more than 10 yards between tubes in any direction. For complete coverage, apply tubes up to the brush-covered edge surrounding the woodlot. Tubes placed near thickets or rotting logs within the woodlot will be more effective than those placed in more open woodland terrain.

Tubes may be applied anytime between April 1 and mid-September, but should be applied at least twice a year. For best results, apply just prior to the feeding activity periods for nymphal (May-June) and larval (August-September) ticks. Tubes may also be replaced when nesting material is completely removed. The tubes and unused cotton are biodegradable and may be left in the application site.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage.

PESTICIDE STORAGE: Store at room temperature in an area inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: If empty: Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

TREATS
5,500
sq. ft.



BOX CONTAINS:



6 Tick Control Tubes

Apply once in the spring
and once in the summer

EASY TO USE



**PLACE IN BRUSH, WOODPILES,
ROCK WALLS AND FLOWER BEDS**

- Apply once in the spring and once in the summer
- Place tubes no greater than 10 yards apart from each other

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

Physical or Chemical Hazards

Combustible. Do not use or store near excess heat or open flame.

FIRST AID

If Swallowed:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

If In Eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

If On Skin or Clothing:

- Take off contaminated clothing.
- Immediately rinse skin with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may call 1-800-222-1222 for emergency medical treatment information.

EPA Reg. No. 56783-1-71910

EPA Est. No. 92674-BGR-01

Manufactured in Bulgaria

Thermacell® is a Registered Trademark of
Thermacell Repellents, Inc

Manufactured for:

Thermacell Repellents, Inc

26 Crosby Dr, Bedford, MA 01730

Email: TickHelp@Thermacell.com

Toll Free: 1-866-753-3837



ab0417

TC06

Batch code:


THERMACELL®

TICK

CONTROL TUBES

