7587280

ACE

READY-TO-SPRAY

LAWN WEED KILLER CONCENTRATE

HERBICIDA CONCENTRADO PARA MALEZAS DEL CÉSPED

ACE QUALITY SINCE 1924



WON'T HARM LAWNS‡
NO DAÑARÁ EL CÉSPED‡

Visible results in 24 hours
Resultados visibles en 24 horas

Treats up to 12,800 sq ft
Trata hasta 12,800 pies² (1,200 m²)

LB9872

Kills weed roots
Elimina las raíces de las malezas

Kills broadleaf weeds* in your lawn
Elimina malezas* de hoja ancha en su césped

NET CONTENTS
32 FL OZ
946 mL

Active Ingredients:
Mecoprop-p, dimethylamine salt * 5.30%
2,4-D, dimethylamine salt** 3.05%
Dicamba, dimethylamine salt*** 1.30%
Other Ingredients: 90.35%

*(+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent to 4.38%
**2,4-Dichlorophenoxyacetic acid equivalent to 2.53%
***3,6-dichloro-o-anisic acid equivalent to 1.08% Isomer
Specific by AOAC Method 6.D01-5.

KEEP OUT OF REACH OF CHILDREN
CAUTION See back booklet for first aid and precautionary statements.
MANTENER FUERA DEL ALCANCE DE LOS NIÑOS
PRECAUCIÓN Consulte el panel posterior para conocer los avisos de primeros auxilios y de precaución.

‡when used as directed ‡cuando se usa como se indica

*Refer to booklet for complete list of weeds/Consulte el folleto para un listo completo de malezas

ALMACENAMIENTO Y ELIMINACIÓN

ALMACENAMIENTO DEL HERBICIDA: Guárdelo en su envase original en un área de almacenamiento bajo llave e inaccesible para los niños o las mascotas. Evite que se congele.

ELIMINACIÓN DEL HERBICIDA Y DEL ENVASE: Si está vacío: Este envase no se puede rellenar. No vuelva a usar o a rellenar este envase. Tírelo a la basura o, si está disponible, ofrézcalo para reciclaje. **Si está parcialmente lleno:** Llame a su agencia local de desechos sólidos para obtener instrucciones sobre cómo eliminarlo. Nunca elimine el producto no utilizado en drenajes internos o externos.

AVISOS DE PRECAUCIÓN

Riesgos para los seres humanos y los animales domésticos

PRECAUCIÓN: Causa irritación moderada en los ojos. Evite el contacto con los ojos o la ropa. Es nocivo si se ingiere. Use camisa de manga larga, pantalones largos, medias o calcetines y zapatos. En algunas personas, el contacto prolongado o frecuente con la piel puede provocar reacciones alérgicas.

PRIMEROS AUXILIOS	
SI ENTRA EN LOS OJOS:	• Mantenga el ojo abierto y enjuáguelo lentamente y con cuidado con agua por 15 a 20 minutos. • Retire los lentes de contacto, de haberlos, después de trascurridos los primeros 5 minutos, y continúe enjuagando el ojo con agua. • Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.
SI SE CAE EN LA PIEL O LA ROPA:	• Quítese la ropa contaminada. • Enjuague la piel de inmediato con abundante agua por 15 a 20 minutos. • Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.
SI SE INGIERE:	• Haga que la persona beba un vaso de agua si puede tragar. • No induzca el vómito a menos que así lo indique el centro de control de envenenamientos o el médico. • No le dé nada por la boca a una persona que haya perdido el conocimiento.
Tenga el envase o la etiqueta del producto con usted cuando llame al centro de control de envenenamientos o al médico, o al acudir a recibir tratamiento. **Nota para el médico:** Para obtener información de emergencia, llame al 1-877-375-5136.	

RIESGOS AMBIENTALES: Este pesticida es tóxico para los peces y los invertebrados acuáticos, y puede afectar de manera adversa a las plantas que no se pretende eliminar. La dispersión y los escurrimientos pueden ser peligrosos para los organismos acuáticos de las zonas aledañas a las áreas tratadas. Para proteger el medio ambiente, no permita que el pesticida caiga o se escurra hacia drenajes pluviales, cunetas de desagüe, canaletas o aguas superficiales. La aplicación de este producto en un clima tranquilo, cuando no se pronostiquen lluvias para las próximas 24 horas, asegurará que ni el viento ni la lluvia arrastren o laven el pesticida fuera del área de tratamiento. Enjuagar el equipo de aplicación en la zona tratada evitará que el producto discurra a cuerpos de agua o sistemas de drenaje.
Este producto químico tiene propiedades y características que se asocian con sustancias químicas detectadas en aguas del subsuelo. El uso de este producto químico en áreas donde la tierra es permeable, en particular donde el manto freático está cerca de la superficie, puede acarrear la contaminación del agua del subsuelo. La aplicación alrededor de una cisterna o pozo puede ocasionar la contaminación del agua para beber o de la del subsuelo.

ADVERTENCIA: En la medida contemplada por las leyes correspondientes, el comprador asume todo el riesgo por el uso, el almacenamiento o el manejo de este producto si no se siguen las instrucciones.

7587280

PEEL HERE
Read all instructions inside before using.

ABRA AQUÍ
Lea todas las instrucciones dentro antes de usar.

ACE

READY-TO-SPRAY LAWN WEED KILLER CONCENTRATE

HERBICIDA CONCENTRADO PARA MALEZAS DEL CÉSPED

Rainproof in 2 hours
A prueba de lluvia en 2 horas

NOTICE: To the extent consistent with applicable law, the buyer assumes all risks of use, storage or handling of this product not in accordance with directions. Questions or Comments? Call 1-877-375-5136.

ADVERTENCIA: En la medida contemplada por las leyes correspondientes, el comprador asume todo el riesgo por el uso, el almacenamiento o el manejo de este producto si no se siguen las instrucciones. ¿Preguntas o comentarios? Llame al 1-877-375-5136

Manufactured by Swiss Farms Products, Inc.
3993 Howard Hughes Parkway, Suite 250
Las Vegas, NV 89169-6754
EPA Reg. No 239-2665-73327
EPA Est. No. 239-IA-3

Made for
Ace Hardware Corp.
Oak Brook, Illinois 60523, USA
©2020. World rights reserved.
www.acehardware.com

LB15652

062340610 Ace® Ready-To-Spray Lawn Weed Killer Concentrate
PROOF OF PURCHASE

0 82901 28386 7

The Ace® Promise
If this Ace product, when used for its intended purpose, fails to give you complete satisfaction, return the item to the Ace Hardware store where purchased for free replacement of the same or similar item.

El Compromiso de Ace®
Si este producto Ace, cuando se usa para los fines entendidos, no funciona a su entera satisfacción, devuélvalo a la ferretería de Ace Hardware donde lo compró para que se lo reemplacen sin costo por uno igual o similar.

PRODUCT FACTS:	Treats up to 12,800 sq ft (approx. size of 6 tennis courts)
Kills Weeds:	Dandelion, Clover, Chickweed plus additional broadleaf weeds*
Where to Use:	ON LAWNS without harming lawn grasses
Questions OR Comments Call 1-877-375-5136	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Application Restrictions:

- Do not apply this product in a way that will contact any person or pet, either directly or through drift.
- Keep people and pets out of the area during application.
- Do not allow people or pets to enter the treated area until sprays have dried.
- Do not use this product on or near desirable plants, including within the dripline of the roots of desirable trees and shrubs, since injury may result.
- Do not apply as a fine mist because of potential injury to desirable plants.
- Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays and oceans. Do not apply when windy. To prevent product run-off, do not over water the treated areas to the point of runoff or apply when raining or when rain is expected that day. Rinse applicator over lawn or garden area only.

The maximum application rate is 5 fl oz of product per 1,000 sq ft per application (0.37 lb 2,4-D acid equivalent per acre per application). The maximum number of broadcast applications is limited to 2 per year. The maximum yearly rate is 10 fl oz of product per 1,000 sq ft. (0.74 lb 2,4-D acid equivalent per acre).

HOW IT WORKS

Because broadleaf weeds and grasses grow differently, Ace® Ready-To-Spray Lawn Weed Killer Concentrate kills broadleaf weeds without harming lawns. Ace® Ready-To-Spray Lawn Weed Killer Concentrate singles out weeds, enters through leaves and moves inside the weed to the roots.

Where to Apply:	**FOR SENSITIVE LAWNS:** Bentgrass, Buffalograss, Centipedegrass & St. Augustinegrass (EXCEPT Floratam*) * Floratam is a variety of St. Augustinegrass widely grown in Florida. Bottle (32 fl oz) will treat 12,800 sq. ft.
	FOR HARDY LAWNS Bahiagrass, Bermudagrass, Fescues, Kentucky Bluegrass, Perennial Ryegrass & Zoysiagrass Bottle (32 fl oz) will treat 6,400 sq. ft.

How to Apply:	**CONNECT** • Shake well before using. • Connect sprayer to hose. • Turn on water.
	SPRAY • Extend the hose to the farthest point in the lawn away from the water faucet. This will minimize walking on the treated area. • To begin spraying, point nozzle in the direction you want to spray. • Bend small plastic tab back and turn knob to ON position.
	FINISH • To stop spraying, turn knob to OFF position. • Turn off water. • Relieve water pressure by bending the plastic tab back and turning knob to ON position until water slows to a drip. Then, turn knob back to OFF position. • Disconnect sprayer from hose.

For Best Results

- To treat entire lawn: Use a hose-end sprayer. Measure lawn. Calculate square feet by multiplying length times width. Spray evenly over measured area.
- Do not mow for 1 to 2 days before or after application.
- If soil is dry, water 1 to 2 days before application.
- Rain or watering 2 hours after application will not wash away effectiveness.
- Spray when weeds are small and actively growing.
- Spray when temperature is below 90°F.
- Spray when air is calm to avoid spray drift onto landscape plants as contact with foliage may injure flowers, shrubs, trees and other desirable plants.
- Allow at least a 30 day interval between applications of this product.
- Newly seeded lawn can be sprayed after first mowing.
- Bare spots can be planted with grass seed 1 week after application.

IMPORTANT

If an ornamental shrub or tree is in the lawn, keep spray off foliage and exposed roots.

St. Augustinegrass, Centipedegrass or Bermudagrass lawns may have delayed green-up if this product is used when lawns are emerging from dormancy or when temperature drops below 45° F within 72 hours of application. Do not spray Carpetgrass, Dichondra or desirable clovers. Do not use on or around fruits, vegetables or flowers. **Do not use on Floratam, a variety of St. Augustinegrass.** The maximum number of broadcast applications per treatment site is 2 per year. Do not exceed specified dosages for any area.

***WEEDS CONTROLLED**

White heath Aster, Bushy Aster, Heath Aster, Purple Aster, White prairie Aster, Catchweed Bedstraw, Marsh Bedstraw, Northern Bedstraw, Creeping Beggarweed, Threeflower Beggarweed, Field Bindweed, Burclover, Common Burdock, Great Burdock, Lawn Burweed, Smallflower Buttercup, Hairy Buttercup, Bushy Buttonweed, Virginia Buttonweed, Black Medic, Carolina Geranium, Carpetweed, Cat's-ear, Chicory, Common Chickweed, Mouseeared Chickweed, Sticky Chickweed, Common Cinquefoil, Oldfield Cinquefoil, Alyce-clover, Crimson Clover, Hop Clover, White Clover, Wandering Cudweed, Purple Cudweed, Narrowleaf Cudweed, Shiny Cudweed, Cupids Shaving Brush, English Daisy, Oxeye Daisy, Common Dandelion, False Dandelion, Catsear Dandelion , Dayflowers, Purple Deadnettle, Dogfennel, Broadleaf Dock, Curly Dock, Dollarweed, Oakleaf Fleabane, Rough Fleabane, Wild Garlic, Ground Ivy, Groundsel, Yellow Hawkweed, Healall, Henbit, Sprawling Horseweed, Prostrate Knotweed, Tufted Knotweed, Lambsquarters, Lespedeza, Alkali Mallow, Venice Mallow, Common Mallow, Little Mallow, Dwarf Mallow, Bristly Mallow, Marestail, Horseweed, Mat Lippia, Ball Mustard, Black Mustard, Blue Mustard, Indian Mustard, Tumble Mustard, Wild Mustard, Tansy Mustard, White Mustard, Wormseed Mustard, Wild Onion, Pennywort, Asiatic Pennywort, Virginia Pepperweed, Prostrate Pigweed, Redroot Pigweed, Smooth Pigweed, Tumble Pigweed, Pineappleweed, Broadleaf Plantain, Buckhorn Plantain, Blackseeded Plantain, Poison Ivy, Poison Oak, Purslane, Brazil Pusley, Largeflower Pusley, Florida Pusley, Giant Ragweed, Common Ragweed, Western Ragweed, Lanceleaf Ragweed, Yellow Rocket, , Sibara, Red Sorrel, Sheep Sorrel, Shepardspurse, Pennsylvania Smartweed, Swamp Smartweed, Ladysthumb Smartweed, Pale Smartweed, , Bilobed Speedwell, Common Speedwell, Corn Speedwell, Ivyleaf Speedwell, Persian Speedwell, Purslane Speedwell, Slender Speedwell, Snow Speedwell, Thymeleaf Speedwell, Winter Speedwell, Spotted Spurge, Prostrate Spurge, Swinecress, Bull Thistle, Canada Thistle, Flodman Thistle, Cotton Thistle, Distaff Thistle, Drummonds Thistle , Elk Thistle, Gray Thistle, Italian Thistle, Leafy Thistle, Meadow Thistle, Milk Thistle, Platte Thistle, Plumeless Thistle, Russian Thistle, Scotch Thistle, Slenderflower Thistle, Tall Thistle, Wavyleaf Thistle, Yellowspine Thistle, Camplipoda Veronica, Violet, Field Violet, Wild Carrot, Wild Lettuce, Woodsorrel, Creeping Woodsorrel, Yellow Woodsorrel, Florida Yellow Woodsorrel, Common Yarrow, Western Yarrow, Yellow Yarrow

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in original container in a locked storage area inaccessible to children or pets. Keep from freezing.

PESTICIDE AND CONTAINER DISPOSAL: If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Harmful if swallowed. Wear long sleeved shirt, long pants, socks, and shoes. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

FIRST AID	
IF IN EYES:	• Hold eye open and rinse slowly and gently with water for 15-20 minutes • Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye • Call a poison control center or doctor for treatment advice
IF ON SKIN OR CLOTHING:	• Take off contaminated clothing • Rinse skin immediately with plenty of water for 15-20 minutes • Call a poison control center or doctor for treatment advice
IF SWALLOWED:	• Call a poison control center or doctor immediately for treatment advice • Have person sip a glass of water if able to swallow • Do not induce vomiting unless told to do so by a poison control center or doctor • Do not give anything by mouth to an unconscious person
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **Note to Physician:** Emergency information call 1-877-375-5136	

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

This product has properties and characteristics associated with chemicals detected in groundwater. The use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

NOTICE: : To the extent consistent with applicable law, the buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

DATOS DEL PRODUCTO:	Trata hasta 12,800 pies^2 (1190 m^2) (el tamaño de aprox. 6 canchas de tenis)
Elimina malezas:	Diente de león, trébol, estalaria, más malezas de hoja ancha adicionales*
Dónde usar:	EN CÉSPED sin perjudicar la grama del césped.
	Si tiene preguntas O comentarios, llame 1-877-375-5136

MODO DE EMPLEO

Se considera una violación de la ley federal usar este producto con fines distintos de los indicados en la etiqueta.

Restricciones de aplicación:

- No aplique este producto de manera que entre en contacto con otras personas o mascotas, ya sea directamente o al ser arrastrado por el viento.
- Durante la aplicación, mantenga alejadas del área a las personas y las mascotas.
- No permita que las personas ni las mascotas ingresen al área tratada hasta que el rociado se haya secado.
- No utilice este producto en ni cerca de plantas que no desee eliminar, incluyendo la línea de goteo de las raíces de árboles y arbustos, pues puede dañarlos.
- No aplique como una niebla fina porque es posible que dañe a las plantas que no desea eliminar.
- No aplique directamente ni cerca de agua, drenajes pluviales, canaletas, alcantarillas o zanjas de desagüe. No aplique a menos de 25 pies (8 m) de distancia de ríos, estanques de peces, lagos, arroyos, pantanos, marismas, estuarios, bahías y océanos. No aplique cuando haga viento. Para evitar escurrimientos del producto, no riegue el área tratada al grado que escurra ni lo aplique cuando esté lloviendo o si se pronostican lluvias para ese día. Enjuague el aplicador sobre el área del césped o jardín, únicamente.

La tasa de aplicación máxima es de 5 onzas líquidas (150 ml) de producto por 1,000 pies^2 (93 m^2) por aplicación (0.37 lb [168 g] de 2,4-D equivalente ácido por acre). La cantidad máxima de aplicaciones de dispersión se limita a 2 por año. La tasa anual máxima es de 10 onzas líquidas (295 ml) de producto por 1,000 pies^2 (93 m^2) por aplicación (0.74 lb [336 g] de 2,4-D equivalente ácido por acre).

CÓMO FUNCIONA

Como las malezas de hoja ancha y las gramas crecen de manera diferente, el Herbicida concentrado para malezas del césped de Ace® listo para rociar elimina las malezas de hoja ancha sin dañar el césped. El Herbicida concentrado para malezas del césped de Ace® listo para rociar identifica las malezas, entra a través de las hojas y se mueve por dentro de las malezas hasta llegar a las raíces.

Dónde aplicar:	**PARA CÉSPEDES SENSIBLES:** Grama Bent, grama Búfalo, grama ciempiés y grama de San Agustín (SALVO Floratam*) *Floratam es una variedad de grama de San Agustín cultivada extensamente en Florida) La botella de 946 ml sirve tratar 1189 m^2
	PARA CÉSPEDES RESISTENTES: Grama Bahía, grama Bermuda, cañuela, pasto azul de Kentucky, raigrás perenne y grama Zoysia La botella de 946 ml sirve tratar 594 m^2

Cómo aplicar:	**CONECTE** • Agite bien el producto antes de usarlo. • Conecte el rociador a la manguera. • Abra la llave del agua.
	ROCÍE • Extienda la manguera hasta el punto del césped que esté más alejado de la llave del agua. Esto reducirá al mínimo lo que tiene que caminar sobre el área tratada. • Para comenzar a rociar, apunte la boquilla en la dirección que desee hacerlo. • Doble hacia atrás la pequeña lengüeta de plástico y gire la perilla hasta la posición de "ON" (abierto).
	TERMINE • Para dejar de rociar, gire la perilla hasta la posición de "OFF" (cerrado). • Cierre la llave del agua. • Libere la presión del agua doblando la lengüeta de plástico hacia atrás y girando la perilla a la posición de "ON" (abierto), hasta que el chorro del agua se reduzca a un goteo. Luego gire la perilla de regreso a la posición de "OFF" (cerrado). • Desconecte el rociador de la manguera.

Para obtener los mejores resultados

- Para tratar el prado entero: use un rociador de manguera. Mida el prado. Calcule los pies cuadrados multiplicando el largo por el ancho. Rocíe de manera uniforme sobre el área medida.
- No corte el césped por 1 a 2 días antes o después de la aplicación.
- Si la tierra está seca, riegue 1 a 2 días antes de la aplicación.
- La lluvia o el riego 2 horas después de la aplicación no reducirán la eficacia del producto.
- Rocíe cuando las malezas sean pequeñas y estén en crecimiento activo.
- Rocíe cuando la temperatura no supere los 32 °C (90 °F).
- Rocíe cuando no haga viento para evitar que el producto sea arrastrado por el viento hasta las plantas del jardín, pues su contacto con el follaje puede dañar las flores, arbustos, árboles y otras plantas que no desee eliminar.
- Deje pasar por lo menos 30 días entre cada aplicación de este producto.
- El césped recién sembrado puede rociarse después del primer corte.
- Pueden sembrarse semillas en las áreas descubiertas 1 semana después de la aplicación.

IMPORTANTE

Si el prado tiene algún árbol o arbusto ornamental, mantenga el rocío alejado del follaje y de las raíces expuestas. El reverdecimiento de los céspedes San Agustín, ciempiés o Bermuda puede retrasarse si este producto se utiliza cuando el césped está saliendo del periodo de latencia o cuando la temperatura desciende por debajo de los 7 °C (45° F) dentro de las 72 horas posteriores a la aplicación. No rocíe los céspedes de las variedades alfombra o dicondra (oreja de ratón), ni los tréboles que no desee eliminar. No lo use en ni alrededor de plantas frutales, hortalizas o flores. **No lo utilice en césped Floratam, una variedad del césped San Agustín.** El número máximo de aplicaciones por voleo, por lugar de tratamiento, es de dos al año. No exceda la dosis especificada para cualquier área dada.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Harmful if swallowed. Wear long sleeved shirt, long pants, socks, and shoes. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. This product has properties and characteristics associated with chemicals detected in groundwater. The use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

NOTICE: : To the extent consistent with applicable law, the buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

DECLARACIONES DE PRECAUCIÓN

Riesgos para los seres humanos y los animales domésticos

PRECAUCIÓN: Causa irritación moderada en los ojos. Evite el contacto con los ojos o la ropa. Es nocivo si se ingiere. Use camisa de manga larga, pantalones largos, medias o calcetines y zapatos. En algunas personas, el contacto prolongado o frecuente con la piel puede provocar reacciones alérgicas.

RIESGOS AMBIENTALES: Este pesticida es tóxico para los peces y los invertebrados acuáticos, y puede afectar de manera adversa a las plantas que no se pretende eliminar. La dispersión y los escurrimientos pueden ser peligrosos para los organismos acuáticos de las zonas aledañas a las áreas tratadas. Para proteger el medio ambiente, no permita que el pesticida caiga o se escurra hacia drenajes pluviales, cunetas de desagüe, canaletas o aguas superficiales. La aplicación de este producto en un clima tranquilo, cuando no se pronostiquen lluvias para las próximas 24 horas, asegurará que ni el viento ni la lluvia arrastren o laven el pesticida fuera del área de tratamiento. Enjuagar el equipo de aplicación en la zona tratada evitará que el producto discurra a cuerpos de agua o sistemas de drenaje.

Este producto químico tiene propiedades y características que se asocian con sustancias químicas detectadas en aguas del subsuelo. El uso de este producto químico en áreas donde la tierra es permeable, en particular donde el manto freático está cerca de la superficie, puede acarrear la contaminación del agua del subsuelo. La aplicación alrededor de una cisterna o pozo puede ocasionar la contaminación del agua para beber o de la del subsuelo.

ADVERTENCIA: En la medida contemplada por las leyes correspondientes, el comprador asume todo el riesgo por el uso, el almacenamiento o el manejo de este producto si no se siguen las instrucciones.

Manufactured by Swiss Farms Products, Inc.
3993 Howard Hughes Parkway, Suite 250
Las Vegas, NV 89169-6754

EPA Reg. No. 239-2665-73327
EPA Est. No. 239-IA-3