

Home Invading Insects: Barrier Treatment Around Home Foundation (Outdoors)
How to Apply: Evenly apply a 2-foot band of granules next to the house foundation based on pest list and application rates listed above. Use 0.5 to 2 lbs. for each 500 sq. ft. (2 ft. X 250 ft.). If necessary, repeat applications every 2 weeks only if there are signs of renewed insect activity.

SPREADER TIPS				
SPREADER	SPREADER SETTINGS Pounds of Product per 500/1,000 sq. ft.			DIRECTIONS
	0.5/1 lb	1/2 lbs	2/4 lbs	
Scotts® AccuGreen® Drop Spreader	5-1/2	7	9	Mow lawn first if grass is tall enough to touch the bottom of the spreader. First apply two header strips. Operate spreader the longest way of the lawn. Overlap wheel marks to ensure uniform feeding. Shut off spreader when you have reached the header strips or stopped.
Scotts® SpeedyGreen® Rotary	24	25	27	Shut off spreader anytime you stop. For complete coverage make each pass about five feet from the previous one, so some overlapping occurs.

When using other spreaders, calibrate the spreader settings based on the manufacturer's recommendations.

Home Vegetable Gardens

How to Apply
 A single application may be applied just prior to planting or after plants emerge and worked into the top 4 to 6 inches of soil. Use 1 lb of product for a 500 sq. ft. area.

VEGETABLES	DAYS TO WAIT TO HARVEST	PESTS
Sweet Corn	1 Day	Ants, armyworm, cutworms, earwigs, European corn borer, fall armyworm, grasshoppers, southwestern corn borer and weevils.
Tomatoes	1 Day	Ants, cutworms, crickets, earwigs, grasshoppers, grubs, seed maggots, weevils and wireworms.
Green Peas, Edible Pods (Sugar Snap Peas, Snow Peas), Green Beans (Wax Beans, Snap Beans), Dry Beans (Black-eyed Peas, Cowpea) Cucurbit Vegetables: Chayote, Citron melon, Cucumber, Edible Gourd, Muskmelon (Cantaloupe, Casaba, Crimson net melon, Golden melon, Honeydew Melon, Pineapple melon, Santa Claus melon, Snake melon), Pumpkin, Summer squash (Crookneck, Scallop, Straightneck Zucchini), Winter squash (Butternut, Calabaza, Hubbard including Acorn and Spaghetti), Watermelon	3 Days	Ants, cutworms, crickets, earwigs, grasshoppers, grubs, seed maggots, weevils and wireworms.
Peppers, Eggplant, Head Lettuce, Broccoli, Brussels Sprouts, Cabbages, Cauliflower, Cavalo Broccoli, Chinese Broccoli, Chinese Cabbage, Kohlrabi	7 Days	Ants, cutworms, crickets, earwigs, grasshoppers, grubs, seed maggots, weevils and wireworms.

Home Vegetable Garden Spreader Tips		
SPREADER	1 LB OF PRODUCT FOR 500 SQ. FT.	DIRECTIONS
Scotts® AccuGreen® Drop Spreader	3-1/4	Operate spreader the longest way of the garden area. Overlap wheel marks to ensure uniform feeding. Shut off spreader when you have reached the header strips or stopped.
Scotts® SpeedyGreen® Rotary	2	Shut off spreader anytime you stop. For complete coverage make each pass about five feet from the previous one, so some overlapping occurs.
Ferti-lome® YARD-RIGHT Hand Held Spreader	2	1. Make certain setting selector is in closed position. Fill hopper with 1.0 lb. of product for every 500 sq. ft. of treatment area. 2. Adjust selector to the #2 setting. 3. Apply product evenly over area walking at a steady pace while turning hand crank. If you apply a second application, spread at right angle to first. 4. The spreader will apply a uniform swath 6 ft. to 12 ft. wide. Note the path of the product spread and adjust for the return swath to avoid overlapping product.

When using other spreaders, calibrate the spreader settings based on the manufacturer's recommendations.

STORAGE AND DISPOSAL
 Do not contaminate water, food or feed by storage or disposal.
Pesticide Storage
 Store in a cool, dry area. Always store pesticides in the original container. Store away from food and pet food.
Pesticide Disposal and Container Handling
 Nonrefillable container. Do not reuse or refill this container.
If empty: Place in trash or offer for recycling if available.
If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

100527079 & 100527080



Quick Kill
 LAWN INSECT KILLER
 GRANULES II



Amdro Quick Kill, Central Garden & Pet, and Central Garden & Pet with design are trademarks of Central Garden & Pet Company. Scotts and AccuGreen are registered trademarks of OMS Investments, Inc. SpeedyGreen is a registered trademark of Everis International B.V. Ferti-lome is a registered trademark of Voluntary Purchasing Groups, Inc.



KILLS IN 24 HOURS

KEEPS LISTED INSECTS AWAY FOR UP TO 3 MONTHS

GUARANTEED TO WORK*



Quick Kill

LAWN INSECT KILLER GRANULES II

- Kills up to 100 listed insects
- Kills listed surface and sub-surface insects



KEEP OUT OF REACH OF CHILDREN CAUTION SEE ADDITIONAL PRECAUTIONARY STATEMENTS ON BACK OF BAG.

IMPORTANT! ALWAYS STORE THIS PRODUCT OUT OF REACH OF PETS AND DOMESTIC ANIMALS

ACTIVE INGREDIENT: Bifenthrin** By Wt. 0.115%
 OTHER INGREDIENTS: 99.885%
 TOTAL 100.000%
 **Cis isomers 97% minimum, trans isomers 3% maximum.

NET WEIGHT 10 LB (4.54 kg)

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC 1-(800) 424-9300
 For Medical Emergencies Only, Call 1-(800)-265-0761
 For Product Inquiries, Call 1-(800)-265-0761
 *Or your money back

FOR OUTDOOR RESIDENTIAL LAWN, HOME PERIMETER, ORNAMENTAL & FLOWER GARDENS, AND HOME VEGETABLE GARDEN USE ONLY



KILLS IN 24 HOURS

KEEPS LISTED INSECTS AWAY FOR UP TO 3 MONTHS

Quick Kill
 LAWN INSECT KILLER
 GRANULES II

KILLS LISTED SURFACE & SUB-SURFACE INSECTS

Quick Kill

LAWN INSECT KILLER GRANULES II



Conditions of Sale and Limitation of Warranty and Liability:

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions beyond the control of Central Garden & Pet, Garden Division or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Central Garden & Pet, Garden Division and Seller harmless for any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the Directions for Use when used in accordance with the directions under normal conditions of use. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, CENTRAL GARDEN & PET, GARDEN DIVISION MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESS OR IMPLIED WARRANTIES WITH RESPECT TO THE SELECTION, PURCHASE, OR USE OF THIS PRODUCT. Any warranties, express or implied, having been made are inapplicable if this product has been used contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to (or beyond the control of) seller or Central Garden & Pet, Garden Division, and buyer assumes the risk of any such use.

To the extent allowed by law, Central Garden & Pet, Garden Division or seller shall not be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF CENTRAL GARDEN & PET, GARDEN DIVISION AND SELLER FOR ANY AND ALL CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF CENTRAL GARDEN & PET, GARDEN DIVISION OR SELLER, THE REPLACEMENT OF THE PRODUCT.

This Conditions of Sale and Limitation of Warranty and Liability may not be amended by any oral or written agreement.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

FIRST AID	
IF ON SKIN OR CLOTHING:	• Take off contaminated clothing.
	• Rinse skin immediately with plenty of water for 15-20 minutes.
	• Call a poison control center or doctor for treatment advice.
HOTLINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-265-0761 for Emergency Assistance.	
NOTE TO PHYSICIAN	
This product is a pyrethroid. If large amounts have been ingested, milk, cream or other digestible fats and oils may increase absorption and so should be avoided.	
For Information Regarding the Use of this Product Call 1-800-265-0761	

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if absorbed through the skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is a ready-to-use granular insecticide to control various listed insects (including spiders) on and below surfaces of lawns, home perimeters, ornamental & flower gardens, and home vegetable gardens. Immediately after applying, irrigating or watering with 0.1 to 0.5 inches of water generally improves the effectiveness of this product. Read the "Directions for Use" carefully and fully before applying this product.

In New York State, this product may NOT be applied to any grass or turf area (lawns) within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).

In New York State, do make a single repeat application of this product if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

Do not allow children or pets to enter the area until dry.

Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

Apply this product directly to the lawn or garden area. Water treated area as directed on this label. Do not water to the point of runoff.

Do not make applications during rain.

APPLICATIONS TO LAWNS, HOME PERIMETERS, & ORNAMENTAL AND FLOWER GARDENS

Uniformly apply this product over 1,000 square feet based on targeted pest and associated application rate as listed in the table below by using any gravity or rotary type spreader. Treat when insects first appear and retreat as necessary. Repeat application is necessary only if there are signs of renewed insect activity. Repeat application must be limited to no more than once per seven days. For best results, thoroughly water treated area immediately after application. A 10-pound bag will treat a 2,500 to 10,000 square feet area.

Use this product to control the following pests at the application rates listed below:	
Pest	Application Rate
Armyworms (including Fall Armyworm) Billbugs (including Bluegrass Billbug) Black Turfgrass Ataenius (Adult) Bristletail Caterpillars (including Lucerne moth) Chinch Bugs Cockroaches Crickets Cutworms (including Black Cutworm) Earwigs Fiery Skipper Firebrat Frit Fly Grasshoppers Ladybeetles Leafhoppers Mealybugs Pillbugs Seed Maggots Silverfish Sowbugs Striped Grassworm Two-lined Spittle Bugs Webworms (including Sod Webworm) Wireworms	1-2 lbs per 1,000 ft ²
Ants (including carpenter, red pavement, odorous, and pyramid) Annual Bluegrass Weevil (<i>Hypoderes</i>) Chiggers Crane Flies (larvae) Fleas (larvae and adults) Ground Beetle Ground Pearl Mites Mole Crickets (including Tawny Mole Cricket) Spiders (including Brown Recluse Spider)	2 to 4 lbs per 1,000 ft ²
Ants (including Argentine, Pharaoh (sugar), imported fire ants, and foraging fire ants) Centipedes Millipedes Scorpions Ticks (including Brown Dog Tick) and ticks that may transmit Lyme Disease	4 lbs per 1,000 ft ²