

TERRO®

Mosquito & Tick Yard Spray

Aerosol para patio contra
mosquitos y garrapatas



KILLS

Mosquitoes that
may transmit

**WEST NILE/
ZIKA VIRUS**

Kills on contact • Treats up to 5,300 sq ft



**Water-based
formula**

Net Contents
32 fl oz (946 mL)

**KEEP OUT OF REACH
OF CHILDREN
CAUTION**

See Rear Panel for Additional
Precautionary Statements.

**MANTÉNGASE FUERA DEL
ALCANCE DE LOS NIÑOS
PRECAUCIÓN**

Vea el Panel Posterior para
Precauciones Adicionales.

ACTIVE INGREDIENTS/INGREDIENTE ACTIVO:

Permethrin [(3-phenoxyphenyl)methyl(±)-cis,trans-3-(2,2-dichloroethenyl)-
2,2-dimethylcyclopropanecarboxylate][CAS #52645-53-1] 2.50%

OTHER INGREDIENTS/OTROS INGREDIENTES:

97.50%

TOTAL

100.00%

*Cis,trans ratio: Min. 35% (±) cis and max 65% (±) trans

TERRO®

Mosquito & Tick Yard Spray

Aerosol para patio contra mosquitos y garrapatas

Kills listed bugs on Lawns, Trees, Shrubs, Roses, Flowers, Fruits, Nuts and Vegetables. Aids in Reducing Annoyance from Mosquitoes and other listed Flying Insects. For Use on Residential Lawns, Gardens, Patios and Home Picnic Areas.

PRODUCT FACTS

KILLS INSECTS:

Lawn pests: ants, armyworms, brown dog ticks, chinch bugs, crickets, cutworms, deer ticks, fleas, grasshoppers, Japanese beetle grubs, mole crickets and sod webworms.

Tree, shrub, rose & flower pests: aphids, bagworms, Brown Marmorated stink Bugs (BMSB), cicadas, exposed thrips, fall cankerworms, inchworms, leafminers, stink bugs, and other listed pests.

Nuisance pests (outdoors): ants, Asian lady beetles, Boxelder bugs, Brown Marmorated stink bugs (BMSB), clover mites, cluster flies, crickets, earwigs, fleas, mosquitoes, stink bugs, and other listed pests.

WHERE TO USE: On lawns, trees and shrubs, roses and flowers and outside surfaces of buildings.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE EACH USE.

This product is not registered for use against Stink Bugs, Brown Marmorated Stink Bugs and Asian Lady Beetles in the state of California.

Manufactured for:
Senoret Chemical Co., Inc.

69 North Locust Street,
Lititz, PA 17543 USA
1-800-800-1819

EPA Reg. No. 1021-1758-149

EPA Est. No. 33595-MO-2g, 33595-MO-3b, 33595-MO-4c,

11623-GA-2d Est. No. subscript is first letter of batch code on bottom of container.

PEEL HERE DESPEGUE AQUÍ
READ ALL INSTRUCTIONS INSIDE BEFORE USING
LEA TODAS LAS INSTRUCCIONES ANTES DE USAR

This product helps reduce annoying and troublesome listed outdoor insects. Do not spray animals. People and pets should not be allowed in treated areas until spray has dried.

- Apply insecticide when insects first appear and repeat as necessary but not more frequently than every 3 days.

This product kills most troublesome listed outdoor insects, which destroy lawns, gardens, and are an annoyance on patios and at picnics.

HOW TO USE:

Connect

1. Shake well before using.
2. Connect sprayer to hose.
3. Turn on water.

Spray

1. To begin spraying, point nozzle in the direction you want to spray.
2. Bend small plastic tab back and turn knob clockwise to ON position.
3. Spray evenly over measured area.

Finish

1. To stop spraying, turn knob counter-clockwise to OFF position.
2. Turn off water.
3. Relieve water pressure by bending yellow plastic tab back and turning knob to ON position until water slows to a drip. Then, turn knob back to OFF position.
4. Disconnect sprayer from hose.



LAB-P1220B-1 - REV 041618

Model No.: T1220

USE DIRECTIONS:

Use 32 fl. oz. to treat 1,900 linear feet with a 6-inch spray band. For use on lawns: 32 fl. oz. treats up to 5,300 square feet.

Outside Surfaces of Buildings:

Pests: Ants, Asian Lady Beetles, Boxelder Bugs, Brown Marmorated Stink Bugs (BMSB), Clover mites, Crickets, Earwigs, Millipedes, Sowbugs (pillbugs), Stink Bugs.

How to Use: To help prevent infestation of buildings, treat the building foundation to a height of 2 to 3 feet, where pests are active and may find entrance. Also, apply as a residual spray to outside surfaces of buildings, including porches, screens, window frames, eaves, patios, picnic areas, garages, refuse piles, and other areas where these pests congregate or have been seen. Hold sprayer two (2) to three (3) feet from surface to be treated. Spray to slightly moisten the surface. Repeat as needed to maintain effectiveness.

Use on Lawns: Kentucky bluegrass, Bent, Bermuda, bluegrass, Dichondra, fescue, Irish moss, Merion and St. Augustine

Pests: Ants, Armyworms, Brown dog ticks, Chinch bugs, Crickets, Cutworms, Deer ticks, Fleas, Grasshoppers, Japanese beetle grubs, Mole crickets and Sod webworms.

How to Use: Thoroughly wet down grass a few hours before applying. Home [Residential] lawns should be no taller than 3 inches at time of application. Slightly more water may be used as long as the amount of product per area is as listed below. For heavy infestations, repeat application after 2 weeks. For listed insects 32 fl. oz. treats 5,300 sq. ft.

Use on Trees & Shrubs: Arizona Cypress, Azalea, Birch, Non-Bearing Citrus, Conifers, Elm, English Ivy, Euonymus, Weeping Fig, Fir, Honeysuckle, Lilac, Mock-Orange, Oak, Palm, Philodendron, Pine, Poinsettia, Tulip, Poplar, Rhododendron, Taxus

Pests: Aphids, Bagworms, Brown Marmorated Stink Bugs (BMSB), Cicadas, Exposed thrips, Fall cankerworms, Inchworms, Leafminers, Mealybugs, Spider mites, Whiteflies. Fall webworms on Cherry and Honeysuckle, Budworms on Conifer, Elm leaf beetles, Elm spanworms and Fall webworms on Elms, Tussock moths on Douglas and Grand Firs, Citrus black flies on Non-Bearing Citrus, Oakworms on Oaks, Stink Bugs, Pine beetles, Pine moths, Pine Needleminers, and Needle scales on Pines.

How to Use: Apply as a thorough spray, wetting leaves and branches but do not let runoff occur. Try to penetrate dense foliage. Spray in the late afternoon or evening, when the temperature ranges from 50 to 75°F and when there is little or no wind. Spray at the first sign of insects. Repeat as necessary; use intervals of 4-8 days.

Use on Roses & Flowers: Ageratium, Aster, Azalea, Begonia, Coleus, Common Ninebark and Snowberry, Exacum, Gladiolus, Gold

Bells, Hypoestes, Ivy, Lilac, Marigold, Mock-Orange, Nannyberry, Orchid, Pansy, Pea Shrub, Petunia, Poinsettia, Rhododendron, Rose, Snapdragon, Zinnia.

Pests: Aphids, Bagworms, Brown Marmorated Stink Bugs (BMSB), Cicadas, Exposed thrips, Fall cankerworms, Fall webworms, Inchworms, Leafminers, Leafrollers, Mealybugs, Spider mites, Stink Bugs and Whiteflies.

How to Use: Apply as a thorough spray, wetting the plants thoroughly, but do not let runoff occur. Try to hit underside of leaves and penetrate dense foliage. Spray in the late afternoon or evening, when the temperature ranges from 50 to 75°F and when there is little or no wind. Spray at the first sign of insects. To maintain effectiveness; spray as reinfestation occurs but use intervals of 4-8 days.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store in a cool, dry area, preferably a locked storage area. Store above freezing. Do not store diluted spray. Store with container tightly closed. Always store pesticides in the original container, do not transfer to food or drink container. Avoid contamination of food, feed, and domestic water supplies.

Store away from food and pet food. PESTICIDE DISPOSAL AND CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 888-740-8712.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS:

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or runoff into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are foraging in the treatment area.

PHYSICAL OR CHEMICAL HAZARDS:

Do not apply this product around electrical equipment due to possible shock hazard.

NOTICE: Buyer assumes all risk of use, storage or handling of this product not in accordance with directions.

ALMACENAMIENTO Y DESECHO:

No contamine el agua, los alimentos ni el forraje al almacenar o desechar.

ALMACENAJE DEL PESTICIDA: Almacene en un área seca y fresca, preferiblemente asegurada. Almacene por encima del punto de congelación. No almacene el aerosol diluido.

Almacene con el envase firmemente cerrado. Siempre almacene los pesticidas en su envase original, no transfiera a un envase de alimentos o bebidas. Evite la contaminación de los productos alimenticios, el forraje y los suministros de agua domésticos. Almacene alejado de alimentos para humanos y mascotas.

DESECHO DEL PESTICIDA Y MANIPULACIÓN

DEL ENVASE: Envase no reutilizable. No reutilice ni rellene este envase.

Si está vacío: Colóquelo en la basura u ofrézcalo para reciclaje si está disponible. **Si está parcialmente lleno:** Llame a la agencia de desechos sólidos local para las instrucciones de desecho. Nunca vierta el producto sin usar en un desagüe de interiores o exteriores.

PRIMEROS AUXILIOS

SI ENTRA EN CONTACTO CON LA PIEL O LA ROPA: Retire la ropa contaminada. Enjuague la piel inmediatamente con abundante agua durante 15-20 minutos. Llame a un centro para el control del envenenamiento o a un médico para recibir orientación sobre el tratamiento.

SI SE INGIERE: - No induzca el vómito a menos que así se lo haya ordenado un centro para el control de envenenamiento o un médico. No administre ningún líquido a la persona. No administre nada por la boca a una persona inconsciente.

Tenga consigo el envase o la etiqueta del producto cuando llame a un centro de control de envenenamiento, a un médico o vaya a recibir tratamiento. Para obtener más información en relación con emergencias de carácter médico o incidentes con pesticidas, llame al 1-888-740-8712.

ENUNCIADOS DE PRECAUCIÓN

PELIGROS PARA LOS SERES HUMANOS Y LOS ANIMALES DOMÉSTICOS

PRECAUCIÓN: Dañino si se absorbe a través de la piel. Evite el contacto con los ojos, la piel o la ropa. Lávese muy bien con agua y jabón después de manipular el producto y antes de comer, beber, usar goma de mascar o tabaco. Retire la ropa contaminada y lávela antes de volvérsela a poner.

RIESGOS PARA EL AMBIENTE: Este pesticida es extremadamente tóxico para los organismos acuáticos, incluyendo los peces y los invertebrados. Para proteger el ambiente, no permita que el pesticida ingrese ni se desplace hacia desagües pluviales, zanjas de drenaje, cañales o aguas superficiales. Aplicar este producto cuando el clima esté en calma y no haya predicción de lluvia, durante las 24 horas siguientes, contribuirá a lograr que el viento o la lluvia no esparzan ni arrastren el pesticida del área de tratamiento. Enjuagar el equipo de aplicación sobre el área tratada contribuirá a evitar la escorrentía hacia cuerpos de agua o sistemas de drenaje.

Este producto es altamente tóxico para las abejas expuestas al tratamiento directo en cultivos en floración o malezas. No aplique este producto ni permita que se transfiera a los cultivos en floración ni a la maleza mientras las abejas se encuentren en el área de tratamiento.

RIESGOS FÍSICOS O QUÍMICOS: No aplique este producto dentro ni sobre equipos eléctricos debido a la posibilidad de descarga eléctrica.

AVISO: El comprador asume todos los riesgos del uso, almacenaje o manipulación de este producto que no estén de acuerdo con las instrucciones.