

AN INSECT GROWTH REGULATOR TO PREVENT ADULT MOSQUITO EMERGENCE (including those mosquitoes which may transmit West Nile virus and heartworm disease.)

- Larvicide product to prevent adult mosquito emergence (including *Aedes* sp. and those which may transmit West Nile virus, Zika, dengue, chikungunya and other mosquito-borne diseases).
- Prevents the development of adult mosquitoes.
- Kills developing mosquito larvae.
- Apply to standing water in your yard.
- Kills mosquitoes before they become breeding, biting adults.
- Effective for up to 30 days.
- Prevents future mosquito populations.
- Kills mosquitoes before they hatch including those which may transmit West Nile virus and heartworm disease.
- For use in all water-holding receptacles where mosquitoes may breed including containerized water gardens and animal and horse watering troughs.
- Easy to apply granules.
- Place/Sprinkle in standing water, containerized water gardens, ornamental fountains, animal and horse water troughs, birdbaths, old tires, flower pots, tree holes, pool covers, urns, rain barrels, roof gutters, and abandoned swimming pools where mosquitoes breed.
- 1 tsp. treats 200 gallons of water (per application rate table)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with eyes or skin. Due to the size and abrasiveness of the granule, use protective eyewear and clothing to minimize exposure during application. Wash thoroughly with soap and water after handling.

FIRST AID	
If in Eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
If on Skin or Clothing:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-498-5743 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

Do not apply to waters that drain into public waterways.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. **Pesticide Storage:** Store closed containers in a cool dry place.

Pesticide Container Disposal: Nonrefillable container. Do not reuse or refill this container. **If Empty:** Place in trash or offer for recycling if available. **If Partially Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

RM: 300522837

Item No.: 5129710

Manufactured for:
Chem-Tech, Ltd.
1006 Business Hwy 5
Pleasantville, IA 50225 U.S.A.
L5078-0817

0 45446 02815 7

 **NEOGEN**

PROZAP

LARVA GUARD

Mosquito Larvicide Granules

• Prevents adult mosquito emergence
(including *Aedes* sp. and those which may transmit West Nile virus, Zika, dengue, chikungunya and other mosquito-borne diseases)

• Kills mosquitoes before they become breeding, biting adults

• 30 day protection

• For use in all water-holding receptacles where mosquitoes may breed
(including containerized water gardens and animal watering troughs)*

*Use in New York is only for containerized use sites.

ACTIVE INGREDIENT:

(S)-Methoprene (CAS# 65733-16-6)..... 1.5%

OTHER INGREDIENTS:..... 98.5%

TOTAL:..... 100.0%

EPA REG. NO. 2724-451-47000 EPA ESTN. 02724-TX-1

Net Contents: 1 lb. (454g)
Net Weight: 1 lb. (454g)

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panels for additional Precautionary Statements

Treats up to 2,182 sq.ft. or 8,073 gallons of water

PEEL BACK LABEL HERE

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL DIRECTIONS: **Prozap LarvaGuard Mosquito Larvicide Granules** contain (S)-Methoprene insect growth regulator which controls mosquitoes before they can become adults for up to 30 days after application.

Measure and then sprinkle the appropriate amount of **Prozap LarvaGuard Mosquito Larvicide Granules** evenly over the surface of the water to be treated in order to control mosquitoes before they become breeding, biting adults. Measure the surface area of the water and follow the Application Rates table on this label for the appropriate amount of product to use. Emptying or discarding small containers that are holding water will ensure the best results. In instances where small containers cannot be emptied or discarded and for locations such as flower pots, old tires, urns, etc. use approximately 80 granules for every gallon of water.

Begin treating when adult mosquitoes are first noted in the spring and continue applications throughout the mosquito season, which is typically up to the first frost. After treatment, you may notice that there will still be live larvae in the water. Treated larvae will continue to develop normally to the pupal stage where they die.

NOTE: S-Methoprene insect growth regulator has no effect on mosquitoes which have already reached the pupal or adult stage prior to treatment.

APPLICATION RATES:

Amount of Product	30-DAY CONTROL	
	Treatment Area (surface area - less than 2 ft. deep of water)	Treatment Volume in Gallons of Water (approximate)
1 tbsp.	150 sq. ft.	600
½ tbsp.	75 sq. ft.	300
1 tsp.	50 sq. ft.	200
½ tsp.	25 sq. ft.	100
¼ tsp.	13 sq. ft.	50

Use the measuring scoop provided. Do not use food utensils such as tablespoons or measuring cups for food purposes after use with insecticides.

APPLICATION SITES:

Prozap LarvaGuard Mosquito Larvicide Granules may be applied as directed above to temporary and permanent sites which support mosquito larval development. Examples of such sites include: tree holes, animal watering troughs, water-holding receptacles (e.g., old tires, urns, flower pots, cans, and other containers), containerized water gardens, and other manmade water-holding depressions.

Mosquitoes are not only a nuisance; they can transmit diseases that are a serious health threat to people and pets. With just one bite, mosquitoes can transmit West Nile virus and other viruses that cause encephalitis. They can also transmit heartworm disease to dogs and cats.

WARRANTY AND CONDITIONS OF SALE: Seller makes no warranty, expressed or implied, concerning the use and handling of this product other than indicated on the label. Buyer assumes all risks of use and handling of this material when such use and handling are contrary to label instructions.

For non-emergency (e.g., current product information), call: **1-800-621-8829**

TREATMENT AREAS:

- Bird Baths

- Old Tires

- Flower Pots

- Tree Holes

- Containerized Water Gardens

- Urns

- Pool Covers

- Rain Barrels

- Roof Gutters

- Ornamental Fountains

- Abandoned Swimming Pools

- Horse Watering Troughs

- Other Water-Holding Receptacles

TIE-DOWN AREA

TIE-DOWN AREA

PROZAP® LarvaGuard Mosquito Larvicide Granules

ACTIVE INGREDIENT:

(S)-Methoprene (CAS# 65733-16-6).....1.5%

OTHER INGREDIENTS:.....98.5%

TOTAL:.....100.0%

EPA Reg. No. 2724-451-47000

EPA Est. No. 2724-TX-1

Net Weight: 1 lb. (454g)

KEEP OUT OF REACH OF CHILDREN
CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with eyes or skin. Due to the size and abrasiveness of the granule, use protective eyewear and clothing to minimize exposure during application. Wash thoroughly with soap and water after handling.

FIRST AID	
If in Eyes:	<ul style="list-style-type: none">Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
If on Skin or Clothing:	<ul style="list-style-type: none">Take off contaminated clothing.Rinse skin immediately with plenty of water for 15-20 minutes.
Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-498-5743 for emergency medical treatment information.	

ENVIRONMENTAL HAZARDS

Do not apply to waters that drain into public waterways.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. **Pesticide Storage:** Store closed containers in a cool dry place. **Pesticide Container Disposal:** Nonrefillable container. Do not reuse or refill this container. **If Empty:** Place in trash or offer for recycling if available. **If Partially Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



•



•

Manufactured for:
Chem-Tech, Ltd.
1006 Business Hwy 5
Pleasantville, IA 50225 U.S.A.

Chem-Tech, Ltd. is a wholly-owned
subsidiary of Neogen Corporation
L5078-0817

Item No.: 5129710





LARVAGUARD


Mosquito Larvicide Granules



Treats up to 5,455
square feet or
20,183 gallons of
water

- Prevents adult mosquito emergence
(including *Aedes* sp. and those which may transmit *West Nile virus*,
Zika, *dengue*, *chikungunya* and other mosquito-borne diseases)
- Kills mosquitoes before they become
breeding, biting adults
- 30 day protection
- For use in all water-holding receptacles
where mosquitoes may breed
(including containerized water gardens and animal watering troughs)*

*Use in New York is only for containerized use sites.

**ACTIVE INGREDIENT:**

(S)-Methoprene (CAS# 65733-16-6).....1.5%

OTHER INGREDIENTS:.....98.5%

TOTAL:.....100.0%

EPA Reg. No. 2724-451-47000 EPA Est. No. 2724-TX-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional Precautionary Statements

L5439-0917

rm# 300522672



Net Contents: 2.5 lb. (1.134 kg)
Net Weight: 2.5 lb. (1.134 kg)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with eyes or skin. Due to the size and abrasiveness of the granule, use protective eyewear and clothing to minimize exposure during application. Wash thoroughly with soap and water after handling.

FIRST AID

If in Eyes:	<ul style="list-style-type: none">Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
If on Skin or Clothing:	<ul style="list-style-type: none">Take off contaminated clothing.Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact **1-800-498-5743** for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

ENVIRONMENTAL HAZARDS
Do not apply to waters that drain into public waterways.

Manufactured for:

Manufactured for:
Chem-Tech, Ltd.
1006 Business Hwy 5
Pleasantville, IA 50225 U.S.A.

Chem-Tech, Ltd. is a wholly-owned
subsidiary of Neogen Corporation L5439-0917

rm# 300522673

Item No.: 5129810



5

6

AN INSECT GROWTH REGULATOR TO PREVENT ADULT MOSQUITO EMERGENCE
(including those mosquitoes which may transmit West Nile virus and heartworm disease).

- Larvicide product to prevent adult mosquito emergence (including *Aedes* sp. and those which may transmit West Nile virus, Zika, dengue, chikungunya and other mosquito-borne diseases).
- Prevents the development of adult mosquitoes.
- Kills developing mosquito larvae.
- Apply to standing water in your yard.
- Kills mosquitoes before they become breeding, biting adults.
- Effective for up to 30 days.
- Prevents future mosquito populations.
- Kills mosquitoes before they hatch including those which may transmit West Nile virus and heartworm disease.
- For use in all water-holding receptacles where mosquitoes may breed including containerized water gardens and animal and horse watering troughs.
- Easy to apply granules.
- Place/Sprinkle in standing water, containerized water gardens, ornamental fountains, animal and horse water troughs, birdbaths, old tires, flower pots, tree holes, pool covers, urns, rain barrels, roof gutters, and abandoned swimming pools where mosquitoes breed.
- 1 tsp. treats 200 gallons of water (per Application Rates table).

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL DIRECTIONS: **Prozap LarvaGuard Mosquito Larvicide Granules** contain (S)-Methoprene insect growth regulator which controls mosquitoes before they can become adults for up to 30 days after application.

Measure and then sprinkle the appropriate amount of **Prozap LarvaGuard Mosquito Larvicide Granules** evenly over the surface of the water to be treated in order to control mosquitoes before they become breeding, biting adults. Measure the surface area of the water and follow the Application Rates table on this label for the appropriate amount of product to use. Emptying or discarding small containers that are holding water will ensure the best results. In instances

2

where small containers cannot be emptied or discarded and for locations such as flower pots, old tires, urns, etc., use approximately 80 granules for every gallon of water.

Begin treating when adult mosquitoes are first noted in the spring and continue applications throughout the mosquito season, which is typically up to the first frost. After treatment, you may notice that there will still be live larvae in the water. Treated larvae will continue to develop normally to the pupal stage where they die.

NOTE: S-Methoprene insect growth regulator has no effect on mosquitoes which have already reached the pupal or adult stage prior to treatment.

APPLICATION RATES:		
30-DAY CONTROL		
Amount of Product	Treatment Area (surface area - less than 2 ft. deep of water)	Treatment Volume in Gallons of Water (approximate)
1 tbsp.	150 sq. ft.	600
½ tbsp.	75 sq. ft.	300
1 tsp.	50 sq. ft.	200
½ tsp.	25 sq. ft.	100
¼ tsp.	13 sq. ft.	50

Do not use food utensils such as tablespoons or measuring cups for food purposes after use with insecticides.

APPLICATION SITES:

Prozap LarvaGuard Mosquito Larvicide Granules may be applied as directed above to temporary and permanent sites which support mosquito larval development. Examples of such sites include: tree holes, animal watering troughs, water-holding receptacles (e.g., old tires, urns, flower pots, cans, and other containers), containerized water gardens, and other manmade water-holding depressions.

3

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. **Pesticide Storage:** Store closed containers in a cool dry place. **Pesticide Container Disposal:** Nonrefillable container. Do not reuse or refill this container. **If Empty:** Place in trash or offer for recycling if available. **If Partially Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Mosquitoes are not only a nuisance; they can transmit diseases that are a serious health threat to people and pets. With just one bite, mosquitoes can transmit West Nile virus and other viruses that cause encephalitis. They can also transmit heartworm disease to dogs and cats.

Prozap LarvaGuard Mosquito Larvicide Granules kill developing mosquitoes before they become breeding, biting adults. It is easy to use; simply measure, then sprinkle the granules in areas of standing water where mosquitoes may breed (nothing to mix or spray). **Prozap LarvaGuard Mosquito Larvicide Granules** offer long-lasting mosquito control for up to 30 days. When used as directed, **Prozap LarvaGuard Mosquito Larvicide Granules** will not harm humans, animals, fish, or vegetation.

TREATMENT AREAS:

- Bird Baths
- Flower Pots
- Containerized Water Gardens
- Urns
- Roof Gutters
- Abandoned Swimming Pools
- Other Water-Holding Receptacles
- Old Tires
- Tree Holes
- Pool Covers
- Rain Barrels
- Ornamental Fountains
- Horse Watering Troughs

WARRANTY AND CONDITIONS OF SALE: Seller makes no warranty, expressed or implied, concerning the use and handling of this product other than indicated on the label. Buyer assumes all risks of use and handling of this material when such use and handling are contrary to label instructions.

For non-emergency (e.g., current product information),
Call: 1-800-621-8829

4

Page 2

Page 3

Page 4

PROZAP® LARVAGUARD MOSQUITO LARVICIDE GRANULES

ACTIVE INGREDIENT:

(S)-Methoprene (CAS# 65733-16-6).....1.5%

OTHER INGREDIENTS:.....98.5%

TOTAL:.....100.0%

EPA Reg. No. 2724-451-47000

EPA Est. No. 2724-TX-1

KEEP OUT OF REACH OF CHILDREN **CAUTION**

*See inside booklet for additional Precautionary
Statements and Directions for Use*

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with eyes or skin. Due to the size and abrasiveness of the granule, use protective eyewear and clothing to minimize exposure during application. Wash thoroughly with soap and water after handling.

FIRST AID	
If in Eyes:	<ul style="list-style-type: none">Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
If on Skin or Clothing:	<ul style="list-style-type: none">Take off contaminated clothing.Rinse skin immediately with plenty of water for 15-20 minutes.
Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-498-5743 for emergency medical treatment information.	

ENVIRONMENTAL HAZARDS

Do not apply to waters that drain into public waterways.

Manufactured for:

Chem-Tech, Ltd.
1006 Business Hwy 5
Pleasantville, IA 50225 U.S.A.

Chem-Tech, Ltd. is a wholly-owned subsidiary of Neogen Corporation
L5439-0917

Net Contents: 2.5 lb. (1.134 kg)

Net Weight: 2.5 lb. (1.134 kg)

PEEL BACK LEAFLET HERE ▶