


**Vigoro****Fall Weed & Feed I**

Herbida y fertilizante para otoño

**Feeds 5,000 sq FT**SIRVE PARA TRATAR 5,000 PIES<sup>2</sup>**Feeds 5,000 sq FT**SIRVE PARA TRATAR 5,000 PIES<sup>2</sup>**Fall Weed & Feed I**

Herbida y fertilizante para otoño

**Vigoro****Vigoro**

Beautiful Lawns Since 1924

**Fall Weed & Feed I**

Kills dandelions and other major lawn weeds for a better spring lawn

**ASSURANCE PARTICLE TECHNOLOGY®**

EVEN FEEDING • EVEN GREENING • WITH NO BURN • GUARANTEED!



Feeds to build strong, deep roots for winter

Contains time-released nitrogen for extended feeding

## ACTIVE INGREDIENTS:

|                    |         |                                                         |
|--------------------|---------|---------------------------------------------------------|
| 2,4-D†*            | 1.18%   | *0.0118 lbs 2,4-D acid equivalent per pound of product  |
| Mecoprop-p††**     | 0.59%   | **0.0059 lbs MCP-p acid equivalent per pound of product |
| OTHER INGREDIENTS: | 98.23%  | †CAS # 94-75-7                                          |
| TOTAL              | 100.00% | ††CAS #16484-77-8                                       |

**Feeds 5,000 sq FT****APPLY IN FALL****APPLY WHEN WEEDS ARE ACTIVELY GROWING****APPLY TO A WET LAWN**

APLICAR EN OTOÑO

APLICAR CUANDO LAS MALEZAS ESTÁN CRECIENDO ACTIVAMENTE

APLIQUE AL CÉSPED HÚMEDO

**GARDEN CLUB**

MEMBERSHIP IS FREE!

www.homedepotgardenclub.com

**KEEP OUT OF REACH OF CHILDREN****CAUTION** See back for additional Precautionary Statements.**MANTENER FUERA DEL ALCANCE DE LOS NIÑOS****PRECAUCIÓN** Consulte los avisos de precaución adicionales al reverso.**28-0-10**

Net Wt/Peso neto

**14.6 lb (6.6 kg)****Vigoro**

Beautiful Lawns Since 1924

**Fall Weed & Feed I**

Herbida y fertilizante para otoño

**Feeds 5,000 sq FT**SIRVE PARA TRATAR 5,000 PIES<sup>2</sup>

# Why Fertilize the Lawn?

## ¿Por qué fertilizar el césped?

1. Promote a deep and dense root system that is better able to reach water and find nutrients during tough heat & drought, so lawn stays greener, longer and bounces back faster
2. Thicken lawn with additional blades of grass, making it more resistant to bare spots and thinning
3. Help prevent weeds by making it difficult for weed seeds in the air to find soil to root, as well as crowd out existing weeds

## DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. This product applies 1.5 pounds of 2-4-0 per acre per application.

### Application

Apply on a calm day.  
Make sure that the grass is wet from dew or sprinkling before applying. (This helps particles adhere to weed leaves to produce best results.)  
Set spreader to the setting indicated by the chart below before applying.

Kills listed weeds.

Apply when daytime temperatures are between 60 and 90 degrees F.

Apply only to grass. Do not allow granules or dust to drift onto flowers, shrubs, fruit or vegetables.

Grass should not touch the bottom of a drop spreader. Tall grass should be mowed a day or two before application.

Delay application on newly seeded, sodded or sprigged areas until new grass has been mowed four times.

Wait at least one month after using this product before you seed, sod or plant grass species.

Not for use on St. Augustinegrass, Ficus, Ficus, dichondra, lupia, carpetgrass or bentgrass/grass.

On bahia or centropogon grasses, wait until after the second mowing of the year, but not before mid-March.

In fall, **DO NOT** treat centropogon after Oct. 1, no bahiagrass after Nov. 1.

Wait at least 24 hours after application before you water or mow the lawn. (Granules must remain on weed leaves for 24 hours to be effective.)

### Use Restrictions

Do not allow product to contact people or pets directly or through drift. Keep people and pets off lawn during application. Do not allow people or pets to enter treated areas until dusts have settled.

Do not apply more than twice per year.

A minimum of 30 days between applications is required.

Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn, and sweep any product landing on the driveway, sidewalk, gutter, or street back onto the treated area. To prevent product run-off to the untreated treated area to the point of runoff or apply when raining or when rain is expected that day.

While it is easy to see that satisfying deep green when you fertilize, regular feedings can actually do much more...

Aunque es fácil notar ese satisfactorio verde oscuro al fertilizar, hacerlo con frecuencia puede de hecho lograr mucho más que eso...

### Unfed Lawn



vs.  
Regularly Fed Lawn



1. Fomenta un sistema de raíces denso y profundo que es más apto para encontrar agua y nutrientes durante las temporadas de calor y sequía, por lo que el césped se mantiene más verde por más tiempo, y se recupera con más rapidez
2. Tupe el pasto con briznas de césped adicionales, protegiéndolo contra las áreas descubiertas y poco tupidas
3. Ayuda a prevenir las malezas al dificultar que sus semillas esparcidas por el aire encuentren tierra disponible para echar raíces, así como a desplazar las malezas existentes

## Next Feeding



### Apply early spring.

Aplica a principios de primavera.



### Apply anytime during the growing season.

Aplice en cualquier momento durante la temporada de crecimiento.

## INSTRUCCIONES DE USO

Usar este producto de una manera distinta a la indicada en la etiqueta vulnera la legislación federal. Con este producto se aplican 1.5 libras de 2-4-0 por acre, por aplicación.

### Aplicación del producto

Aplice en un día tranquilo.  
Asegúrese de que el césped conserve la humedad del rocío o el riego antes de aplicarlo (esto ayuda a que las partículas se adhieran a las hojas de la maleza para obtener los mejores resultados).

Ajuste el esparcidor en la posición que indique la tabla siguiente antes de aplicarlo.

Elimina las malezas emergentes.

Aplice cuando la temperatura diurna oscile entre los 60 y los 90 grados Fahrenheit.

Aplice únicamente al césped. No permita que el viento arrastre los granulos o el polvo hacia flores, arbustos, frutas o vegetales.

El césped no debe tocar la parte interior de un esparcidor por gravedad. El césped alto debe cortarse uno o dos días antes de la aplicación.

Postergue la aplicación en áreas recién sembradas, plantadas o cubiertas con césped hasta el cuarto corte del césped nuevo.

Espera por lo menos un mes después de usar este producto para sembrar, plantar o cubrir con césped.

No utilice en céspedes de las variedades San Agustín, floratum, dichondra, lupia, cartergrass o bentgrass/grass.

En los céspedes bahia o centropogon, espere hasta el segundo corte del año, pero no antes de mediados de marzo.

En el otoño, **NO** trate el césped después del 1 de octubre. Ni baha después del 1 de noviembre.

Espera por lo menos 24 horas después de la aplicación para regar o cortar el césped (los granulos deben permanecer en las hojas de las malezas por 24 horas para que sean eficaces).

### Restricciones de uso

No permita que el producto entre en contacto con personas o mascotas, ya sea de manera directa o al estar arrastrado por el viento. Mantenga a las personas y las mascotas alejadas del césped durante la aplicación. No permita que personas ni mascotas entren a las áreas tratadas hasta que el polvo se haya asentado.

No vuelva más de dos aplicaciones al año.

Es necesario dejar pasar un mínimo de 30 días entre cada aplicación.

No aplique directamente ni cerca de agua, drenajes pluviales, cunetas, alcantarillas o zanjas de desagüe. No aplique a menos de 25 pies de distancia de ríos, estanques, de peces, lagos, arroyos, pantanos, marismas, estuarios, ciénagas y otros. No aplique cuando haga viento. Aplique este producto directamente al césped y nunca el que caiga sobre la entrada del automóvil, la acera, la cuneta o la calle cuando se lo trata. Para evitar escarmentados del césped, no regue el área tratada al grado que escorra ni lo aplique cuando este lluvioso o se pronostican lluvias para ese día.

## WEEDS CONTROLLED

|                                       |                     |                        |                         |
|---------------------------------------|---------------------|------------------------|-------------------------|
| Aster                                 | Clover (Hopi)       | Healall                | Purslane                |
| Bindweed                              | Clover (Red)        | Horsetail              | Pussy (Richardia Spp.)  |
| Bittersweet                           | Clover (White)      | Horsetail              | Ragweed                 |
| Black Medic                           | Cudweed             | Knotted (Seedling)     | Red Sorrel/Sheep Sorrel |
| Buckhorn                              | Curly Dock          | Lambquarters           | Scarlet Pimpernel       |
| Bullthistle                           | Dandelion           | Lespedeza (Seedling)   | Shepherd's Purse        |
| Burdock                               | Dichondra           | Lupia (Matchweed)      | Smartweed               |
| Butterweed                            | Dollaweed/Pennycorn | Mallow                 | Sow Thistle             |
| Canna Thistle                         | English Daisy       | Moneysort              | Sunweed/Lawn Sunweed    |
| Carpetweed                            | Evening-primrose    | Morningglory           | Veitch                  |
| Catsfoot/Coast Dandelion              | Filaree             | Mustard                | Wild Carrot             |
| Chickweed/Stitchwort (Stellaria Spp.) | Hebeane             | Peppercorn/Peppercress | Yarrow                  |
| Chicory                               | Ground Ivy          | Pigweed                | Yellow Rocket           |
| Chenopod                              | Hawweed             | Plantain (Broadleaf)   |                         |

Check with your local cooperative extension agency to obtain specific information on local turf best management practices. Check with your county or city government to determine if there are local regulations for fertilizer use.

Acude a tu Agencia de Extensión Cooperativa Local para obtener información específica sobre las mejores prácticas de gestión de césped en tu región. Verifica con el gobierno de tu condado o ciudad cuáles son las regulaciones locales para usar fertilizantes.

## MALEZAS QUE CONTROLA

|                  |                                |                                |                                  |
|------------------|--------------------------------|--------------------------------|----------------------------------|
| achorra          | agrijillo/rompedras            | correhuela                     | primula nocturna                 |
| alhollo          | diendra                        | diente de león                 | quercuquillo sayón/cenizo        |
| algarroba/veo    | erigeron                       | estirio del Canadá             | romaza                           |
| ambrosia         | erigeron                       | lupia/cenillo                  | rosilla/lacordilla               |
| anillo           | hidrocarilla/pampina           | hidrocarilla/pampina           | sangre de toro (hierba del pato) |
| aster            | hidrocarilla/pampina           | hidrocarilla/pampina           | siempreviva                      |
| berro amargo     | hierba de botón                | hierba de botón                | tribol (amarillo)                |
| bledo            | hierba de la moneda            | hierba de la moneda            | tribol (blanco)                  |
| bolba del pastor | hierba de pullo/codillo prieto | hierba de pullo/codillo prieto | tribol (rojo)                    |
| cardo canadiense | hierba del carpintero          | hierba del carpintero          | veronica                         |
| cardo común      | hierba de las heridas          | hierba de las heridas          | zanahoria silvestre              |
| carilla          | hierba del halcón/diente       | hierba del halcón/diente       |                                  |
| chicotillo       | hierba de león bastardo        | hierba de león bastardo        |                                  |

## SPREADERS AND CALIBRATION

Always apply with a rotary or drop spreader to distribute the granules evenly. **NEVER APPLY BY HAND.**

**Coverage:** To determine how much you need to apply, multiply the length of your lawn by its width. This equals your total square footage. Deduct all non-lawn areas (house, gardens, etc.). One bag covers up to 5,000 sq ft.

**SINGLE PASS DISTRIBUTION - For rotary spreaders:** Operate at intervals corresponding to the swath width.

**For drop spreaders:** Overlap the wheel tracks to ensure complete coverage. For best results, apply this product uniformly and avoid streaks, skips or overlaps. Walk at a steady pace to ensure even coverage.

Close the spreader opening when turning to change directions or when stopping.

**CALIBRATION INSTRUCTIONS:** Calibrate the spreader according to the manufacturer's directions. Initial spreader settings may require adjustment to provide the recommended rate under actual application conditions. To provide proper distribution calculate spreader before application. For 2.92 pounds of product per 1,000 sq ft of turfgrass: Check your spreader on 342 sq ft and adjust to apply at the rate of 1 pound of product per 342 sq ft.

**IMPORTANT:** It is important to follow directions as indicated on this quality lawn product case overapplication may cause injury to your lawn. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied, and roughness of area treated. Be sure to check spreader before beginning, adjusting if necessary. Consult Owners' Manual. Never apply by hand.

## PRECAUTIONARY STATEMENTS

### Hazards to Humans & Domestic Animals

**CAUTION:** Harmful if absorbed through skin. Harmful if inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing dust. Wear long-sleeved shirt, long pants, socks and socks and chemical-resistant gloves made of any waterproof material.

### IF ON SKIN OR CLOTHING:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

### IF INHALED:

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

### IF IN EYES:

Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street back onto the treated area of the lawn will help to prevent run-off to water bodies or drainage systems.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

## STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Store in a dry place. Reseal opened bag by folding top down and securing. Store in original container in a secure area away from children.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. If Empty: Place in trash or other for recycling if available. If partially filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**NOTICE:** To the extent consistent with applicable law, the buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

### GUARANTEED ANALYSIS:

Total Nitrogen (N) % 13.05

20.39% Urea Nitrogen

6.98% Other Water Soluble Nitrogen

0.63% Water Insoluble Nitrogen

Soluble Potash (K<sub>2</sub>O) % 1.00

Derived From: Methylenes Urea, Urea, Potassium Chloride and Polymer Coated Soluble Coated Urea.

\*Contains 7.3% slowly available nitrogen from Methylenes Urea and Polymer Coated Soluble Coated Urea.

### VIGORO® GUARANTEE:

If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us proof of purchase and we will mail you a refund check promptly.

Information regarding the contents and details of metals in this product is available on the Internet at <http://www.vigoro.com/metalinfo.html>

EPA Reg. No. 538-270-73327

EPA Reg. No. 538-270-73327

82751-0411, 82751-0412, 82751-0413, 82751-0414, 82751-0415, 82751-0416, 82751-0417, 82751-0418, 82751-0419, 82751-0420, 82751-0421, 82751-0422, 82751-0423, 82751-0424, 82751-0425, 82751-0426, 82751-0427, 82751-0428, 82751-0429, 82751-0430, 82751-0431, 82751-0432, 82751-0433, 82751-0434, 82751-0435, 82751-0436, 82751-0437, 82751-0438, 82751-0439, 82751-0440, 82751-0441, 82751-0442, 82751-0443, 82751-0444, 82751-0445, 82751-0446, 82751-0447, 82751-0448, 82751-0449, 82751-0450, 82751-0451, 82751-0452, 82751-0453, 82751-0454, 82751-0455, 82751-0456, 82751-0457, 82751-0458, 82751-0459, 82751-0460, 82751-0461, 82751-0462, 82751-0463, 82751-0464, 82751-0465, 82751-0466, 82751-0467, 82751-0468, 82751-0469, 82751-0470, 82751-0471, 82751-0472, 82751-0473, 82751-0474, 82751-0475, 82751-0476, 82751-0477, 82751-0478, 82751-0479, 82751-0480, 82751-0481, 82751-0482, 82751-0483, 82751-0484, 82751-0485, 82751-0486, 82751-0487, 82751-0488, 82751-0489, 82751-0490, 82751-0491, 82751-0492, 82751-0493, 82751-0494, 82751-0495, 82751-0496, 82751-0497, 82751-0498, 82751-0499, 82751-0500, 82751-0501, 82751-0502, 82751-0503, 82751-0504, 82751-0505, 82751-0506, 82751-0507, 82751-0508, 82751-0509, 82751-0510, 82751-0511, 82751-0512, 82751-0513, 82751-0514, 82751-0515, 82751-0516, 82751-0517, 82751-0518, 82751-0519, 82751-0520, 82751-0521, 82751-0522, 82751-0523, 82751-0524, 82751-0525, 82751-0526, 82751-0527, 82751-0528, 82751-0529, 82751-0530, 82751-0531, 82751-0532, 82751-0533, 82751-0534, 82751-0535, 82751-0536, 82751-0537, 82751-0538, 82751-0539, 82751-0540, 82751-0541, 82751-0542, 82751-0543, 82751-0544, 82751-0545, 82751-0546, 82751-0547, 82751-0548, 82751-0549, 82751-0550, 82751-0551, 82751-0552, 82751-0553, 82751-0554, 82751-0555, 82751-0556, 82751-0557, 82751-0558, 82751-0559, 82751-0560, 82751-0561, 82751-0562, 82751-0563, 82751-0564, 82751-0565, 82751-0566, 82751-0567, 82751-0568, 82751-0569, 82751-0570, 82751-0571, 82751-0572, 82751-0573, 82751-0574, 82751-0575, 82751-0576, 82751-0577, 82751-0578, 82751-0579, 82751-0580, 82751-0581, 82751-0582, 82751-0583, 82751-0584, 82751-0585, 82751-0586, 82751-0587, 82751-0588, 82751-0589, 82751-0590, 82751-0591, 82751-0592, 82751-0593, 82751-0594, 82751-0595, 82751-0596, 82751-0597, 82751-0598, 82751-0599, 82751-0600, 82751-0601, 82751-0602, 82751-0603, 82751-0604, 82751-0605, 82751-0606, 82751-0607, 82751-0608, 82751-0609, 82751-0610, 82751-0611, 82751-0612, 82751-0613, 82751-0614, 82751-0615, 82751-0616, 82751-0617, 82751-0618, 82751-0619, 82751-0620, 82751-0621, 82751-0622, 82751-0623, 82751-0624, 82751-0625, 82751-0626, 82751-0627, 82751-0628, 82751-0629, 82751-0630, 82751-0631, 82751-0632, 82751-0633, 82751-0634, 82751-0635, 82751-0636, 82751-0637, 82751-0638, 82751-0639, 82751-0640, 82751-0641, 82751-0642, 82751-0643, 82751-0644, 82751-0645, 82751-0646, 82751-0647, 82751-0648, 82751-0649, 82751-0650, 82751-0651, 82751-0652, 82751-0653, 82751-0654, 82751-0655, 82751-0656, 82751-0657, 82751-0658, 82751-0659, 82751-0660, 82751-0661, 82751-0662, 82751-0663, 82751-0664, 82751-0665, 82751-0666, 82751-0667, 82751-0668, 82751-0669, 82751-0670, 82751-0671, 82751-0672, 82751-0673, 82751-0674, 82751-0675, 82751-0676, 82751-0677, 82751-0678, 82751-0679, 82751-0680, 82751-0681, 82751-0682, 82751-0683, 82751-0684, 82751-0685, 82751-0686, 82751-0687, 82751-0688, 82751-0689, 82751-0690, 82751-0691, 82751-0692, 82751-0693, 82751-0694, 82751-0695, 82751-0696, 82751-0697, 82751-0698, 82751-0699, 82751-0700, 82751-0701, 82751-0702, 82751-0703, 82751-0704, 82751-0705, 82751-0706, 82751-0707, 82751-0708, 82751-0709, 82751-0710, 82751-0711, 82751-0712, 82751-0713, 82751-0714, 82751-0715, 82751-0716, 82751-0717, 82751-0718, 82751-0719, 82751-0720, 82751-0721, 82751-0722, 82751-0723, 82751-0724, 82751-0725, 82751-0726, 82751-0727, 82751-0728, 82751-0729, 82751-0730, 82751-0731, 82751-0732, 82751-0733, 82751-0734, 82751-0735, 82751-0736, 82751-0737, 82751-0738, 82751-0739, 82751-0740, 82751-0741, 82751-0742, 82751-0743, 82751-0744, 82751-0745, 82751-0746, 82751-0747, 82751-0748, 82751-0749, 82751-0750, 82751-0751, 82751-0752, 82751-0753, 82751-0754, 82751-0755, 82751-0756, 82751-0757, 82751-0758, 82751-0759, 82751-0760, 82751-0761, 82751-0762, 82751-0763, 82751-0764, 82751-0765, 82751-0766, 82751-0767, 82751-0768, 82751-0769, 82751-0770, 82751-0771, 82751-0772, 82751-0773, 82751-0774, 82751-0775, 82751-0776, 82751-0777, 82751-0778, 82751-0779, 82751-0780, 82751-0781, 82751-0782, 82751-0783, 82751-0784, 82751-0785, 82751-0786, 82751-0787, 82751-0788, 82751-0789, 82751-0790, 82751-0791, 82751-0792, 82751-0793, 82751-0794, 82751-0795, 82751-0796, 82751-0797, 82751-0798, 82751-0799, 82751-0800, 82751-0801, 82751-0802, 82751-0803, 82751-0804, 82751-0805, 82751-0806, 82751-0807, 82751-0808, 82751-0809, 82751-0810, 82751-0811, 82751-0812, 82751-0813, 82751-0814, 82751-0815, 82751-0816, 82751-0817, 82751-0818, 82751-0819, 82751-0820, 82751-0821, 82751-0822, 82751-0823, 82751-0824, 82751-0825, 82751-0826, 82751-0827, 82751-0828, 82751-0829, 82751-0830, 82751-0831, 82751-0832, 82751-0833, 82751-0834, 82751-0835, 82751-0836, 82751-0837, 82751-0838, 82751-0839, 82751-0840, 82751-0841, 82751-0842, 82751-0843,

**ACTIVE INGREDIENTS:**

|                    |         |                                                         |
|--------------------|---------|---------------------------------------------------------|
| 2,4-D†*            | 1.18%   | *0.0118 lbs 2,4-D acid equivalent per pound of product  |
| Mecoprop-p††**     | 0.59%   | **0.0059 lbs MCP-P acid equivalent per pound of product |
| OTHER INGREDIENTS: | 98.23%  | †CAS # 94-75-7                                          |
| TOTAL              | 100.00% | ††CAS #16484-77-8                                       |

**Feeds 5,000 sq ft**

**APPLY IN FALL**

**APPLY WHEN WEEDS ARE ACTIVELY GROWING**

**APPLY TO A WET LAWN**

**APLICAR EN OTOÑO**

**APLICAR CUANDO LAS MALEZAS ESTÁN CRECIENDO ACTIVAMENTE**

**APLIQUE AL CÉSPED HÚMEDO**



**GARDEN CLUB**

MEMBERSHIP IS FREE!

[www.homedepotgardenclub.com](http://www.homedepotgardenclub.com)

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION** See back for additional  
Precautionary Statements.

**MANTENER FUERA DEL ALCANCE DE LOS NIÑOS**

**PRECAUCIÓN** Consulte los avisos de precaución  
adicionales al reverso.

**28-0-10**

**Net Wt/Peso neto**

**14.6 lb (6.6 kg)**



# Why Fertilize the Lawn?

## ¿Por qué fertilizar el césped?

1. Promote a deep and dense root system that is better able to reach water and find nutrients during tough heat & drought, so lawn stays greener, longer and bounces back faster
2. Thicken lawn with additional blades of grass, making it more resistant to bare spots and thinning
3. Help prevent weeds by making it difficult for weed seeds in the air to find soil to root, as well as crowd out existing weeds

While it is easy to see that satisfying deep green when you fertilize, regular feedings can actually do much more...

Aunque es fácil notar que un satisfactorio verde oscuro al fertilizar, hacerlo con frecuencia puede de hecho lograr mucho más que eso...



1. Fomenta un sistema de raíces denso y profundo que es más apto para encontrar agua y nutrientes durante las temporadas de calor y sequía, por lo que el césped se mantiene más verde por más tiempo, y se recupera con más rapidez
2. Tupe el pasto con brizmas de césped adicionales, protegiéndolo contra las áreas descubiertas y poco tupidas
3. Ayuda a prevenir las malezas al dificultar que sus semillas esparcidas por el aire encuentren tierra disponible para echar raíces, así como a desplazar las malezas existentes

## DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. This product applies 1.5 pounds of 2-4-0 per acre per application.

### Application

Apply on a calm day.

Make sure that the grass is wet from dew or sprinkling before applying. (This helps particles adhere to weed leaves to produce best results.) Set spreader to the setting indicated by the chart below before applying.

Kills listed weeds.

Apply when daytime temperatures are between 60 and 90 degrees F.

Apply only to grass. Do not allow granules or dust to drift onto flowers, shrubs, fruit or vegetables.

Grass should not touch the bottom of a drop spreader. Tall grass should be mowed a day or two before application.

Daily application on newly seeded, sodded or sprigged areas until new grass has been mowed four times.

Wait at least one month after using this product before you seed, sod or plant grass sprigs.

For use on St. Augustinegrass, Floratam, dichondra, lippia, carpetgrass or bentgrass lawns.

On bahia or centipedegrass lawns, wait until after the second mowing of the year, but not before mid-March.

In fall, **DO NOT** treat centipedegrass after Oct. 1, nor bahiagrass after Nov. 1.

Wait at least 24 hours after application before you water or mow the lawn. (Granules must remain on weed leaves for 24 hours to be effective.)

### Use Restrictions

Do not allow product to contact people or pets directly or through drift. Keep people and pets off lawn during application. Do not allow people or pets to enter treated areas until dusts have settled.

Do not apply more than twice per year.

A minimum of 30 days between applications is required.

Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn, and sweep any product landing on the driveway, sidewalk, gutter, or street back onto the treated area. To prevent product run-off, do not overwater the treated area to the point of runoff or apply when raining or when rain is expected that day.

## Next Feeding



### Apply early spring.

Aplica a principios de primavera.

or



### Apply anytime during the growing season.

Aplica en cualquier momento durante la temporada de crecimiento.

## INSTRUCCIONES DE USO

Use este producto de una manera distinta a la indicada en la etiqueta vulnera la legislación federal. Con este producto se aplican 1.5 libras de 2-4-0 por acre, por aplicación.

### Aplicación del producto

Aplica en un día tranquilo.

Asegúrese de que el césped conserve la humedad del riego antes de aplicarlo (esto ayuda a que las partículas se adhieran a las hojas de la maleza para obtener los mejores resultados).

Ajuste el esparcedor en la posición que indique la tabla siguiente antes de aplicarlo.

Elimina las malezas enumeradas.

Aplica cuando la temperatura diaria oscile entre los 60 y los 90 grados Fahrenheit.

Aplica únicamente al césped. No permita que el viento arrastre los granúlos o el polvo hacia flores, arbustos, frutas o vegetales.

El césped no debe tocar la parte inferior de un esparcedor por gravedad. El césped alto debe cortarse uno o dos días antes de la aplicación.

Postergue la aplicación en áreas recién sembradas, plantadas o cubiertas con césped hasta el cuarto corte del césped nuevo.

Espera por lo menos un mes después de usar este producto para sembrar, plantar o cubrir con césped.

No lo utilice en céspedes de las variedades San Agustín, floratán, dichondra, lippia, alfombra o agrostis.

En los céspedes bahia o centipede, espere hasta el segundo corte del año, pero no antes de mediados de marzo.

En el otoño, **NO** trate el césped después del 1 de octubre, ni la bahia después del 1 de noviembre.

Espera por lo menos 24 horas después de la aplicación para regar o cortar el césped (los granúlos deben permanecer en las hojas de las malezas por 24 horas para que sean efectivos).

### Restricciones de uso

No permita que el producto entre en contacto con personas o mascotas, ya sea de manera directa o al ser arrastrado por el viento. Mantenga a las personas y las mascotas alejadas del césped durante la aplicación. No permita que personas ni mascotas entren a las áreas tratadas hasta que el polvo se haya asentado.

No realice más de dos aplicaciones al año.

Es necesario regar un mínimo de 30 días entre cada aplicación.

No aplique directamente ni cerca de agua, drenajes pluviales, cunetas, alcantarillas o zanjas de desagüe. No aplique a menos de 25 pies de distancia de ríos, estanques de peces, lagos, arroyos, pantanos, marismas, estuarios, bahías y océanos. No aplique cuando haga viento. Aplique este producto directamente al césped y barra el que caiga sobre la entrada del automóvil. La oscuridad, la humedad o la lluvia pueden reducir la efectividad del producto. Evite el escurrimiento del producto, no riegue el área tratada al grado que escuma ni la lluvia cuando está lloviendo o si se pronostican lluvias para ese día.

## WEEDS CONTROLLED

|                                       |                      |                        |                         |
|---------------------------------------|----------------------|------------------------|-------------------------|
| Aster                                 | Clover (Hopi)        | Heallil                | Purslane                |
| Bindweed                              | Clover (Red)         | Henbit                 | Pusley (Richarda Spp.)  |
| Bittersweet                           | Clover (White)       | Horsetweed             | Ragweed                 |
| Black Medic                           | Cudweed              | Knotted (Seedling)     | Red Sorrel/Sheep Sorrel |
| Buckhorn                              | Curly Dandelion      | Lambsquarters          | Scarf Pimpernel         |
| Bullthistle                           | Dandelion            | Lepesquea (Seedling)   | Shepherd's Purse        |
| Burdock                               | Dichondra            | Lippia (Matured)       | Smartweed               |
| Butterweed                            | Dollarweed/Pennywort | Mallow                 | Sow Thistle             |
| Canada Thistle                        | English Daisy        | Moneywort              | Sourwood/Lawn Burweed   |
| Carpetweed                            | Evening-primrose     | Morningglory           | Vetch                   |
| Catsfoot/Coast Dandelion              | Filaree              | Mustard                | Wild Carrot             |
| Chickweed/Stitchwort (Stellaria Spp.) | Fleabane             | Pepperweed/Pepperglass | Yarrow                  |
| Chicory                               | Ground Ivy           | Pigweed                | Yellow Rocket           |
| Cinquefoil                            | Hawweed              | Plantain (Broadleaf)   |                         |

Check with your local cooperative extension agency to obtain specific information on local turf best management practices. Check with your county or city government to determine if there are local regulations for fertilizer use.

Acude a tu Agencia de Extensión Cooperativa Local para obtener información específica sobre las mejores prácticas de gestión de césped en tu región. Verifica con el gobierno de tu condado o ciudad cuáles son las regulaciones locales para usar fertilizantes.

## MALEZAS QUE CONTROLA

|                          |                                           |                                     |                                  |
|--------------------------|-------------------------------------------|-------------------------------------|----------------------------------|
| achicoria                | conchuela                                 | ipomea tricolor/gloria de la mañana | primula nocturna                 |
| ajonjolillo/rompepiedras | diente de león                            | lenten (de hoja ancha)              | quincefolio                      |
| añilillo                 | erigeron del Canadá                       | lespedeza (diferente)               | romaza                           |
| ambrosia                 | gileti                                    | lippia/cerillo                      | rosella/accederia                |
| anillo                   | estallaria/pampalina                      | lupina                              | sangre de toro (hierba del pato) |
| aster                    | hidrocolla/centella asiática              | mala                                | simplevra                        |
| berro amargo             | hierba rastrera                           | margarita inglesa                   | trebol (amarillo)                |
| berro silvestre          | hierba de botón                           | milenrama                           | trebol (blanco)                  |
| bledo                    | hierba de la moneda                       | mostaza                             | trébol (rojo)                    |
| bolsa del pastor         | hierba de pollo/codillo prieto            | ortiga                              | vellicola                        |
| cardo canadiense         | hierba del carpintero/de las heridas      | persicaria                          | verdolaga                        |
| cardo                    | hierba del halcón/diente de león bastardo | pimpinella escarlata                | zanahoria silvestre              |
| chicicollito             |                                           | plantago                            |                                  |
|                          |                                           | poligono (plantula)                 |                                  |

## SPREADERS AND CALIBRATION

Always apply with a rotary or drop spreader to distribute the granules evenly. **NEVER APPLY BY HAND.**

**Coverage:** To determine how much you need to apply, multiply the length of your lawn by its width. This equals your total square footage. Deduct all non-lawn areas (house, gardens, etc.). One bag covers up to 5,000 sq ft.


**SINGLE PASS DISTRIBUTION - For rotary spreaders:** Operate at intervals corresponding to the swath width.

**For drop spreaders:** Overlap the wheel tracks to ensure complete coverage. For best results, apply this product uniformly and avoid streaks, skips or overlaps. Walk at a steady pace to ensure even coverage.

Close the spreader opening when turning to change directions or when stopping.

**CALIBRATION INSTRUCTIONS:** Calibrate the spreader according to the manufacturer's directions. Initial spreader settings may require adjustment to deliver the recommended rate under actual application conditions. To provide proper distribution calibrate spreader before application. For 2.92 pounds of product per 1,000 sq ft of turfgrass: Check your spreader on 342 sq ft and adjust to apply at the rate of 1 pound of product per 342 sq ft.

**IMPORTANT:** It is important to follow directions as indicated on this quality lawn care product as overapplication may cause injury to your lawn. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied, and roughness of area treated. Be sure to check spreader before beginning, adjusting if necessary. Consult Owners' Manual. Never apply by hand.



### SPREADER SETTINGS: POSICIONES DEL ESPARCIDOR: Proporciones 2.9 lb of product per 1,000 sq ft. 2.9 lb of product per 1,000 sq ft.

#### BROADCAST/ROTARY SPREADERS ESPARCIDORES POR VOLO/GIRATORIOS

|               |               |               |       |
|---------------|---------------|---------------|-------|
| VEEDRO 4.500  | VEEDRO 10.000 | VEEDRO 15.000 | 4     |
| VEEDRO 20.000 | VEEDRO 25.000 | VEEDRO 30.000 | 4 1/2 |

SCOTT'S BROADCAST/ROTARY SPREADERS SCOTT'S BALE™, STANDARD™, DELUXE™, EGGHORN™, LAWN PRO™, SPEEDY™, SCOTT'S TURF MULCH™, EGGHORN™, DLX 4000™

|       |       |       |       |
|-------|-------|-------|-------|
| 4 1/2 | 5 1/2 | 6 1/2 | 7 1/2 |
|-------|-------|-------|-------|

#### DROP SPREADERS ESPARCIDORES POR GRAVEDAD

|                                                                              |       |
|------------------------------------------------------------------------------|-------|
| SCOTT'S DROP SPREADERS SCOTT'S ACCURATOR™, SCOTT'S TURF MULCH™, CLASSIC DROP | 7 1/2 |
|------------------------------------------------------------------------------|-------|



## ESPARCIDORES Y CALIBRACIÓN

Siempre aplique el producto con un esparcedor giratorio o por gravedad para distribuir los granúlos de manera uniforme. **NUNCA LO APLIQUE CON LA MANO.**

**Cobertura:** Para determinar la cantidad de producto que debe aplicar, multiplique el largo en pies de su prado por el ancho. Esto equivale a su superficie total en pies cuadrados. Reste todas las áreas sin césped (la casa, los jardines, etc.). Una bolsa cubre hasta 5,000 pies cuadrados.

**DISTRIBUCIÓN EN UNA SOLA PASADA - Para esparcedores giratorios:** Uselo en intervalos que correspondan al ancho de la franja.

**Para esparcedores por gravedad:** Solape la huella de las ruedas para asegurar una cobertura total.


Para obtener mejores resultados, aplique este producto de manera uniforme evitando dejar franjas.

Áreas sin aplicar y los traslapes. Camine a un paso constante para asegurar una cobertura uniforme.

Cierre la abertura del esparcedor al virar para cambiar de dirección o al detenerse.

**INSTRUCCIONES DE CALIBRACIÓN:** Calibre el esparcedor siguiendo las instrucciones del fabricante. Tal vez sea necesario ajustar la posición inicial del esparcedor para lograr la proporción recomendada en las condiciones reales de aplicación. Para proporcionar una distribución adecuada, calibre el esparcedor antes de la aplicación. Para aplicar 2.92 libras de producto por cada 1,000 pies cuadrados de césped: verifique su esparcedor en 342 pies cuadrados y ajústelo para aplicar una proporción de 1 libra de producto por cada 342 pies cuadrados.

**IMPORTANTE:** Es importante seguir las instrucciones como se indica en este producto de calidad para el cuidado del césped, pues el producto de más puede dañar su césped. Las posiciones del esparcedor son aproximadas. Puede haber diferencias a causa del estado del esparcedor, la velocidad a la que se aplique el producto y la irregularidad del área tratada. Asegúrese de examinar el esparcedor antes de comenzar, ajustándolo de ser necesario. Consulte el Manual del propietario. Nunca aplique el producto con la mano.





## PRECAUTIONARY STATEMENTS

### Hazards to Humans & Domestic Animals

**CAUTION:** Harmful if absorbed through skin. Harmful if inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing dust. Wear long-sleeved shirt, long pants, shoes and socks and chemical-resistant gloves made of any waterproof material.

#### First Aid

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn will help to prevent run off to water bodies or drainage systems.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

## STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Store in a dry place. Reseal opened bag by folding top down and securing. Store in original container in a secure area away from children and pets.

**PESTICIDE DISPOSAL and CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. **If Empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**NOTICE:** To the extent consistent with applicable law, the buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

**Vigoro® Fall Weed & Feed! 28-0-10**

### GUARANTEED ANALYSIS:

|                                    |     |
|------------------------------------|-----|
| Total Nitrogen (N)*                | 28% |
| 20.39% Urea Nitrogen               |     |
| 6.98% Other Water Soluble Nitrogen |     |
| 0.63% Water Insoluble Nitrogen     |     |
| Soluble Potash (K <sub>2</sub> O)  | 10% |

**Derived from:** Methylene Ureas, Urea, Potassium Chloride and Polymer Coated Sulfur Coated Urea.

\*Contains 7.3% slowly available Nitrogen from Methylene Ureas and Polymer Coated Sulfur Coated Urea.

### VIGORO® GUARANTEE:

If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us proof of purchase and we will mail you a refund check promptly.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.aapfco.org/metals.html>

EPA Reg. No. 538-270-73327

EPA Est. No. 9198-OH-1M, 9198-OH-20, 35512-FL-2H, 538-OH-1S, 538-OH-2V, 084175-TX-001B, 35497-OR-1W, 82757-FL-001T, 82757-OH-001K, 82757-MA-002E, 034637-OH-002F, 66876-OR-001J, 85653-OH-1R

Superscript used is first letter of run code on end of container.

Sold and Guaranteed by: Swiss Farms Products, Inc.  
3993 Howard Hughes Parkway, Suite 250, Las Vegas, NV 89169-6754  
©2018. World rights reserved.

## AVISOS DE PRECAUCIÓN

### Riesgos para los seres humanos y los animales domésticos

**PRECAUCIÓN:** Es nocivo si se absorbe a través de la piel. Es nocivo si se inhala. Causa irritación moderada de los ojos. Evite el contacto con los ojos, la piel o la ropa. Evite aspirar el polvo. Use camisa de manga larga, pantalones largos, zapatos y medias, así como guantes quimiorresistentes hechos de un material impermeable.

#### Primeros auxilios

**SI CAE EN LA PIEL O EN LA ROPA:** Quítese la ropa contaminada. Enjuague la piel de inmediato con abundante agua por 15 a 20 minutos. Llame a un centro de toxicología o a un médico para recibir instrucciones de tratamiento.

**SI SE INHALA:** Lleve a la persona al aire fresco. Si la persona no respira, llame al 911 o a una ambulancia y luego, de ser posible, dele respiración artificial (boca a boca, preferiblemente). Llame a un centro de toxicología o a un médico para recibir instrucciones de tratamiento adicionales.

**SI ENTRA EN LOS OJOS:** Mantenga el ojo abierto y enjuáguelo lentamente y con cuidado con agua por 15 a 20 minutos. Retire los lentes de contacto, de haberlos, después de transcurridos los primeros 5 minutos, y continúe enjuagando el ojo. Llame a un centro de toxicología o a un médico para recibir instrucciones de tratamiento.

Tenga el envase del producto o la etiqueta consigo cuando llame al centro de toxicología o al médico, o al acudir a recibir tratamiento.

**RIESGOS AMBIENTALES:** Este pesticida es tóxico para los peces y los invertebrados acuáticos, y puede afectar de manera adversa a las plantas que no se pretende eliminar. La dispersión y los escurrimientos desde las áreas tratadas pueden ser peligrosos para los organismos acuáticos de las zonas aledañas a las áreas tratadas. Para proteger el medio ambiente, no permita que el pesticida penetre o se escurra en drenajes pluviales, zanjas de desagüe, cunetas o aguas superficiales. Barrer el producto que caiga sobre entradas de automóviles, aceras o la calle de regreso al área de césped tratada evitará que se escurra a cuerpos de agua o sistemas de drenaje.

Este producto químico tiene propiedades y características que se asocian con productos químicos detectados en aguas del subsuelo. El uso de este producto químico en áreas donde la tierra es permeable, en particular donde el manto freático está cerca de la superficie, puede acarrear la contaminación del agua del subsuelo. La aplicación alrededor de una cisterna o pozo puede ocasionar la contaminación del agua para beber o de la del subsuelo.

## ALMACENAMIENTO Y ELIMINACIÓN

**ALMACENAMIENTO DEL PESTICIDA:** Guarde en un lugar seco. Vuelva a cerrar la bolsa abierta doblando la parte superior y asegurándola. Guarde en el envase original, en un lugar seguro y alejado de los niños y las mascotas. **ELIMINACIÓN DEL PESTICIDA y MANEJO DEL ENVASE:** El envase no se puede rellenar. No vuelva a usar ni a llenar este envase. **Si está vacío:** Tirelo a la basura o disponga su reciclaje, de ser posible. **Si está parcialmente lleno:** Llame a su agencia local de desechos sólidos para recibir instrucciones sobre cómo eliminarlo. Nunca tire el producto sobrante en drenajes internos ni externos.

**AVISO:** En la medida contemplada por las leyes correspondientes, el comprador asume todo el riesgo por el uso, el almacenamiento o el manejo de este producto si no se siguen las instrucciones.

**LA GARANTÍA VIGORO®:** Si por alguna razón no está satisfecho con este producto después de usarlo, usted, el consumidor, tiene derecho a la devolución de su dinero. Sólo háganos llegar el comprobante de compra e inmediatamente le enviaremos un cheque de reembolso por correo.

En Internet encontrará información relacionada con los contenidos y niveles de metales de este producto; visite <http://www.aapfco.org/metals.html>




**Visit Us On The Internet  
or Call Our Customer Satisfaction Hotline**

**Visítenos en Internet  
o llame a nuestra línea directa  
de satisfacción al cliente**

**vigoro.com or 1-866-779-5850**

22526-1 BG6713  
Proof of Purchase



Vigoro® Fall Weed & Feed!  
5M 22526-1

VID-PP