

# ROACH DOCTOR<sup>TM</sup>

Cockroach Gel



**Ready-To-Use Bait**



German  
**KILLS ROACHES!**

- Syringe Tip
- For Indoor and Outdoor Use

Stop - Read Label Before Use  
**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

Active Ingredient: Imidacloprid.....2.15%  
 Other Ingredients: .....97.85%  
 Total: .....100.00%  
 Net Contents: 30g (1.06 oz)



# ROACH DOCTOR™ Cockroach Gel

Ready-To-Use Bait



**DIRECTIONS FOR USE** It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**Use Sites:** In and around structures, including, but not limited to, residential, multi-family, commercial, industrial, municipal, institutional, research, recreational, health care, educational, daycare, hospitality and agricultural buildings and other man-made structures, garages, transport vehicles, sewers, animal rearing and handling establishments and food handling and food processing establishments.

**Indoor Use:** Results will be best if spilled food and other debris are cleaned up before applying bait. Apply bait in small spots about 1/4" in diameter. Bait can also be applied in thin lines if appropriate. For most infestations, applications should range from 10 to 20 spots per 100 square feet. Use the higher number of spots when infestations are heavy and/or when roaches are living primarily in walls voids or other inaccessible areas. Smaller, more frequent spots are better than occasional large spots.

Look for areas, particularly cracks and crevices, where roaches may hide or enter buildings. Some of these areas include areas where baseboards are peeling away from the wall, cracks in and around equipment and appliances such as stoves, sinks, dishwashers, refrigerators and walk-in coolers, hollow table legs, areas where pipes come through walls, cracks between different construction elements, around electrical boxes, cracks around hinges, where cabinets meet walls and cracks leading into wall, ceiling or floor voids. Pay particular attention to cracks which lead into void areas, even small ones. Also specifically look for warm, moist areas. Around and under dishwashers, refrigerators, ice machines, sinks, tubs and toilets and around drain openings are particularly attractive areas for roaches. Insert the syringe tip directly into the crack and apply about 0.5g (pea size) amount of bait.

Do not apply bait to areas that are washed down frequently, such as in cracks around the edges of food prep surfaces. Do not apply bait in areas where there is a risk of electrical shock. Be careful not to apply bait on hot surfaces or other areas where the temperature may exceed 130 °F as the bait could melt and drip. Bait placements should be in concealed, not open areas. Do not spray insecticides or other chemicals over bait placements, as this may cause roaches not to eat the bait. Apply bait out of reach of children and pets. Inspect bait placements periodically and reapply bait as needed. Ongoing monitoring is recommended as part of an Integrated Pest Management program.

**Food Processing and Handling Establishments, Including Federally-Inspected Food Plants:** In food areas, including serving areas while the establishment is in operation, only apply bait in cracks, crevices, and other inaccessible areas, or in tamper-resistant bait stations. Follow above directions for crack and crevice placement. Avoid contamination of food and feedstuffs. Never apply bait directly to a surface where food is stored, prepared or served. Any bait that is left visible after treatment must be washed up.

**Outdoor Use:** Apply bait on the outside surfaces of buildings and other structures, as well as in crawlspaces, attics and other voids. Porches, garages, sheds, AC units and other outbuildings, fences or walls may also need treatment. Pay particular attention to cracks where roaches may enter buildings and treat those areas. These areas include but aren't limited to cracks around windows, doors, eaves and soffits, expansion joints, and areas where lines or pipes enter buildings. Under siding and molding are also attractive areas for insects to hide. Apply bait in spots or lines as indicated for indoor baiting.

**Storage and Disposal:** Do not contaminate water, food or feed by storage or disposal.

**Storage:** Store in a dry place. Do not store where children or animals may gain access.

**Disposal: If empty:** Non-refillable container. Do not reuse this container. Place in trash or offer for recycling if available.

**If partly filled:** Call your local solid waste agency or **1-800-CLEANUP** which is managed as a public-private partnership.

### Warranty Limitations and Disclaimers

To the extent consistent with applicable law, seller makes no warranty expressed or implied, concerning the use of this product other than as indicated on the label. Buyer accepts this material subject to these terms, and assumes all risk of usage and handling except when used or handled in accordance with this label. To the extent consistent with applicable law, there are no expressed or implied warranties of merchantability or fitness for any particular purpose, except as specifically stated herein. Manufacturer shall not be liable for any consequential damages based on the use of the product.

**PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals**

**CAUTION:** Causes slight skin and eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after use and before eating, drinking, chewing gum, using tobacco or using the toilet.

EPA Reg. No.: 73079-10-93417  
EPA Est. No.: 73079-MO-1

Distributed By:  
Telebrands Corp  
One Telebrands Plaza  
Fairfield, NJ 07004

©2018 Telebrands  
www.Bulbhead.com



# ROACH DOCTOR™

## Cockroach Gel

*Ready-To-Use Bait*

EPA Reg. No.: 73079-10-93417

EPA Est. No.: 73079-MO-1

**Net Contents: 30g (1.06 oz)**

Active Ingredient: Imidacloprid ..... 2.15%

Other Ingredients:..... 97.85%

Total:..... 100.00%

Stop - Read Label Before Use  
KEEP OUT OF REACH OF CHILDREN

### CAUTION

**PRECAUTIONARY STATEMENTS** Hazards to Humans and Domestic Animals:

**CAUTION:** Causes slight skin and eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after use and before eating, drinking, chewing gum, using tobacco or using the toilet.

See outer package for Directions for Use and Storage and Disposal.

Distributed By: Telebrands Corp, One Telebrands Plaza, Fairfield, NJ 07004  
©2018 Telebrands

# ROACH DOCTOR™ Cockroach Gel

Ready-To-Use Bait



**DIRECTIONS FOR USE** It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**Use Sites:** In and around structures, including, but not limited to, residential, multi-family, commercial, industrial, municipal, institutional, research, recreational, health care, educational, daycare, hospitality and agricultural buildings and other man-made structures, garages, transport vehicles, sewers, animal rearing and handling establishments and food handling and food processing establishments.

**Indoor Use:** Results will be best if spilled food and other debris are cleaned up before applying bait. Apply bait in small spots about 1/4" in diameter. Bait can also be applied in thin lines if appropriate. For most infestations, applications should range from 10 to 20 spots per 100 square feet. Use the higher number of spots when infestations are heavy and/or when roaches are living primarily in walls voids or other inaccessible areas. Smaller, more frequent spots are better than occasional large spots.

Look for areas, particularly cracks and crevices, where roaches may hide or enter buildings. Some of these areas include areas where baseboards are peeling away from the wall, cracks in and around equipment and appliances such as stoves, sinks, dishwashers, refrigerators and walk-in coolers, hollow table legs, areas where pipes come through walls, cracks between different construction elements, around electrical boxes, cracks around hinges, where cabinets meet walls and cracks leading into wall, ceiling or floor voids. Pay particular attention to cracks which lead into void areas, even small ones. Also specifically look for warm, moist areas. Around and under dishwashers, refrigerators, ice machines, sinks, tubs and toilets and around drain openings are particularly attractive areas for roaches. Insert the syringe tip directly into the crack and apply about 0.5g (pea size) amount of bait.

Do not apply bait to areas that are washed down frequently, such as in cracks around the edges of food prep surfaces. Do not apply bait in areas where there is a risk of electrical shock. Be careful not to apply bait on hot surfaces or other areas where the temperature may exceed 130° F as the bait could melt and drip. Bait placements should be in concealed, not open areas. Do not spray insecticides or other chemicals over bait placements, as this may cause roaches not to eat the bait. Apply bait out of reach of children and pets. Inspect bait placements periodically and reapply bait as needed. Ongoing monitoring is recommended as part of an Integrated Pest Management program.

**Food Processing and Handling Establishments, Including Federally-Inspected Food Plants:** In food areas, including serving areas while the establishment is in operation, only apply bait in cracks, crevices, and other inaccessible areas, or in tamper-resistant bait stations. Follow above directions for crack and crevice placement. Avoid contamination of food and feedstuffs. Never apply bait directly to a surface where food is stored, prepared or served. Any bait that is left visible after treatment must be washed up.

**Outdoor Use:** Apply bait on the outside surfaces of buildings and other structures, as well as in crawlspaces, attics and other voids. Porches, garages, sheds, AC units and other outbuildings, fences or walls may also need treatment. Pay particular attention to cracks where roaches may enter buildings and treat those areas. These areas include but aren't limited to cracks around windows, doors, eaves and soffits, expansion joints, and areas where lines or pipes enter buildings. Under siding and molding are also attractive areas for insects to hide. Apply bait in spots or lines as indicated for indoor baiting.

**Storage and Disposal:** Do not contaminate water, food or feed by storage or disposal.

**Storage:** Store in a dry place. Do not store where children or animals may gain access.

**Disposal: If empty:** Non-refillable container. Do not reuse this container. Place in trash or offer for recycling if available.

**If partly filled:** Call your local solid waste agency or 1-800-CLEANUP which is managed as a public-private partnership.

**Warranty Limitations and Disclaimers**

To the extent consistent with applicable law, seller makes no warranty expressed or implied, concerning the use of this product other than as indicated on the label. Buyer accepts this material subject to these terms, and assumes all risk of usage and handling except when used or handled in accordance with this label. To the extent consistent with applicable law, there are no expressed or implied warranties of merchantability or fitness for any particular purpose, except as specifically stated herein. Manufacturer shall not be liable for any consequential damages based on the use of the product.

**PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals**

**CAUTION:** Causes slight skin and eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after use and before eating, drinking, chewing gum, using tobacco or using the toilet.

EPA Reg. No.: 730/9-10-93417  
EPA Est. No.: 730/9-MD-1

Distributed By:  
Telebrands Corp  
One Telebrands Plaza  
Fairfield, NJ 07004

©2018 Telebrands  
www.BulbHead.com



# ROACH DOCTOR™ Cockroach Gel

Ready-To-Use Bait



## German KILLS ROACHES!

- Syringe Tip
- For Indoor and Outdoor Use

Stop - Read Label Before Use  
KEEP OUT OF REACH OF CHILDREN  
CAUTION

Active Ingredient: Imidacloprid... 2.15%  
Other Ingredients... 97.85%  
Total... 100.00%  
Net Contents: 30g (1.06 oz)



# **ROACH DOCTOR™**

## **Cockroach Gel**

### **Ready-To-Use Bait**

EPA Reg. No.: 73079-10-93417  
EPA Est. No.: 73079-MO-1

Active Ingredient: Imidacloprid ..... 2.15%  
Other Ingredients: ..... 97.85%  
Total: ..... 100.00%

**Net Contents: 30g (1.06 oz)**

Stop - Read Label Before Use  
KEEP OUT OF REACH OF CHILDREN

#### **CAUTION**

**PRECAUTIONARY STATEMENTS** Hazards to Humans and Domestic Animals:  
**CAUTION:** Causes slight skin and eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after use and before eating, drinking, chewing gum, using tobacco or using the toilet.

See outer package for Directions for Use and Storage and Disposal.

Distributed By: Telebrands Corp, One Telebrands Plaza, Fairfield, NJ 07004  
©2018 Telebrands