

**ELIMINATOR<sup>®</sup>**

# LAWN WEED KILLER CONCENTRATE

**Money Back Guarantee**

See back panel for details\*

**See Results  
in Hours****Kills Weeds Down  
to the Root****Rainproof in Hours****Treats up to 16,000 Sq Ft  
of Southern Grasses or  
8,000 Sq Ft of Northern Grasses****Active Ingredients:**

\*2,4-D, dimethylamine salt ..... 7.59%

†Mecoprop-p, dimethylamine salt ..... 1.83%

#Dicamba, dimethylamine salt ..... 0.84%

Other Ingredients ..... 89.74%

\* 0.540 lb 2,4-D acid equivalent per gallon or 6.30%.

† 0.129 lb Mecoprop-p acid equivalent per gallon or 1.51%.

# 0.059 lb Dicamba acid equivalent per gallon or 0.69%.

Contains the single isomer form of Mecoprop-p.

\*\*when used as directed

**KEEP OUT OF REACH OF CHILDREN  
CAUTION** See back booklet for additional  
precautionary statements.**Net Contents 32 fl oz (1 qt/946 mL)**

17-16945

# ELIMINATOR®

## LAWN WEED KILLER CONCENTRATE

- ▶ **Kills 200+ Types of Weeds as Listed** ▶ **Rainproof in Hours**
- ▶ **Overnight Results** ▶ **Kills Weeds Down to the Roots!**
- ▶ **Won't Harm Lawns\* \*When used as directed**

**STOP READ ENTIRE LABEL BEFORE USE.**

### PRECAUTIONARY STATEMENTS

#### Hazards to Humans and Domestic Animals

**CAUTION:** Causes moderate eye irritation. Harmful if absorbed through skin. Harmful if swallowed. Avoid contact with skin, eyes or clothing. Wear long-sleeved shirt, long pants, and shoes plus socks. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

#### FIRST AID

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

**If Swallowed:** Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment. You may also contact 1-800-322-5553 for emergency medical treatment information.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

#### Environmental Hazards

This product may be toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high-water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwaters or rinsate.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

**NOTICE:** To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

**Questions or Comments?** Call 1-800-332-5553.

### Great Quality. Great Price. Guaranteed.

\*Our guarantee is our promise that you'll be fully satisfied with the quality of every Eliminator product. If for any reason you aren't happy, we'll replace it or return your money — whichever you prefer. All you need to do is return the product or packaging to your nearest Walmart. It's that simple. Guaranteed. Guaranteed within 1 year of the date of purchase.

Distributed by Spectrum Group, Division of United Industries Corporation  
PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 478-121-8845 EPA Est. Nos. 9688-MO-1(U), 58996-MO-1(AE)

Circled letter is first letter of lot number. 17-16946 © 2018 UIC

Eliminator® is a registered trademark of Walmart Inc. Bentonville, AR 72716



#### WEEDS CONTROLLED / BROADLEAF WEEDS:

- Annual yellow sweetclover
- Aster
- Austrian fieldcress
- Bedstraw
- Beggarticks
- Betony, Florida
- Bindweed, field
- Bird vetch
- Bitter wintercress
- Bittercress, hairy
- Bitterweed
- Black-eyed Susan
- Black medic
- Black mustard
- Blackseed plantain
- Blessed thistle
- Bloodflower milkweed
- Blue lettuce
- Blue vervain
- Bracted plantain
- Brassbuttons
- Bristly oxtongue
- Broadleaf dock
- Broadleaf plantain
- Broomweed
- Buckhorn
- Buckhorn plantain
- Bulbous buttercup
- Bull thistle
- Bullnettle
- Burclover
- Burdock
- Burning nettle
- Burweed
- Buttercup
- Buttonweed
- Canada thistle
- Carolina geranium
- Carpetweed
- Catchweed bedstraw
- Catnip
- Catsear
- Chickweed, common
- Chickweed, mouseear
- Chicory
- Cinquefoil
- Clover, crimson
- Clover, hop
- Clover, red
- Clover, strawberry
- Clover, sweet
- Clover, white
- Cockle
- Cocklebur
- Common mallow
- Cranesbill
- Creeping Jenny (Creeping Charlie)
- Cudweed
- Curly dock
- Daisy, English
- Daisy fleabane
- Daisy, orange
- Dandelion
- Deadnettle
- Dichondra
- Dogbane
- Dogfennel
- Dollarweed
- Elderberry
- English daisy
- False dandelion
- Falseflax
- False sunflower
- Fiddleneck
- Filaree
- Fleabane
- Florida pusley
- Frenchweed
- Galinsoga
- Goathead
- Goldenrod
- Ground ivy
- Gumweed
- Hairy fleabane
- Hawkweed
- Healall
- Heartleaf drymaria
- Heath aster
- Hedge bindweed
- Hedge mustard
- Hemp
- Henbit
- Hoary cress
- Hoary plantain
- Hoary vervain
- Horsenettle
- Jimsonweed
- Knapweed
- Knotweed
- Kochia
- Lambsquarters
- Lespedeza
- Mallow
- Matchweed
- Mexicanweed
- Milk vetch
- Morning glory
- Mouseear hawkweed
- Mugwort
- Musk thistle
- Mustard
- Narrowleaf plantain
- Narrowleaf vetch
- Nettle
- Orange hawkweed
- Oriental cocklebur
- Oxalis
- Parsley-piert
- Parsnip
- Pearlwort
- Pennywort
- Pennywort
- Peppergrass
- Pepperweed
- Pigweed
- Pineywoods bedstraw
- Plains coreopsis (tickseed)
- Plantain
- Poison ivy
- Poison oak
- Pokeweed
- Porcupine
- Prairie sunflower
- Prickly lettuce
- Prickly sida
- Prostrate knotweed
- Prostrate pigweed
- Spurweed
- Stringing nettle
- Strawberry, India mock
- Tall nettle
- Tall vervain
- Tansy ragwort
- Tansy mustard
- Tanweed
- Thistle
- Trailing crownvetch
- Tumble mustard
- Tumble pigweed
- Velvetleaf
- Venice mallow
- Virginia buttonweed
- Virginia creeper
- Virginia pepperweed
- Wartyleaf bulrush
- Western clematis
- Russian thistle
- Scarlet pimpernel
- Scotch thistle
- Sheep sorrel
- Shepherdspurse
- Shener plantain
- Smallflower galinsoga
- Smooth dock
- Smooth pigweed
- Soliva
- Sorrel
- Sowthistle
- Spanishneedles
- Speedwell
- Spiny amaranth
- Spiny cocklebur
- Spiny sowthistle
- Spotted catsear
- Spotted spurge
- Spurneed
- Stinging nettle
- Wild radish
- Wild rape
- Wild strawberry
- Wild sweet potato
- Wild vetch
- Woodsorrel
- Woolly cotton
- Woolly morning glory
- Woolly plantain
- Wormseed
- Yarrow
- Yellow rocket
- Yellowflower pepperweed

**STOP READ ENTIRE LABEL BEFORE USE.**

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
SHAKE WELL BEFORE USING.



**Do not enter or allow entry until sprays have dried.**

**Precautions and Restrictions:** Do not apply this product in a way that will contact workers or other persons either directly or through drift. Only protected handlers may be in the area during application. Do not use this product on or near desirable plants, including within the drip-line of the roots of desirable trees and shrubs, since injury may result. The maximum number of broadcast applications per treatment site is two per year with a minimum of 30 days between applications.

**MEASUREMENT CALCULATIONS**

Calculate square feet by multiplying length by width.

1 fl oz = 2 Tbsp (6 tsp); 2 fl oz = 4 Tbsp; 4 fl oz = ½ cup; 8 fl oz = 1 cup;  
16 fl oz = 1 pt; 32 fl oz = 1 qt

**WHEN TO USE**

1. **SPRING:** The best time to treat weeds is when they are small and growing.
2. **FALL:** Many problem weeds germinate in the fall, and treatment then will eliminate many of next year's weeds.

**HOW MUCH TO USE**

**SPOT TREATMENT**

To spray small areas or individual weeds, use a pressure sprayer for better control. Do not use a hose-end sprayer. Mix as directed in table below. Shake well before spraying. Be certain to wet each weed.

**ENTIRE LAWN**

**PRESSURE SPRAYERS**

Measure amount of concentrate from chart below into sprayer tank and dilute with 1 gal of water. Close tank sprayer and shake well before spraying. Use a spray pattern that gives small spray droplets without any fine mist to treat 250 sq ft.

Amount of Concentrate in 1 gal Water Required to Treat 250 sq ft of Lawn (Spot treatment or entire lawn)	
Grass Type	Amount of Concentrate
St. Augustine*, Bahia, Centipede	½ fl oz (1 Tbsp)
Bermuda, Bentgrass	¾ fl oz (4 tsp)
Bluegrass, Fescue, Rye, Zoysia	1 fl oz (2 Tbsp)
<b>*DO NOT USE ON FLORATAM VARIETY OF ST. AUGUSTINEGRASS IN FLORIDA.</b>	

**HOSE-END SPRAYERS**

**\*"CONCENTRATE ONLY" (DIAL) SPRAYERS**

1. From the chart below, determine amount of concentrate to be applied for each 250 sq ft of lawn.
2. Fill sprayer jar with enough concentrate to cover area to be treated. Do not add water to sprayer.
3. Set dial on sprayer to the setting from the chart below.
4. Attach sprayer to hose. Extend hose to the farthest area of lawn to be treated and work back toward faucet so that you do not walk over treated areas. Apply evenly to lawn.

Grass Type	Dial Setting	Area Treated	Ounces in Sprayer
St. Augustine*, Bahia, Centipede	½ fl oz	250 sq ft	½ fl oz
		1,000 sq ft	2 fl oz
Bermuda, Bentgrass	¾ fl oz	250 sq ft	¾ fl oz
		1,000 sq ft	2 ¾ fl oz
Bluegrass, Fescue, Rye, Zoysia	1 fl oz	250 sq ft	1 fl oz
		1,000 sq ft	4 fl oz
*DO NOT USE ON FLORATAM VARIETY OF ST. AUGUSTINEGRASS IN FLORIDA.			

**EXAMPLE:** To treat 1,000 sq ft of fescue lawn, add 4 fl oz of concentrate to the sprayer with sprayer dial set on 1 fl oz. Check the directions you received when you purchased your sprayer for further details on the proper use of your dial sprayer.

**\*"CONCENTRATE-PLUS-WATER" SPRAYERS**

For sprayers that require the addition of water as well as concentrate prior to application:

1. From the following chart, determine amount of concentrate required to treat each 250 sq ft of lawn.
2. Pour concentrate into sprayer jar to the required "fl oz" level.
3. Then add the appropriate amount of water to the "gallons" level. Replace sprayer top on jar and shake well before spraying.

4. Attach sprayer to hose. Extend hose to the farthest area of lawn to be treated and work back toward faucet so that you do not walk over treated areas. Apply evenly to lawn.

Ounces of Concentrate to Use for:				
Sq ft to be Treated	St. Augustine*, Bahia, Centipede	Bermuda, Bentgrass	Bluegrass, Fescue, Rye, Zoysia	Gallons of Water
250	½	¾	1	1
1,000	2	2 ¾	4	4
5,000	10	13 ¾	20	20
8,000	16	21 ¾	32	32
<b>*DO NOT USE ON FLORATAM VARIETY OF ST. AUGUSTINEGRASS IN FLORIDA.</b>				

**EXAMPLE:** To treat 1,000 sq ft of fescue, pour in concentrate to the 4 fl oz mark and add water to the 4 gal mark. Check the directions you received when you purchased your sprayer for further details on the proper use of your sprayer.

**USE TIPS**

- For best results, mow before treating weeds.
- Do not treat when air temperatures exceed 85°F or damage to grass may occur.
- Do not water within six hours after treatment. Poor weed control may result if rainfall occurs within six hours of application.
- **For new lawns,** treat within 24 hours after seeding. **On established lawns,** wait three weeks after treatment before re-seeding. Once new grass has started to grow, wait until it has reached a height of 2 inches before treating. Treat as directed for newly sodded lawns if weeds are present.
- Do not allow spray to get on vegetables or ornamental plants since injury may result. Do not spray around roots of trees and ornamentals. Cover will be damaged if sprayed.
- Whether using a hose-end sprayer or pressure sprayer, avoid sprays that are too fine because they can drift and damage other plants.
- If certain tough weeds are not dead within three weeks, repeat treatment. Broadcast application is not necessary; follow spot treatment directions.
- Use of this product when air temperatures are below 60°F may result in delayed appearance of weed control.

**STORAGE AND DISPOSAL**

**Storage:** Store in a cool, dry area away from heat or open flame. If product freezes, shake well before use once it has thawed.

**Disposal:** If empty: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**

**CAUTION.** Causes moderate eye irritation. Harmful if absorbed through skin. Harmful if swallowed. Avoid contact with skin, eyes or clothing. Wear long-sleeved shirt, long pants, and shoes plus socks. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**FIRST AID**

**If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice. **If Swallowed:** Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment. You may also contact 1-800-332-5553 for emergency medical treatment information.

**Note to Physician:** Probable mucosal damage may contraindicate the use of gastric lavage.

**Environmental Hazards**

This product may be toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high-water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwaters or rinsate.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

## STORAGE AND DISPOSAL

**Storage:** Store in a cool, dry area away from heat or open flame. If product freezes, shake well before use once it has thawed.

**Disposal: If empty:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available.

**If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

**CAUTION.** Causes moderate eye irritation. Harmful if absorbed through skin. Harmful if swallowed. Avoid contact with skin, eyes or clothing. Wear long-sleeved shirt, long pants, and shoes plus socks. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

### FIRST AID

**If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice. **If Swallowed:** Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment. You may also contact 1-800-332-5553 for emergency medical treatment information.

**Note to Physician:** Probable mucosal damage may contraindicate the use of gastric lavage.

### Environmental Hazards

This product may be toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high-water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwaters or rinsate.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

**NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.**

**Questions or Comments?** Call 1-800-332-5553.

Distributed by Spectrum Group, Division of United Industries Corporation

PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 478-121-8845 EPA Est. Nos. 9688-MO-1(U), 58996-MO-1(AE)

Circled letter is first letter of lot number. 17-16946 © 2018 UIC

Eliminator® is a registered trademark of Walmart Inc. Bentonville, AR 72716