

**KILLS 200+
WEED TYPES**

ELIMINATOR[®]

LAWN WEED KILLER

READY-TO-SPRAY

Money Back Guarantee

See back panel for details*



**See Results
in Hours**

**Kills Weeds Down
to the Root**

Rainproof in Hours



Active Ingredients:

*2,4-D, dimethylamine salt	7.59%	* 0.540 lb 2,4-D acid equivalent per gallon or 6.30%.
†Mecoprop-p, dimethylamine salt	1.83%	† 0.129 lb Mecoprop-p acid equivalent per gallon or 1.51%.
‡Dicamba, dimethylamine salt	0.84%	‡ 0.059 lb Dicamba acid equivalent per gallon or 0.69%.
Other Ingredients	89.74%	Contains the single isomer form of Mecoprop-p.

**when used as directed

**KEEP OUT OF REACH OF CHILDREN
CAUTION** See back booklet for additional
precautionary statements.

Net Contents 32 fl oz (1 qt/946 mL)

17-16943

NORTHERN LAWNS (covers 8,000 sq ft)	SOUTHERN LAWNS (covers 16,000 sq ft)
Bluegrass, Fescue, Rye, Zoysia	Bahia, Bermuda, Bentgrass, Centipede, St. Augustine
NOTE: Do not use on Floratam variety of St. Augustinegrass in Florida. If you are unsure as to what type of grass you have, contact your County Extension agent.	

USE TIPS

- For best results, mow before treating weeds.
- Do not treat when air temperatures exceed 85°F or damage to grass may occur.
- Do not water within six hours after treatment. Poor weed control may result if rainfall occurs within six hours of application.
- **For new lawns**, treat within 24 hours after seeding. **On established lawns**, wait three weeks after treatment before re-seeding. Once new grass has started to grow, wait until it has reached a height of 2 inches before treating. Treat as directed for newly sodded lawns if weeds are present.
- Do not allow spray to get on vegetables or ornamental plants since injury may result. Do not spray around roots of trees and ornamentals. Clover will be damaged if sprayed.
- Avoid sprays that are too fine because they can drift and damage other plants.
- If certain tough weeds are not dead within three weeks, spot treat. It will take about 20 minutes to apply this bottle. Actual time will vary depending on water pressure.
- Use of this product when air temperatures are below 60°F may result in delayed appearance of weed control.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from heat or open flame. If product freezes, shake well before use once it has thawed.

Disposal: If empty: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Causes moderate eye irritation. Harmful if absorbed through skin. Harmful if swallowed. Avoid contact with skin, eyes or clothing. Wear long-sleeved shirt, long pants and shoes plus socks. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID • If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice. **If Swallowed:** Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment. You may also contact 1-800-332-5553 for emergency medical treatment information.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Environmental Hazards • This product may be toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high-water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwaters or rinsate.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

ELIMINATOR®

LAWN WEED KILLER

READY-TO-SPRAY

Kills 200+ Types of Weeds as Listed

Rainproof in Hours

**Won't Harm Lawns*
*When used as directed**

Kills Weeds Down to the Roots!

Overnight Results

STOP READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See inside booklet for complete Directions for Use, First Aid, Precautionary Statements and Storage and Disposal.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Questions or Comments?

Call 1-800-332-5553.

Distributed by Spectrum Group

Division of United Industries Corporation

PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 478-121-8845

EPA Est. Nos. 9688-MO-1(1), 58996-MO-1(AE)

Circled letter is first letter of lot number. 17-16942

© 2018 UIC
Eliminator® is a registered trademark of Walmart Inc. Bentonville, AR 72716

**Great Quality. Great Price.
Guaranteed.**

* Our guarantee is our promise that you'll be fully satisfied with the quality of every Eliminator product. If for any reason you aren't happy, we'll replace it or return your money — whichever you prefer. All you need to do is return the empty product or packaging to your nearest Walmart. It's that simple. Guaranteed. Guaranteed within 1 year of the date of purchase.

PROOF OF PURCHASE
TBD

S.F.P.O.
80% MAGNIFICATION
TBD

OPEN HERE

WEEDS CONTROLLED / BROADLEAF WEEDS:

- Annual yellow sweetclover
- Aster
- Austrian fieldcress
- Bedstraw
- Beggarticks
- Betony, Florida
- Bindweed, field
- Bird vetch
- Bitter wintercress
- Bittercress, hairy
- Bitterweed
- Black-eyed Susan
- Black medic
- Black mustard
- Blackseed plantain
- Blessed thistle
- Bloodflower milkweed
- Blue lettuce
- Blue vervain
- Bracted plantain
- Brassbuttons
- Bristly ox tongue
- Broadleaf dock
- Broadleaf plantain
- Broomweed
- Buckhorn
- Buckhorn plantain
- Bulbous buttercup
- Bull thistle
- Bullnettle
- Burdock
- Burning nettle
- Burweed
- Buttercup
- Buttonweed
- Canada thistle
- Carolina geranium
- Carpetweed
- Catchweed bedstraw
- Catnip
- Catsear
- Chickweed, common
- Chickweed, mouseear
- Chicory
- Cinquefoil
- Clover, crimson
- Clover, hop
- Clover, red
- Clover, strawberry
- Clover, sweet
- Clover, white
- Cockle
- Cocklebur
- Common mullein
- Cranesbill
- Creeping Jenny
- (Creeping Charlie)
- Cudweed
- Curly dock
- Daisy, English
- Daisy fleabane
- Daisy, oxeye
- Dandelion
- Deadnettle
- Dichondra
- Dogbane
- Dogfennel
- Dollarweed
- Elderberry
- English daisy
- False dandelion
- Falseflax
- False sunflower
- Fiddleneck
- Filaree
- Fleabane
- Florida pusley
- Frenchweed
- Galinsoga
- Goathead
- Goldenrod
- Ground ivy
- Gumweed
- Hairy fleabane
- Hawkweed
- Healall
- Heartleaf drymary
- Heath aster
- Hedge bindweed
- Hedge mustard
- Hemp
- Henbit
- Hoary cress
- Hoary plantain
- Hoary vervain
- Horsesnettle
- Jimsonweed
- Knapel
- Knotweed
- Kochia
- Lambsquarters
- Lespedeza
- Mallow
- Matchweed
- Mexicanweed
- Milk vetch
- Morning glory
- Mouseear hawkweed
- Mugwort
- Musk thistle
- Mustard
- Narrowleaf plantain
- Narrowleaf vetch
- Nettle
- Orange hawkweed
- Oriental cocklebur
- Oxalis
- Parsley-piert
- Parsnip
- Pearlwort
- Pennywort
- Pennywort
- Peppergrass
- Pepperweed
- Pigweed
- Pineywoods bedstraw
- Plains coreopsis (tickseed)
- Plantain
- Poison ivy
- Poison oak
- Pokeweed
- Poorjoe
- Prairie sunflower
- Prickly lettuce
- Prickly sida
- Prostrate knotweed
- Prostrate pigweed
- Prostrate spurge
- Prostrate vervain
- Puncturevine
- Purslane, common
- Ragweed
- Red sorrel
- Redroot pigweed
- Redstem filaree
- Rough cinquefoil
- Rough fleabane
- Russian pigweed
- Russian thistle
- Scarlet pimpernel
- Scotch thistle
- Sheep sorrel
- Shepherdspurse
- Slender plantain
- Smallflower galinsoga
- Smooth dock
- Smooth pigweed
- Soliva
- Sorrel
- Sowthistle
- Spanishneedles
- Speedwell
- Spiny amaranth
- Spiny cocklebur
- Spiny sowthistle
- Spotted catsear
- Spotted spurge
- Spurweed
- Stinging nettle
- Strawberry, India mock
- Tall nettle
- Tall vervain
- Tansy ragwort
- Tansy mustard
- Tanweed
- Thistle
- Trailing crownvetch
- Tumble mustard
- Tumble pigweed
- Velvetleaf
- Venice mallow
- Virginia buttonweed
- Virginia creeper
- Virginia pepperweed
- Water pennywort
- Wayleaf bullthistle
- Western clematis
- Western salsify
- White mustard
- Wild aster
- Wild buckwheat
- Wild carrot
- Wild four-o'clock
- Wild garlic
- Wild geranium
- Wild lettuce
- Wild marigold
- Wild mustard
- Wild onion
- Wild parsnip
- Wild radish
- Wild rape
- Wild strawberry
- Wild sweet potato
- Wild vetch
- Woodsorrel
- Woolly croton
- Woolly morning glory
- Woolly plantain
- Wormseed
- Yarrow
- Yellow rocket
- Yellowflower pepperweed

**READ ENTIRE LABEL BEFORE USE.****DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. SHAKE WELL BEFORE USING.

**Do not enter or allow entry until sprays have dried.****Precautions and Restrictions:**

Do not apply this product in a way that will contact workers or other persons either directly or through drift. Only protected handlers may be in the area during application.

Do not use this product on or near desirable plants, including within the dripline of the roots of desirable trees and shrubs, since injury may result. The maximum number of broadcast applications per treatment site is two per year with a minimum of 30 days between applications.

MEASUREMENT CALCULATIONS

Calculate square feet by multiplying length by width. 1 fl oz = 2 Tbsp (6 tsp); 2 fl oz = 4 Tbsp; 4 fl oz = ½ cup; 8 fl oz = 1 cup; 16 fl oz = 1 pt; 32 fl oz = 1 qt

WHEN TO USE

1. SPRING: The best time to treat weeds is when they are small and growing.
2. FALL: Many problem weeds germinate in the fall, and treatment then will eliminate many of next year's weeds.

HOW TO USE**HOSE-END SPRAYER INSTRUCTIONS**

1. *Shake container well before using.*
2. Connect a garden hose to the Ready-Spray nozzle. Make sure the dial on the nozzle is in the "OFF" position with the safety tab in the valve notch.
3. Turn on water at faucet. Extend hose to the farthest area to be treated and work back toward the faucet so you don't come in contact with the treated area.
4. To BEGIN spraying, point nozzle toward lawn or plants to be treated and 1.) bend the safety tab (located at right of dial) back and hold, and 2.) using your other hand, QUICKLY turn the dial clockwise until it stops. Water will automatically mix with the product.
5. Spray until wet to control weeds listed. Walk at a steady pace while spraying, using an even sweeping motion, slightly overlapping treated areas. One quart will treat 16,000 sq ft of southern and 8,000 sq ft of northern grasses. Calculate square feet by multiplying length by width. Refer to sight gauge to guide coverage (example: when bottle is half empty, you should have covered half the area).
6. To STOP spraying, QUICKLY turn the dial in the opposite direction of "ON" (counterclockwise) until it stops and the safety tab engages into the notch. Turn water off at faucet. To relieve pressure before removing nozzle from hose, bend the safety tab back and turn dial "ON" until water stops spraying.
7. To STORE unused product, make sure the dial is in the "OFF" position with the safety tab in the valve notch. Place in a cool area away from heat, sunlight or open flame.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from heat or open flame. If product freezes, shake well before use once it has thawed.

Disposal: If empty: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Causes moderate eye irritation. Harmful if absorbed through skin. Harmful if swallowed. Avoid contact with skin, eyes or clothing. Wear long-sleeved shirt, long pants and shoes plus socks. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice. **If Swallowed:** Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment. You may also contact 1-800-332-5553 for emergency medical treatment information.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Environmental Hazards

This product may be toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high-water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwaters or rinseate.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Questions or Comments? Call 1-800-332-5553.

Distributed by Spectrum Group, Division of United Industries Corporation
PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 478-121-8845 EPA Est. Nos. 9688-MO-1(U), 58996-MO-1(AE)

Circled letter is first letter of lot number. 17-16942 © 2018 UIC

Eliminator® is a registered trademark of Walmart Inc. Bentonville, AR 72716