NO residue

Use TCC-IPM for treating and preventing problem mites, aphids, thrips, whiteflies, as well as botrytis, fusarium, and downy and powdery mildew.

ACTIVE INGREDIENTS: Thyme Oil 14%, Clove Oil 10%, Garlic Oil 9%,
Peppermint Oil 4%. Corn Oil 3%. Geraniol 3%. Citric Acid 2%. Rosemary Oil 2%

INERT INGREDIENTS: 53% Filtered Water, Soap, Isopropyl Alcohol, Vinegar

Total......100%

Trifecta, LLC. - 516 West Central Avenue - South Williamsport, PA 17702 - 570-337-5125 - Trifecta.com.bz
Manufactured by Inventek Colloidal Cleaners. LLC.

THIS PRODUCT MAY BE USED ON CROPS INTENDED FOR HUMAN CONSUMPTION. THIS PRODUCT HAS NOT BEEN REGISTERED WITH THE UNITED STATES ENVIRONMENTAL PROTECTION AGENCY. TRIFECTA LLC REPRESENTS



ODID 4 DIGGS 4114ED

FOR USE ON LOW-THC CANNABIS
OR MEDICAL CANNABIS BY
APPROVED FLORIDA DISPENSING



CACTION
STORE ONLY IN ORIGINAL CONTAINER IN A DRY PLACE
INACCESSIBLE TO CHILDREN AND PETS. DO NOT REUSE
EMPTY CONTAINERS. OFFER FOR RECYCLING IF AVAILABLE OR

AVOID CONTACT WITH EYES, SKIN OR CLOTHING. WEAR EYE PROTECTION AND GLOVES WHEN HANDLING. IF IN EYES, FLUSH WITH WATER FOR AT LEAST 15 MINUTES. IF ON SKIN, WASH WITH PLENTY OF SOAP AND WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. DO NOT APPLY THIS

PRODUCT UNDILUTED.

NOT INTENDED FOR AQUATIC USE

97020-18001_TCC-IPM_20180821_3_997020_.pdf

TCC-PM

mold mildew pests

SAFE FOR MOST CROPS

NET CONTENTS: 5 Gallon (18.93 I)

Keep Out of Reach of Children

NO rinse

DIRECTIONS FOR USE:

SHAKE WELL BEFORE DILUTING.

for infestations:

For most applications dilute 2 oz. TCC-IPM per 1 gallon of water. For occasional severe infestations diluting up to 4 oz. TCC-IPM per 1 gallon of water may be necessary. Apply using an atomizer, misting system, or other spraying apparatus. Thoroughly wet plants until foliage is dripping including the underside of the leaves. TCC-IPM should be applied every other day up to 3 times per week until infestation is controlled. Apply TCC-IPM at the end of a light cycle or just before dusk to prevent foliar damage.

for preventative maintenance:

Dilute 1/2-1 oz. TCC-IPM per 1 gallon of water. Apply using an atomizer, misting system or other spraying apparatus. Thoroughly wet plants until foliage is dripping including the underside of the leaves. Preventative applications should be applied 1-2 times per week and preferably scheduled routinely on the same days/times each week. Apply TCC-IPM at the end of a light cycle or just before dusk to prevent foliar damage.