



CRABGRASS PREVENTER PLUS FERTILIZER™



CRABGRASS PREVENTER PLUS FERTILIZER™

Stops Crabgrass Before It Starts

Prevents Up To 200 Weeds

Money Back Guarantee

See Back Panel for Details*

Feeds up to **3** Months



Crabgrass Henbit Chickweed

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See back panel for further precautions and First Aid information.

ACTIVE INGREDIENT:
Proflam: (N,N'-Di-n-propyl-2,4-dinitro-6-(trifluoromethyl)-m-phenylenediamine) 0.37%
OTHER INGREDIENTS 99.63%
TOTAL 100.00%



30-0-3

**Net 15 lbs
Wt (6.81 kg)**

**Covers up to
5,000 Square Feet**

CRABGRASS PREVENTER PLUS FERTILIZER™



**Covers up to
5,000 Square Feet**

**Net 15 lbs
Wt (6.81 kg)**

30-0-3



Covers up to 5,000 Square Feet **Net Wt 15 lbs (6.81 kg)** **30-0-3**



CRABGRASS PREVENTER PLUS FERTILIZER™

Feeds up to **3** Months

Covers up to 5,000 Square Feet
Net 15 lbs (6.81 kg)
30-0-3






CRABGRASS PREVENTER PLUS FERTILIZER™



This bag fits this space:



Multiply the length by the width of your yard and then subtract the area of your house to find the square footage you need to cover.



Apply anytime during active growing season. Apply evenly over dry grass.



Always apply with a rotary or drop spreader to distribute granules evenly (see chart below). Never apply by hand.



Water anytime after application.

GUARANTEED ANALYSIS

Total Nitrogen (N).....	30.00%
0.87% Ammoniacal Nitrogen	
29.13% Urea Nitrogen*	
Soluble Potash (K ₂ O).....	3.00%
Derived from: Urea, Polymer-Coated Urea, Ammonium Sulfate, and Muriate of Potash.	
*10.00% Slow-Release Urea Nitrogen From Polymer-Coated Urea	

READ THE ENTIRE "DIRECTIONS FOR USE" AND "WARRANTY STATEMENTS" BEFORE USING THIS PRODUCT. IF TERMS ARE NOT ACCEPTABLE, RETURN THE UNOPENED PRODUCT CONTAINER AT ONCE TO THE SELLER.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye injury (irritation). Harmful if inhaled or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Prolonged or repeated skin contact with product may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS:

To protect the environment, do not allow this product to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather will help to ensure that wind does not blow this product off the treated area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

FIRST AID

If in Eyes	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on Skin or Clothing	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If Swallowed	• Call a poison control center or physician immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or physician. • Do not give anything by mouth to an unconscious person.
If Inhaled	• Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1-800-858-7378.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

This product is a selective preemergence herbicide that provides residual control of many grass and Broadleaf weeds in established lawns and ornamental turf (excluding golf course putting greens). It controls susceptible weeds by inhibiting weed seeds germination and root development. When used according to directions, it will control: Barnyardgrass; Bluegrass, annual (Poa Annual); Carpetweed; Chickweed, common; Chickweed, Mouseear (from seed); Crabgrass (large, smooth); Crowfootgrass; Cupgrass, Woolly; Foxtails, annual; Goosegrass; Henbit; Itchgrass; Johnsongrass (from seed); Junglerice; Knotweed; Kochia; Lambsquarter, common; Lovegrass; Panicum (Texas, fall, brown-top); Pigweed; Purslane, common; Pursley, Florida; Rescuegrass; Shepherd's Purse; Signalgrass, Broadleaf; Speedwell, Persian; Sprangletop; Spurge, Prostrate; Witchgrass; Woodsorrel, Yellow (from seed).

¹ In many areas where not prohibited by fertilizer use restrictions** a single application of 4.1 to 9.3 pounds/1000 square feet will control Goosegrass. However, under heavy Goosegrass pressure and/or an extended growing season, most effective weed control may be obtained with an initial application of 4.1 to 6.2 pounds/1000 square feet, to areas not prohibited by fertilizer use restrictions, followed after 60 to 90 days by a second application at doses that would not exceed the maximum annual rate (see "Minimum Application Rate by Turfgrass Species" table in the Rates of Application section of this label).

² For this weed, apply in late summer, fall or winter prior to germination.

³ Suppression only.

**Consult your State Cooperative Extension Service for current information on annual application limitations for lawn fertilizers in your region. This product may stain driveways, walks, patios, pools, etc. Sweep off thoroughly immediately after each use.

WHEN TO APPLY TO ESTABLISHED TURF

This product must be applied prior to germination of weed seed, as it will not control established weeds.

APPLICATION DIRECTIONS

Apply this product uniformly, using a suitable spreader that has been properly calibrated. Most effective weed control will be obtained when this product is activated by at least 0.5 inch of rainfall or irrigation, or with shallow (1-2 inches) incorporation, prior to weed seed germination and within 14 days after application.


USE PRECAUTIONS:

The following precautions apply to the use of this product in turf grasses and lawns. Application of this product may thin emerged annual bluegrass and newly overseeded grasses. Do not apply to overseeded turf within 60 days after seeding or until after the second mowing, whichever is longer. Injury to desirable seedlings is likely if this product is applied before seedling secondary roots are in the second inch of soil (not thatch plus soil). Do not apply to newly set sod until the following year. Application to turf stressed by drought, low fertility, or pest damage may result in turf injury. Disturbing the herbicide barrier with cultural practices (such as core aeration) may result in reduced weed control. Do not apply to putting greens, or areas where dichondra, colonial bentgrass, velvet bentgrass or annual bluegrass (Poa Annual) are desirable species. Do not apply through any type of irrigation system. Do not apply aerially. Do not graze or feed livestock forage cut from treated areas.

APPLICATION LIMITS:

Certain states have limits on application rates and timing. Consult your local State Cooperative Extension Service for current information on application limits for lawn fertilizers in your area.

THIS MAP SHOWS APPROXIMATE CRABGRASS GERMINATION DATES



RATES OF APPLICATION

This product is recommended for use on the turf grass species listed in the following table. The maximum amount of this product that may be applied per year is given for each turf grass species. Do not exceed the maximum yearly rate listed:

Turf Species	Minimum Rate	Maximum Annual Rate ¹
Bahia grass ² , Bermudagrass ²	2.7 lbs/1000 sq ft	9.3 lbs/1000 sq ft/year
Centipede grass ² , Zoysiagrass	(117 lbs/acre)	(405 lbs/acre per year)
Seashore Paspalum		
St. Augustine grass		
Tall Fescue (including turf-type)		
Buffalograss	2.7 lbs/1000 sq ft	6.2 lbs/1000 sq ft/year
Kentucky Bluegrass	(117 lbs/acre)	(270 lbs/acre per year)
Perennial Ryegrass		
Creeping Red Fescue	2.75 lbs/1000 sq ft	4.6 lbs/1000 sq ft/year
Creeping Bentgrass	(117 lbs/acre)	(202 lbs/acre per year)
Creeping Bentgrass	2.75 lbs/1000 sq ft	4.0 lbs/1000 sq ft/year
(117 lbs/acre)		(175 lbs/acre per year)

¹ These are the maximum rates per calendar year.

² In Florida: Do not exceed 2 applications per year to Bahia grass and Centipede grass in the north. Do not exceed 3 applications per year to Centipede grass in the central and south regions. Consult your State Cooperative Extension Service for current information on annual application limitations for lawn fertilizers in your region.

³ May be used on newly sprigged or plugged Bermudagrass at rates not to exceed 10.6 lbs./1000 square feet. Newly sprigged or plugged Bermudagrass stolon rooting may be temporarily retarded. Suppression only of foxtail, goosegrass and rescuegrass due to reduced rates used in sprigging situations. This product may be applied as a single application or in sequential applications to control weeds germinating throughout the year. Sequential applications may be made so long as the total amount of product applied does not exceed the maximum annual application rates recommended for each turf species. The length of time of residual weed control provided by this product is related to the rate applied. Use the higher rates listed for longer periods of weed control.

USE RATE	MONTHS BEFORE OVERSEEDING		
	North	Transition	South
2.7 lbs/1000 sq ft (117 pounds/acre)	4	4	4
3 lbs/1000 sq ft (135 pounds/acre)	4	4	4
4 lbs/1000 sq ft (175 pounds/acre)	5	4	4
4.6 lbs/1000 sq ft (202 pounds/acre)	6	5	5
4.9 lbs/1000 sq ft (215 pounds/acre)	---	6	6
6.2 lbs/1000 sq ft (270 pounds/acre)	---	7	7
7 lbs/1000 sq ft (308 pounds/acre)	---	---	9
8 lbs/1000 sq ft (350 pounds/acre)	---	---	10
9.3 lbs/1000 sq ft (405 pounds/acre)	---	---	12

WHEN TO OVERSEED AFTER APPLICATION

This product will inhibit germination of turf seed if overseeded too soon after application. Follow rates and intervals in table for best overseeding/reseeding results.

HOW TO APPLY

- Determine size of area to be treated - measure length and width in feet, then multiply to determine coverage area in square feet (length x width). Next, subtract non-lawn areas.
- Use the spreader setting chart to determine the appropriate setting.
- Apply evenly over dry grass, avoiding streaks, skips and overlaps - thorough coverage is important. On hot days (above 80°F), water the lawn to rinse particles off the grass.

Apply at the rate of 2.7 to 9.3 lbs/1000 square feet in the fall and/or spring. Use higher rates of application for longer control periods. Sequential applications may be made so long as the total amount of product applied does not exceed the maximum annual application rate of 9.3 pounds/1000 square feet per year.

Note: The spreader settings listed at right are approximate. It is important to check calibration of spreader frequently to ensure spreader is functioning properly and applying product evenly. To check calibration, accurately weigh a few pounds into your spreader and apply to a measured area. Then adjust spreader setting if necessary in order to ensure correct rate of application.

Apply only to actively growing turf. Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn and sweep any product that lands in the driveway, sidewalk or street back onto your lawn. Check with your local Cooperative Extension Agency to obtain specific information on local turf best management practices. Check with your county or city government to determine if there are regulations for fertilizer use.

SPREADER SETTINGS

BROADCAST SPREADER	
Expert Gardener™ Handheld	4.25
Expert Gardener™ Broadcast	4.25
Expert Gardener™ Deluxe Broadcast	4.25
Scotts® SpeedyGreen®	5
Scotts® Basic	5
Scotts® S Lawn Pro	5
Scotts® Edge Guard™ Deluxe	5
Scotts® Edge Guard™ Mini	5
Precision Rotary	3.75
EV-N-SPRED®	11.5
DROP SPREADER	
Scotts AccuGreen™	6.5

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in a locked storage area out of reach of children and domestic animals.

IF EMPTY: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. **IF PARTLY FILLED:** Call your local solid waste agency for disposal instructions. Never place any unused product down any indoor or outdoor drain or toilet.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.aapfco.org/metals.htm>

EPA Reg. No. 32802-66-59144

EPA Est. No. 59144- GA-1(A), 32802-MO-1(B), 37351-CO-1(C), 8378-IN-1(D), 9404-FL-1(E), 961-PA-01(F), 961-IL-01(G), 35497-OR-1(H) 49991-TX-2(Q)

Letter in parenthesis is first letter of lot number.

For Chemical Spill, Leak, Fire, Exposure, Call CHEMTREC (800) 424-9300.

WARRANTY

The directions for use of this product are believed to be adequate and must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result due to such factors as weather conditions, presence or absence of other materials, or the manner of use or application, all of which are beyond the control of Gro Tec, Inc. the manufacturer, or the seller. To the extent consistent with applicable law, the products sold to you are furnished "as is" by Gro Tec, Inc. The manufacturer and the seller are subject only to the manufacturer's warranties, if any, which appear on the label of the product sold to you.

Except as warranted by this label Gro Tec, Inc. the manufacturer, or the seller makes no warranties, guarantees, or representations of any kind to the buyer or the user, either express or implied, or by usage of trade, statutory or otherwise, with regard to the product sold or use of the product, including, but not limited to, merchantability, fitness for a particular purpose or use, or eligibility of the product for any particular trade usage. To the extent consistent with applicable law, Buyer's or user's exclusive remedy, and Gro Tec, Inc. the manufacturer's or the seller's total liability shall be limited to damages not exceeding the cost of the product. No agent or employee of Gro Tec, Inc. or the seller is authorized to amend the terms of this warranty disclaimer or the product's label or to make a presentation or recommendation different from or inconsistent with the label of this product. To the extent consistent with applicable law, Gro Tec, Inc. the manufacturer, or the seller shall not be liable for consequential, special, or indirect damages resulting from the use, handling, application, storage, or disposal of this product or for damages in the nature of penalties, and the buyer and the user waive any right that they may have to such damages.

Great Quality. Great Price. Guaranteed.

* Our guarantee is our promise that you'll be fully satisfied with the quality of every Expert Gardener® product. If for any reason you aren't happy, we'll replace it or return your money - whichever you prefer. All you need to do is return the empty packaging. It's that simple. Guaranteed. Guaranteed within 1 year of the date of purchase.



SCOTT'S®, EDGE GUARD®, and ACCUGREEN® are registered trademarks of OMS Investments, Inc. SPEEDYGREEN® is a trademark of Everetts International B.V. EARTHWAY® and EV-N-SPRED® are registered trademarks of Earthway Products, Inc.

Distributed and Guaranteed by: Gro Tec, Inc., P.O. Box 290, Madison, GA 30650 Expert Gardener is a trademark of Walmart Inc., Bentonville, AR 72716

Questions or comments? Call 855-481-2977.