

**USE PERK DISINFECTING WIPES IN:** bathrooms, kitchens, schools, public facilities and institutional facilities. Use on washable hard, nonporous surfaces of: cabinets, bathroom fixtures, desks, counters and telephones.

**PERK DISINFECTING WIPES KILLS:**

**Bacteria:** Pseudomonas aeruginosa [Pseudomonas], Staphylococcus aureus [Staph], Salmonella enterica [Salmonella], Klebsiella pneumoniae [Klebsiella], Escherichia coli [E. coli], Streptococcus pyogenes [Strep].  
**Viruses:** \*HIV-1 [AIDS Virus], \*Respiratory Syncytial Virus [RSV], \*Influenza Type A Virus/Brazil [Flu Virus], \*Human Coronavirus.

**TO OPEN PACKAGE:** Remove cover. Pull up wipe corner from center of roll. Thread through hole in the cover. Replace cover. Open center cap on cover to remove wipe. When not in use, close center cap securely to prevent moisture loss.

**DIRECTIONS FOR USE:**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not use as a diaper wipe or for personal cleansing. This is not a baby wipe! Do not flush in toilet. For plastic and painted surfaces, spot test on an inconspicuous area before use. This product will not harm most surfaces including acrylic, sealed fiberglass and vinyl.

**TO CLEAN AND DEODORIZE:**

Wipe surface with wipe. Let air dry. Discard used wipe in trash. Do not flush in toilet.

**TO CLEAN AND DISINFECT:**

Wipe hard, nonporous surface with wipe until surface is visibly wet. Allow surface to remain wet for 4 minutes. Let air dry. If surfaces are extremely dirty, clean first with another wipe before disinfecting. Discard used wipe in trash. Do not flush.

Rinse food contact surfaces with clean, potable water after disinfecting. Do not use to disinfect dishes, glassware or utensils.

**FOR MOLD AND MILDEW,** This product will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, nonporous surfaces. Follow disinfection instructions. Repeat treatment every seven days, or more often if new growth appears.

**\*KILLS HIV AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids, and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 [HIV-1] [associated with AIDS] or Hepatitis B Virus [HBV] or Hepatitis C Virus [HCV].

**Special Instructions for cleaning and decontamination against HIV-1 or HBV or HCV on surfaces / objects soiled with blood / body fluids.**

**Personal protection:** Clean up must always be done wearing protective gloves, gowns, masks and eye protection.

**Cleaning procedure:** Blood and other body fluids containing HIV or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of **Perk Disinfecting Wipes**. This product can be used for this purpose.

**Contact time:** Leave surface wet for 1 minute for HIV-1. Use appropriate contact time as listed on label for all other viruses and bacteria claimed.

**Disposal of infectious material:** Blood, body fluids, cleaning materials and clothing must be disposed of according to local regulations for infectious waste disposal.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

Caution. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**FIRST AID**

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor or going for treatment.

For emergency information call 1-888-322-0912 (24 hours, 7 days a week).

**STORAGE AND DISPOSAL**

Store in original container in areas inaccessible to children. Keep securely closed. Nonrefillable container. Do not reuse or refill this container. Discard empty container in trash or recycle if available.

Distributed by Staples Contract & Commercial LLC  
500 Staples Drive  
Framingham, MA 01702  
©2019 Staples, Inc. and its affiliates.

EPA Reg. No. 6836-340-86226  
EPA Est. No. 82206-NY-002

REV19A  
XSS-0492B-EPA



perk™

# DISINFECTING WIPES

**KILLS 99.9% OF BACTERIA  
KILLS COLD & FLU VIRUS\*  
KILLS MOLD & MILDEW**

**KEEP OUT OF  
REACH OF CHILDREN  
CAUTION**

See back panel for Precautionary Statements and First Aid.

**ACTIVE INGREDIENTS:**

Octyl decyl dimethyl ammonium chloride:..... 0.0909%  
Dioctyl dimethyl ammonium chloride:..... 0.0364%  
Didecyl dimethyl ammonium chloride:..... 0.0545%  
Alkyl (C<sub>14</sub> 50%; C<sub>12</sub> 40%; C<sub>16</sub> 10%)  
dimethyl benzyl ammonium chloride:..... 0.1212%  
**OTHER INGREDIENTS:**..... 99.6970%  
Total..... 100.0000%<sup>1</sup>

<sup>1</sup>Includes weight of absorbent wipe.

**35 FRESH SCENT  
DISINFECTING WIPES**

Net contents: 35 wipes  
10 oz. (283.4 g)  
7 x 8 in (17.78 x 20.32 cm)

**USE PERK DISINFECTING WIPES IN:** bathrooms, kitchens, schools, public facilities and institutional facilities. Use on washable hard, nonporous surfaces of: cabinets, bathroom fixtures, desks, counters and telephones.

**PERK DISINFECTING WIPES KILLS:**

**Bacteria:** Pseudomonas aeruginosa [Pseudomonas], Staphylococcus aureus [Staph], Salmonella enterica [Salmonella], Klebsiella pneumoniae [Klebsiella], Escherichia coli [E. coli], Streptococcus pyogenes [Strep].  
**Viruses:** \*HIV-1 [AIDS Virus], \*Respiratory Syncytial Virus [RSV], \*Influenza Type A Virus/Brazil [Flu Virus], \*Human Coronavirus.

**TO OPEN PACKAGE:** Remove cover. Pull up wipe corner from center of roll. Thread through hole in the cover. Replace cover. Open center cap on cover to remove wipe. When not in use, close center cap securely to prevent moisture loss.

**DIRECTIONS FOR USE:**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not use as a diaper wipe or for personal cleansing. This is not a baby wipe! Do not flush in toilet. For plastic and painted surfaces, spot test on an inconspicuous area before use. This product will not harm most surfaces including acrylic, sealed fiberglass and vinyl.

**TO CLEAN AND DEODORIZE:**

Wipe surface with wipe. Let air dry. Discard used wipe in trash. Do not flush in toilet.

**TO CLEAN AND DISINFECT:**

Wipe hard, nonporous surface with wipe until surface is visibly wet. Allow surface to remain wet for 4 minutes. Let air dry. If surfaces are extremely dirty, clean first with another wipe before disinfecting. Discard used wipe in trash. Do not flush.

Rinse food contact surfaces with clean, potable water after disinfecting. Do not use to disinfect dishes, glassware or utensils.

**FOR MOLD AND MILDEW,** This product will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, nonporous surfaces. Follow disinfection instructions. Repeat treatment every seven days, or more often if new growth appears.

**\*KILLS HIV AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids, and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 [HIV-1] [associated with AIDS] or Hepatitis B Virus [HBV] or Hepatitis C Virus [HCV].  
**Special Instructions for cleaning and decontamination against HIV-1 or HBV or HCV on surfaces / objects soiled with blood / body fluids.**

**Personal protection:** Clean up must always be done wearing protective gloves, gowns, masks and eye protection.

**Cleaning procedure:** Blood and other body fluids containing HIV or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of **Perk Disinfecting Wipes**. This product can be used for this purpose.

**Contact time:** Leave surface wet for 1 minute for HIV-1. Use appropriate contact time as listed on label for all other viruses and bacteria claimed.

**Disposal of infectious material:** Blood, body fluids, cleaning materials and clothing must be disposed of according to local regulations for infectious waste disposal.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

Caution. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**FIRST AID**

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor or going for treatment. For emergency information call 1-888-322-0912 (24 hours, 7 days a week).

**STORAGE AND DISPOSAL**

Store in original container in areas inaccessible to children. Keep securely closed. Nonrefillable container. Do not reuse or refill this container. Discard empty container in trash or recycle if available.

Distributed by Staples Contract & Commercial LLC  
 500 Staples Drive  
 Framingham, MA 01702  
 ©2019 Staples, Inc. and its affiliates.

EPA Reg. No. 6836-340-86226  
 EPA Est. No. 82206-NY-002

REV19A



perk™

# DISINFECTING WIPES

**KILLS 99.9% OF BACTERIA  
 KILLS COLD & FLU VIRUS\*  
 KILLS MOLD & MILDEW**

**KEEP OUT OF REACH OF CHILDREN  
 CAUTION**

See back panel for Precautionary Statements and First Aid.

**ACTIVE INGREDIENTS:**

Octyl decyl dimethyl ammonium chloride:.....0.0909%  
 Dioctyl dimethyl ammonium chloride:..... 0.0364%  
 Didecyl dimethyl ammonium chloride:.....0.0545%  
 Alkyl (C<sub>14</sub> 50%; C<sub>12</sub> 40%; C<sub>16</sub> 10%)  
 dimethyl benzyl ammonium chloride:.....0.1212%

**OTHER INGREDIENTS:**.....99.6970%  
 Total.....100.0000%<sup>1</sup>

<sup>1</sup>Includes weight of absorbent wipe.

**75 FRESH SCENT  
 DISINFECTING WIPES**

Net contents: 75 wipes  
 1 lb 5.5 oz. (609.5 g)  
 7 x 8 in (17.78 x 20.32 cm)

XSS-0497B-EPA



NW PK56664

perk™

105  
WIPES  
TOTAL

# DISINFECTING WIPES

**KILLS 99.9% OF BACTERIA  
KILLS COLD & FLU VIRUS\*  
KILLS MOLD & MILDEW**

**3** CANISTERS  
**2 LEMON SCENT, 1 FRESH SCENT**  
**DISINFECTING WIPES**

**KEEP OUT OF  
REACH OF CHILDREN  
CAUTION**

See back panel for Precautionary  
Statements and First Aid.

**ACTIVE INGREDIENTS:**

Octyl decyl dimethyl ammonium chloride:.....0.0909%  
Dioctyl dimethyl ammonium chloride:..... 0.0364%  
Didecyl dimethyl ammonium chloride:.....0.0545%  
Alkyl (C<sub>14</sub> 50%; C<sub>12</sub> 40%; C<sub>16</sub> 10%)  
dimethyl benzyl ammonium chloride:..... 0.1212%  
**OTHER INGREDIENTS:**..... 99.6970%  
**Total:**.....100.0000%<sup>1</sup>

<sup>1</sup>Includes weight of absorbent wipe.

**Net Contents:**

**35 WIPES EACH**  
**1 lb 14 oz. (850.0 g)**  
**7 x 8 in (17.78 x 20.32 cm)**  
**Total: 3 canisters, 105 wipes**  
**2 Lemon scent, 1 Fresh scent**