

Divosan® MH is for use as an effective no-rinse sanitizer in the following areas:

Commercial egg treatment
Milking and Dairy Equipment
Meat and Poultry Processing Equipment
Beverage & Brewery Processing Equipment
Food Processing Equipment
Commercial Kitchens
Pharmaceutical Equipment

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SANITIZING OF MANUALLY CLEANED EQUIPMENT – Dairy, Beverage, Brewery, Meat, Poultry, Food Processing and Pharmaceutical Plants.

MANUAL CLEANING

1. Rinse tanks, vat, pipelines and equipment with warm water.
2. Disassemble equipment and wash with a recommended cleaner.
3. Rinse surfaces with potable water and drain.
4. Sanitize by thoroughly wetting all surfaces by flood, coarse spray, mop, or immersion methods in a solution of 1 oz. of this product in 9-18 gallons of water providing 12.5 - 25 ppm available iodine. Expose surfaces to sanitizer for 2 minutes.
5. Allow surfaces to drain and air dry on a clean rack or support. Protect from dust and dirt.

Prepare a fresh solution daily or when it becomes soiled or diluted.

If this product is used in alkaline waters, test to be sure that sanitizer solution pH is less than 3. If high pH is present, use 1 ounce of this product in 9 gallons of water (25 ppm titratable iodine) for increased acidity. After sanitizing, test sanitizer solution with a Test Kit to ensure that sanitizer solution is not less than 12.5 ppm titratable iodine. If solution is less than 12.5 ppm titratable iodine, repeat sanitizing process. Do not reuse circulated sanitizer for additional sanitizing. Drain system completely before restarting process.

SPRAY SANITIZING – FOOD SERVICE AND PROCESSING EQUIPMENT. Wash equipment with a recommended product. Rinse with potable water. Apply a solution containing 1 fl. oz. of this product in 9-18 gallons of water (providing 12.5 - 25 ppm available iodine) by coarse spray method thoroughly wetting all surfaces. Test spray solution daily with a Test Kit to ensure adequate sanitizer is being supplied by dilution equipment. Allow surfaces to drain and air dry.

SHELL EGG SANITIZING – To sanitize previously cleaned food-grade eggs in shell egg and egg product plants, spray with a solution of 1 fl. oz. of this product in 9-18 gallons of warm water (providing 12.5 - 25 ppm available iodine). The solution should be warmer than the eggs, but not to exceed 130° F. Wet eggs thoroughly and allow to drain. Eggs sanitized with this product shall be subject to POTABLE WATER RINSE ONLY IF THEY ARE BROKEN IMMEDIATELY for use in the manufacture of egg products. Eggs should be dry before casing or breaking. The solution should not be reused for sanitizing eggs.

CIRCULATION SANITIZING – FOOD PROCESSING EQUIPMENT FLOW/PRESSURE METHOD.

Disassemble equipment and thoroughly clean after use. Assemble equipment into operational position prior to sanitizing. Prepare a sanitizing solution equal to 110% of the volume capacity of the equipment by diluting 1 fl. oz. of this product in 9-18 gallons of water (providing 12.5 - 25 ppm available iodine). Pump the solution through the system until full flow is obtained at all extremities and the system is completely filled with sanitizer and all air is removed.

CLEANING-IN-PLACE (CIP) METHOD FOR DAIRY, DAIRY FARM AND FOOD PROCESSING FACILITIES

– Thoroughly flush, clean and potable water rinse the system. Prepare a required volume of sanitizer solution needed to sanitize the system by diluting 1 fl. oz. of this product in 9-18 gallons of water (providing 12.5 - 25 ppm available iodine). To sanitize entire system by circulation methods, run pumps for at least 2 minutes to thoroughly wet and sanitize all parts of system.

SANITIZING HARD, NON-POROUS FOOD CONTACT SURFACES AND EQUIPMENT

This product is an effective sanitizer for use on food-contact surfaces (including plastic cutting boards, and plastic baskets):

1. Prior to sanitization, remove gross particulate matter with a warm water flush, then wash equipment with detergent or cleaning solution and follow with a potable water rinse.
2. Prepare the sanitizing use-solution by adding 1 fl. oz. of this product in 9 to 18 gallons of water (providing 12.5 to 25 ppm available iodine).
3. Apply sanitizing solution by immersion, coarse spray, mop, wipe, flood techniques or circulation techniques as appropriate to the equipment or surface to be treated.
4. Allow a contact time of at least two (2) minutes.
5. Allow surfaces to drain thoroughly and air dry before resuming operation. Do not rinse.

FINAL SANITIZING BOTTLE RINSE

This product may be used as a final sanitizing rinse for plastic, glass or metal returnable and non-returnable bottles / cans.

1. Prior to sanitization, wash bottles with detergent or cleaning solution and rinse with potable water.
2. Then rinse bottles/cans with a use-solution prepared by adding 1 fl. oz. of this product in 9 to 18 gallons of water (providing 12.5 to 25 ppm available iodine).
3. Allow to drain dry.

SANITIZATION OF CONVEYORS FOR MEAT, POULTRY SEAFOOD, FRUITS, AND VEGETABLES (TRACK TREATMENT)

For use in the static or continuous washing, rinsing, and sanitizing of conveyor equipment, peelers, collators, slicers, saws, etc.

1. During processing or interruptions in operations, apply this product, by adding 1 fl. oz. of this product in 9 to 18 gallons of water (providing 12.5 to 25 ppm available iodine).
2. Apply the sanitizer solution to the return portion of the conveyor or to the equipment using a coarse spray, foam or other means of wetting the surfaces.
3. Control the volume of solution so as to permit maximum drainage and to prevent puddles. The conveyor may still be damp when food contact occurs.
4. Treat for at least one (1) minute.

GENERAL ENVIRONMENTAL SURFACES SANITIZATION

This product is an effective sanitizer for non-food contact surfaces, such as floors, walls, tables, chairs, benches, drains, troughs and drip pans.

1. Prior to sanitization, pre-clean surfaces.
2. Prepare the sanitizing use-solution by adding 1 fl. oz. of this product in 9 to 18 gallons of water (providing 12.5 to 25 ppm available iodine).
3. Soak items in/with diluted solution using mop/wipe, coarse spray, foam or flood techniques and allow contact for at least two (2) minutes.
4. Allow items and/or surfaces to drain adequately or air dry.

This product is listed under 21 CFR 178.1010 as a no rinse sanitizer on food processing equipment when used in accordance with label directions.

This product fulfills the criteria of the Grade "A" Pasteurized Milk Ordinance 1985 Recommendations of the United States Public Health Service in waters up to 500 ppm hardness calculated as CaCO₃ when tested by the method outlined by A.O.A.C. Germicidal Detergent and Sanitizer Test method (15th Ed.)

Sealed Air
Food Care

Diversey™
MCMC

Divosan® MH

Halogenated Acid Sanitizer

U.S. Patent Number: 4,822,513

For Industry and Dairy Farm Use

ACTIVE INGREDIENTS:

Iodine* 2.9%

OTHER INGREDIENTS: 97.1%

TOTAL 100.0%

*Calculated as available iodine from iodine and iodine monochloride.

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE.

1-800-851-7145

Have the product container or label with you when calling a Poison Control Center or doctor or going in for treatment.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate gastric lavage.

See additional precautionary statements on side panel.

Net Contents:

18.9 L / 5 U.S. Gal.

Product No.:

00344100

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment.

PESTICIDE STORAGE: Store in original container in a well ventilated area.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of all excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label directions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.


CONTAINER DISPOSAL: Nonrefillable container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer container for recycling, if available.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: CORROSIVE. CAUSES EYE AND SKIN DAMAGE. HARMFUL OR FATAL IF SWALLOWED. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

CHEMICAL AND PHYSICAL HAZARDS: Acidic product. Do not use, pour, spill or store near heat or open flame. Do not mix with other cleaners or chemicals or hazardous gasses may be generated. Dilute only with water.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.



8

**NITRIC ACID,
SOLUTION**

UN3264

MS0800618

EPA Reg. No. 875-183

EPA Est. No.: 3635-OH-1 [SV]; 10508-PA-1 [SB];
875-WI-1 [EC]; 4959-IL-1 [DV]; 0312-WI-3 [NW];
13938-CAN-1 [LD]; 10508-OH-1 [RM]; 10508-TX-1
[RD]; 10508-TN-1 [RC]; 7546-WI-1 [WT]

Lot code letters indicate establishment number.



SKU#

00344100

LOT #:

6035941 (15/242)