



FIFRA 24(c) Special Local Need Label

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF **OREGON**

Acetamiprid | GROUP **4A** | INSECTICIDE

ASSAIL® 70WP INSECTICIDE

EPA Reg. No. 8033-23

EPA SLN No. OR – 070017

FOR CONTROL OF LYGUS BUGS ON ALFALFA GROWN FOR SEED

This label is valid until December 31, 2027 or until otherwise amended, withdrawn, cancelled, or suspended

ACTIVE INGREDIENT: acetamiprid

(E)- N ¹ –[(6-chloro-3-pyridyl)methyl]-N ² -cyano-N ¹ -methyl acetamidine.....	70.0% by wt.
OTHER INGREDIENTS:	30.0% by wt.
TOTAL	100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

ENVIRONMENTAL HAZARDS:

This product is toxic to wildlife. This product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treated area. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Do not contaminate water used for irrigation or domestic purposes.

GROUND WATER ADVISORY

This chemical has properties and characteristics associated with chemicals detected in ground water. This chemical may leach into ground water if used in areas where soils are permeable, particularly where the water table is shallow.

SURFACE WATER ADVISORY

This product may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water. This product is classified as having high potential for reaching surface water via runoff for several months or more after application. Avoid accidental or intentional application of this product to ditches, swales, drainage ways or impervious surfaces such as driveways. Runoff of this product to surface water will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours.

Pollinator Protection Requirements: This product is toxic to bees exposed to direct treatment. Do not apply this product to blooming alfalfa grown for seed while bees are actively visiting treatment area. To prevent the possibility of exposure, if the alfalfa grown for seed is blooming, apply this product in late evening only.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This FIFRA Section 24(c) Special Local Need (SLN) label and the main EPA-registered label must be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on this SLN label and the main EPA-registered label.

Spray volume: Apply in a minimum finished spray volume of 20 gallons per acre by ground and 10 gallons per acre by air. To achieve optimum pest control, it is important to obtain thorough and uniform spray coverage.

For use under this SLN label, do not apply this product through any type of irrigation system.

USE	RATE/ACRE	SPECIFIC DIRECTIONS
Lygus Bugs	1.1 – 1.7 oz (0.05 – 0.075 lb ai)	Begin application when treatment thresholds have been reached. Use the high rate under heavy insect pressure and for longer residual control. Do not apply ASSAIL 70 WP while bees are actively visiting the treated area.

SPECIAL CROP USE RESTRICTIONS:

The pesticide applicator, the producer of the crop, and the seed conditioner must be aware that use of this product according to this labeling is deemed a non-feed/non-food use by the Oregon Department of Agriculture, and is regulated by Oregon Administrative Rule (OAR) 603-057-0535, Pesticide Use On Crops Grown For Seed. If the applicator of this pesticide is not the producer, the applicator must provide a copy of this labeling to the producer of the crop. Producers of this crop who use this product, or cause the product to be used on a field they operate, must provide a copy of this pesticide label to the seed conditioner.

This pesticide does not have an established pesticide residue tolerance for this crop. Consequently, no portion of this seed crop may be used or distributed for food or feed for 1 year (365 days) after the last application of this product. This restriction pertains to, but is not limited to, green chop, forage, hay, pellets, meal, whole seed, cracked seed, straw, roots, bulbs, foliage or seed screenings, and to the grazing of the crop field, stubble or re-growth. All seed screenings shall be disposed of in such a manner that the screenings cannot be distributed or used for food or feed purposes, as indicated in OAR 603-057-0535. Additional regulations concerning seed screenings are stated in OAR 603-057-0535.

Any seed from a field treated with this pesticide product shall bear specific and conspicuous container labeling, or if shipped in bulk, on the shipment invoice or bill of lading. The labeling shall contain the following statement:

"This seed was produced using one or more products for which the United States Environmental Protection Agency has not established pesticide residue tolerances. This seed, in whole, as sprouts, or in any form, may not be used for human consumption or animal feed. Failure to comply with this condition may violate requirements of the Federal Food and Drug Administration, the Oregon Department of Agriculture and other regulatory agencies."

Assail® is a registered trademark of Nippon Soda Co., Ltd.

Section 24(c) Registrant:
Nippon Soda Co., Ltd.; Shin-Ohtemachi Bldg.; 2-1,2-Chome Ohtemachi; Chiyoda-ku; Tokyo; 100-8165; Japan