

SANITIZER

Applicable for SFS16, SFS17, SFS18, CP1617, CP16o3, CP16o5

Sanitizer for Schools, Restaurant, Food Handling and Process Areas, Bar and Institutional Kitchen Use

Made in the USA

Net Contents: On outside of carton

ACTIVE INGREDIENTS:

Octyl Decyl Dimethyl Ammonium Chloride.....3.0%
Didecyl Dimethyl Ammonium Chloride.....1.5%
Dioctyl Dimethyl Ammonium Chloride.....1.5%
Alkyl (C14, 50%; C12, 40%; C16, 10%)
dimethyl benzyl ammonium chloride.....4.0%

INERT INGREDIENTS:

90.0%
TOTAL100.0%

EPA Reg. No. 10324-117-8722 EPA Est. No. 8722-IL-1

KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARD - This product is toxic to fish.

PHYSICAL OR CHEMICAL HAZARDS - Do not use or store near heat or open flame. Do not mix with oxidizers, anionic soaps and detergents.

FIRST AID: Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO

DANGER: IF YOU CANNOT READ ENGLISH, ASK YOUR SUPERVISOR TO EXPLAIN THE APPROPRIATE DIRECTIONS FOR USE BEFORE WORKING WITH THIS PRODUCT.

This product is a complete, chemically balanced disinfectant/sanitizer that provides clear use solutions even in the presence of hard water.
Contains no fragrances.
Food Contact Surface Sanitizer.

This product has been cleared by the EPA in 40CFR180.940(a) and (c) for use on hard non-porous environmental food processing equipment, utensils, and other hard non-porous environmental food – contact articles at a concentration of 200 ppm active.

E. coli, Salmonella, and Staph are common bacteria found where food is prepared and stored. This product kills these bacteria and helps prevent cross-contamination on food contact kitchen surfaces listed on this label.

Regular, effective cleaning and sanitizing of equipment, utensils and work or dining surfaces which could harbor food poisoning microorganisms minimizes the probability of contaminating food during preparation, storage or service. Effective cleaning will remove soil and prevent the accumulation of food residues, which may decompose or support the rapid development of food poisoning organisms or toxins. Application of effective sanitizing procedures reduces the number of those microorganisms that are present on equipment and utensils after cleaning, and reduces the potential for the transfer, either directly through tableware such as glasses, cups and flatware or indirectly through food.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Before use as a sanitizer, food products and packaging materials must be removed from the room or carefully protected. Prior to application, remove gross food particles and soil by a pre-flush or pre-scrape and when necessary, presoak. Then thoroughly wash or flush objects with a good detergent or compatible cleaner, followed by a potable water rinse before application of the sanitizing solution.

FOOD CONTACT SANITIZING PERFORMANCE: At 1 ounce of this product per 4 gallons of water (or equivalent use dilution) (200 ppm active), this product eliminates 99.999% of the following bacteria in 1 minute in 500 ppm hard water according to the AOAC Germicidal and Detergent Sanitizing Action of Disinfectants test:

- Aeromonas hydrophila
Campylobacter jejuni
Clostridium perfringens-vegetative
Escherichia coli
Escherichia coli O157:H7
Escherichia coli O111:H8
Enterococcus faecalis Vancomycin resistant
Staphylococcus aureus
Staphylococcus aureus Methicillin resistant
Enterobacter sakazakii
- Listeria monocytogenes
Klebsiella pneumoniae
Salmonella enterica
Salmonella enteritidis
Salmonella typhi
Shigella dysenteriae
Shigella sonnei
Streptococcus pyogenes
Yersinia enterocolitica

At 1 ounce of this product per 4 gallons (200 ppm active) this product is effective with a 1-minute contact time as a food-contact surface sanitizer in water up to 500-ppm hardness against Escherichia coli and Staphylococcus aureus.
SANITIZATION: When used for sanitization of previously cleaned hard nonporous food equipment or food contact items, limit active to 200 ppm active. At this level NO POTABLE WATER RINSE is allowed.

SANITIZING OF FOOD PROCESSING EQUIPMENT AND OTHER HARD NONPOROUS FOOD CONTACT SURFACES IN FOOD PROCESSING LOCATIONS, MEAT PLANTS, DAIRIES, BAKERIES, CANNERIES, BEVERAGE PLANTS, RESTAURANTS AND BARS DIRECTIONS: For sanitizing precleaned food processing equipment, dairy equipment, food utensils, dishes,

silverware, eating utensils, glasses, sink tops, countertops, refrigerated storage and display equipment and other hard, non-porous food contact surfaces, apply use solution of 1 ounce of this product per 4 gallons of water (or equivalent use dilution) (200 ppm active) with a cloth, brush, sponge, mop, auto scrubber, mechanical spray device or by immersion, thoroughly wetting surfaces. For spray applications, spray 6 to 8 inches from surface. Do not breathe spray. Rub with brush, sponge, or cloth. Dishes, silverware, glasses, cooking utensils, eating utensils and other similar size food processing equipment must be sanitized by immersion in a 1 ounce of this product per 4 gallons of water use solution (200 ppm active) (or equivalent use dilution). Allow surface to remain wet for at least one minute. Allow sanitized surfaces to adequately drain before contact with food and then air dry. Do not rinse. Change cloth, sponge or towels frequently to avoid redeposition of soil. Prepare a fresh solution at least daily or when use solution becomes visibly dirty. For mechanical application, use solution must not be reused for sanitizing applications.

DIRECTIONS FOR SANITIZING FOOD CONTACT SURFACES IN PUBLIC EATING PLACES, DAIRY PROCESSING EQUIPMENT AND FOOD PROCESSING EQUIPMENT AND UTENSILS, AND FOOD CONTACT ARTICLES REGULATED BY 40CFR sec 180.940(a):

- 1. Sanitize pre-cleaned hard nonporous articles using a solution of 1 ounce of this product 4 gallons of water (or equivalent use dilution) (200 ppm active). Articles that can be immersed in solution must remain in solution for 1 minute. Articles too large for immersing must be thoroughly wetted for 1 minute by rinsing, spraying or swabbing. Allow sanitized surfaces to adequately drain before contact with food and then air dry.
- 2. Do not rinse.
- 3. Prepare a fresh solution at least daily or when use solution becomes visibly dirty. For mechanical application, use solution must not be reused for sanitizing applications.

U.S. PUBLIC HEALTH SERVICE FOOD SERVICE SANITIZATION RECOMMENDATIONS CLEANING AND SANITIZING

- 1. Thoroughly wash equipment and utensils in a hot detergent solution. Rinse utensils and equipment thoroughly with potable water.
- 2. Sanitize equipment and utensils by immersion in a 1 ounce of this product per 4 gallons of water use solution (or equivalent use dilution) for at least 1 minute at a temperature of 75 ° F.
- 3. For equipment and utensils too large to sanitize by immersion, apply use solution of 1 ounce of this product per 4 gallons of water use solution (200 ppm active) (or equivalent use dilution) by rinsing, spraying or swabbing until thoroughly wetted for 1 minute.
- 4. Allow sanitized surfaces to adequately drain before contact with food and then air dry.
- 5. Do not rinse.
- 6. Prepare a fresh solution at least daily or when use solution becomes visibly dirty. For mechanical application, use solution must not be reused for sanitizing applications.

WISCONSIN STATE DIVISION OF HEALTH DIRECTIONS FOR EATING ESTABLISHMENTS Not applicable in CA

- 1. Scrape and pre-wash hard nonporous utensils and glasses whenever possible.
 - 2. Wash with a good detergent or compatible cleaner.
 - 3. Rinse with potable water.
 - 4. Sanitize in a solution of 1 ounce of this product per 4 gallons of water (200 ppm active). Immerse all utensils for at least one minute or for contact time specified by governing sanitary code. For equipment and utensils too large to sanitize by immersion, apply use solution of 1 ounce of this product per 4 gallons of water (200 ppm active) (or equivalent use dilution) by rinsing, spraying or swabbing until thoroughly wetted for 1 minute.
 - 5. Place sanitized utensils on a rack or drain board to air-dry.
 - 6. Prepare fresh sanitizing solution at least daily or more often when visibly dirty.
- NOTE: A clean potable water rinse following sanitization is not permitted under Section HFS 196.13 of the Wisconsin Administrative Code.

SANITIZING OF FOOD PROCESSING EQUIPMENT ICE MACHINES AND OTHER HARD NON-POROUS SURFACES IN FOOD CONTACT LOCATIONS: For sanitizing food processing equipment, dairy equipment, refrigerated storage

and display equipment and other hard, non-porous surfaces. Equipment and utensils must be thoroughly pre-flushed or pre-scraped and, when necessary, presoaked to remove gross food particles.

- 1. Turn off refrigeration.
- 2. Unit must be washed with a compatible detergent and rinsed with potable water before sanitizing.
- 3. Wash and rinse all surfaces thoroughly.
- 4. Apply a solution of 1 ounce of this product per 4 gallons of water (or equivalent use dilution) (200 ppm active) by direct pouring or by recirculating through the system. Surfaces must remain wet for at least one minute followed by complete draining.
- 5. Allow sanitized surfaces to adequately drain before contact with food and then air dry.
- 6. Do not rinse.
- 7. Prepare a fresh solution at least daily or when use solution becomes visibly dirty.
- 8. Return machine to service.

DIRECTIONS FOR SANITIZING FOOD CONTACT SURFACES OF FOOD PROCESSING EQUIPMENT AND UTENSILS, AS REGULATED BY 40CFR sec 180.940(c):

- 1. Sanitize articles using a solution of 1 ounce of this product per 4 gallons of water (200 ppm active) (or equivalent use dilution). Articles that can be immersed in solution must remain in solution for 1 minute. Articles too large for immersing must be thoroughly wetted by rinsing, spraying or swabbing for 1 minute.
- 2. Remove items.
- 3. Allow sanitized surfaces to adequately drain before contact with food and then air dry.
- 4. Do not rinse.
- 5. Change cloth, sponge or towels frequently to avoid redeposition of soil. Prepare a fresh solution at least daily or when use solution becomes visibly dirty. For mechanical application, use solution must not be reused for sanitizing applications.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE DISPOSAL/STORAGE: Open dumping is prohibited. Store only in original container. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

PACKET DISPOSAL: Nonrefillable container. Completely empty packet into application equipment. Do not reuse or refill this packet. Wrap empty packet and put in trash.

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO

DANGER: IF YOU CANNOT READ ENGLISH, ASK YOUR SUPERVISOR TO EXPLAIN THE APPROPRIATE DIRECTIONS FOR USE BEFORE WORKING WITH THIS PRODUCT.

Sold by:
PortionPac Chemical Corp.
400 N. Ashland Avenue
Chicago, IL 60622 USA
312-226-0400
FAX: 312-226-5400



24 Hour Emergency Response
1-800-535-5053

Contact Information:

SANITIZER

Applicable for SFS16, SFS17, SFS18, CP1617, CP1603, CP1605
Sanitizer for Schools, Restaurant, Food Handling and Process Areas, Bar and Institutional Kitchen Use

Made in the USA
Net Contents: On outside of carton

ACTIVE INGREDIENTS:	
Octyl Decyl Dimethyl Ammonium Chloride.....	3.0%
Didecyl Dimethyl Ammonium Chloride.....	1.5%
Dioctyl Dimethyl Ammonium Chloride.....	1.5%
Alkyl (C14, 50%; C12, 40%; C16, 10%) dimethyl benzyl ammonium chloride.....	4.0%
INERT INGREDIENTS:	90.0%
TOTAL	100.0%

EPA Reg. No. 10324-117-8722 EPA Est. No. 8722-IL-1

KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARD - This product is toxic to fish.

PHYSICAL OR CHEMICAL HAZARDS - Do not use or store near heat or open flame. Do not mix with oxidizers, anionic soaps and detergents.

FIRST AID: Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO

DANGER: IF YOU CANNOT READ ENGLISH, ASK YOUR SUPERVISOR TO EXPLAIN THE APPROPRIATE DIRECTIONS FOR USE BEFORE WORKING WITH THIS PRODUCT.

Sanitizer



DIRECTIONS: Mix each pac with 17 gallons of water in *Sanitize* sink.
Mezclar cada paquete con 17 galones de agua
en el fregadero para *Higienizar*.

Contents each pac: 4.5 fl. oz.

1617

EPA Reg. No. 10324-117-8722 EPA Est. No. 8722-IL-1

ACTIVE INGREDIENTS:

Octyl Decyl Dimethyl Ammonium Chloride.....	3.0%
Didecyl Dimethyl Ammonium Chloride.....	1.5%
Dioctyl Dimethyl Ammonium Chloride.....	1.5%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) Dimethyl Benzyl Ammonium Chloride.....	4.0%
Inert Ingredients.....	90.0%
TOTAL.....	100.0%

Keep Out of Reach of Children

DANGER/PELIGRO

Manténgase Fuera del Alcance de Los Niños

See outer container for precautionary statements and use directions.

DISPOSAL: Do not reuse container. Wrap container and put in trash collection.

Sold By PortonPac Chemical Corp., 400 North Ashland Avenue Chicago, IL 60622 USA

24-Hour Emergency Response: 1-800-535-5053

DIRECTIONS: Mix each pac with 17 gallons of water in *Sanitize* sink.
Mezclar cada paquete con 17 galones de agua
en el fregadero para *Higienizar*.

Contents each pac: 4.5 fl. oz.

1617

EPA Reg. No. 10324-117-8722 EPA Est. No. 8722-IL-1

ACTIVE INGREDIENTS:

Octyl Decyl Dimethyl Ammonium Chloride.....	3.0%
Didecyl Dimethyl Ammonium Chloride.....	1.5%
Dioctyl Dimethyl Ammonium Chloride.....	1.5%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) Dimethyl Benzyl Ammonium Chloride.....	4.0%
Inert Ingredients.....	90.0%
TOTAL.....	100.0%

Keep Out of Reach of Children

DANGER/PELIGRO

Manténgase Fuera del Alcance de Los Niños

See outer container for precautionary statements and use directions.

DISPOSAL: Do not reuse container. Wrap container and put in trash collection .

Sold By PortonPac Chemical Corp., 400 North Ashland Avenue Chicago, IL 60622 USA

24-Hour Emergency Response: 1-800-535-5053

SANITIZER

SFSPac®

DIRECTIONS: Mix each pac with 10 gallons of water in *Sanitize* sink.
Mezclar cada paquete con 10 galones de agua en el fregadero para *Higienizar*.

SFS16

Contents each pac: 2.5 fl.
EPA Reg. No. 10324-117-8722 EPA Est. No. 8722-IL-1

ACTIVE INGREDIENTS:

Octyl Decyl Dimethyl Ammonium Chloride.....	3.0%
Didecyl Dimethyl Ammonium Chloride.....	1.5%
Diocetyl Dimethyl Ammonium Chloride.....	1.5%
Alkyl (C14, 50%; C12, 40%; C16, 10%) Dimethyl Benzyl Ammonium Chloride.....	4.0%
Inert Ingredients	90.0%
TOTAL	100.0%

Keep Out of Reach of Children.

DANGER/PELIGRO

Manténgase Fuera del Alcance de Los Niños.

See outer container for precautions and use directions.

DISPOSAL: Do not reuse container. Wrap container and put in trash collection.

Sold By PortionPac Chemical Corp., sfs.portionpaccorp.com

400 North Ashland Avenue Chicago, IL 60622 USA

24-Hour Emergency Response: 1-800-535-5053

SANITIZER

SFSPac®

DIRECTIONS: Mix each pac with 10 gallons of water in *Sanitize* sink.
Mezclar cada paquete con 10 galones de agua en el fregadero para *Higienizar*.

SFS16

Contents each pac: 2.5 fl.
EPA Reg. No. 10324-117-8722 EPA Est. No. 8722-IL-1

ACTIVE INGREDIENTS:

Octyl Decyl Dimethyl Ammonium Chloride.....	3.0%
Didecyl Dimethyl Ammonium Chloride.....	1.5%
Diocetyl Dimethyl Ammonium Chloride.....	1.5%
Alkyl (C14, 50%; C12, 40%; C16, 10%) Dimethyl Benzyl Ammonium Chloride.....	4.0%
Inert Ingredients	90.0%
TOTAL	100.0%

Keep Out of Reach of Children.

DANGER/PELIGRO

Manténgase Fuera del Alcance de Los Niños.

See outer container for precautions and use directions.

DISPOSAL: Do not reuse container. Wrap container and put in trash collection.

Sold By PortionPac Chemical Corp., sfs.portionpaccorp.com

400 North Ashland Avenue Chicago, IL 60622 USA

24-Hour Emergency Response: 1-800-535-5053

SANITIZER



DIRECTIONS: Mix each pac with 17 gallons of water in *Sanitize* sink.
Mezclar cada paquete con 17 galones de agua
en el fregadero para *Higienizar*.

Contents each pac: 4.5 fl. oz

EPA Reg. No. 10324-117-8722 EPA Est. No. 8722-IL-1

ACTIVE INGREDIENTS:

octyl decyl dimethyl ammonium chloride	3.0%
didecyl dimethyl ammonium chloride	1.5%
dioctyl dimethyl ammonium chloride	1.5%
n-alkyl (C ₁₂ -40%; C ₁₄ -50%; C ₁₆ -10%)	
dimethyl benzyl ammonium chloride	4.0%
Inert Ingredients:	90.0%
TOTAL	100.0%

Keep Out of Reach of Children.

DANGER/PELIGRO

Manténgase Fuera del Alcance de Los Niños.

See outer container for precautions and use directions.

DISPOSAL: Do not reuse container. Wrap container and put in trash collection.

Sold By PortionPac Chemical Corp., sfs.portionpaccorp.com

400 North Ashland Avenue Chicago, IL 60622 USA

24-Hour Emergency Response: 1-800-535-5053

SFS17

SANITIZER



DIRECTIONS: Mix each pac with 17 gallons of water in *Sanitize* sink.
Mezclar cada paquete con 17 galones de agua
en el fregadero para *Higienizar*.

Contents each pac: 4.5 fl. oz

EPA Reg. No. 10324-117-8722 EPA Est. No. 8722-IL-1

ACTIVE INGREDIENTS:

octyl decyl dimethyl ammonium chloride	3.0%
didecyl dimethyl ammonium chloride	1.5%
dioctyl dimethyl ammonium chloride	1.5%
n-alkyl (C ₁₂ -40%; C ₁₄ -50%; C ₁₆ -10%)	
dimethyl benzyl ammonium chloride	4.0%
Inert Ingredients:	90.0%
TOTAL	100.0%

Keep Out of Reach of Children.

DANGER/PELIGRO

Manténgase Fuera del Alcance de Los Niños.

See outer container for precautions and use directions.

DISPOSAL: Do not reuse container. Wrap container and put in trash collection.

Sold By PortionPac Chemical Corp., sfs.portionpaccorp.com

400 North Ashland Avenue Chicago, IL 60622 USA

24-Hour Emergency Response: 1-800-535-5053

SFS17



SANITIZER

DIRECTIONS: Mix each pac with 5 gallons of water in *Sanitize* sink. Mezclar cada paquete con 5 galones de agua en el fregadero para *Higienizar*.

SFS18

Contents each pac: 1.25 fl.

EPA Reg. No. 10324-117-8722 EPA Est. No. 8722-IL-1

ACTIVE INGREDIENTS:

Octyl Decyl Dimethyl Ammonium Chloride..	3.0%
Didecyl Dimethyl Ammonium Chloride.....	1.5%
Diocetyl Dimethyl Ammonium Chloride.....	1.5%
Alkyl (C14, 50%; C12, 40%; C16, 10%)	
Dimethyl Benzyl Ammonium Chloride.....	4.0%

Inert Ingredients	90.0%
--------------------------------	-------

TOTAL	100.0%
--------------------	--------

Keep Out of Reach of Children.

DANGER/PELIGRO

Manténgase Fuera del Alcance de Los Niños.

See outer container for precautions and use directions.

DISPOSAL: Do not reuse container.

Wrap container and put in trash collection.

Sold By PortionPac Chemical Corp.

400 North Ashland Avenue Chicago, IL 60622 USA

sfs.portionpaccorp.com

24-Hour Emergency Response: 1-800-535-5053



SANITIZER

DIRECTIONS: Mix each pac with 5 gallons of water in *Sanitize* sink. Mezclar cada paquete con 5 galones de agua en el fregadero para *Higienizar*.

SFS18

Contents each pac: 1.25 fl.

EPA Reg. No. 10324-117-8722 EPA Est. No. 8722-IL-1

ACTIVE INGREDIENTS:

Octyl Decyl Dimethyl Ammonium Chloride..	3.0%
Didecyl Dimethyl Ammonium Chloride.....	1.5%
Diocetyl Dimethyl Ammonium Chloride.....	1.5%
Alkyl (C14, 50%; C12, 40%; C16, 10%)	
Dimethyl Benzyl Ammonium Chloride.....	4.0%

Inert Ingredients	90.0%
--------------------------------	-------

TOTAL	100.0%
--------------------	--------

Keep Out of Reach of Children.

DANGER/PELIGRO

Manténgase Fuera del Alcance de Los Niños.

See outer container for precautions and use directions.

DISPOSAL: Do not reuse container.

Wrap container and put in trash collection.

Sold By PortionPac Chemical Corp.

400 North Ashland Avenue Chicago, IL 60622 USA

sfs.portionpaccorp.com

24-Hour Emergency Response: 1-800-535-5053



SANITIZER

DIRECTIONS: Mix each pac with 5 gallons of water in *Sanitize* sink. Mezclar cada paquete con 5 galones de agua en el fregadero para *Higienizar*.

SFS18

Contents each pac: 1.25 fl.

EPA Reg. No. 10324-117-8722 EPA Est. No. 8722-IL-1

ACTIVE INGREDIENTS:

Octyl Decyl Dimethyl Ammonium Chloride..	3.0%
Didecyl Dimethyl Ammonium Chloride.....	1.5%
Diocetyl Dimethyl Ammonium Chloride.....	1.5%
Alkyl (C14, 50%; C12, 40%; C16, 10%)	
Dimethyl Benzyl Ammonium Chloride.....	4.0%

Inert Ingredients	90.0%
--------------------------------	-------

TOTAL	100.0%
--------------------	--------

Keep Out of Reach of Children.

DANGER/PELIGRO

Manténgase Fuera del Alcance de Los Niños.

See outer container for precautions and use directions.

DISPOSAL: Do not reuse container.

Wrap container and put in trash collection.

Sold By PortionPac Chemical Corp.

400 North Ashland Avenue Chicago, IL 60622 USA

sfs.portionpaccorp.com

24-Hour Emergency Response: 1-800-535-5053