

Kills Carpenter Bees

BIOADVANCED
SCIENCE-BASED SOLUTIONS

TERMITE & CARPENTER BEE KILLER PLUS



Espuma que mata a las abejas carpinteras y las termitas.

- **Kills Termites you see, Kills the Termites you don't see**
- **Expands to cover hard-to-reach areas**
- **PLUS Kills ants*, wood-infesting beetles & other listed Insects**



KEEP OUT OF REACH OF CHILDREN
CAUTION See back panel booklet for ingredients and precautionary statements
FOR RESIDENTIAL USE ONLY

ACTIVE INGREDIENTS:
Imidacloprid: . . . 0.05 %
Other: 99.95 %
Total: 100.00 %

*except for carpenter, pharaoh, fire, and harvester

Not for sale, sale into, distribution and/or use in Nassau, Suffolk, Kings, and Queens counties of New York

NET CONTENTS
18 FL OZ (532.3ml)

STOP - Read This Entire Label Before Use
KEEP OUT OF REACH OF CHILDREN
FOR RESIDENTIAL USE ONLY

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Before use, read and follow all label directions.

BEFORE USE

RESTRICTIONS:

- Do not apply in the open or on exposed surfaces, or in areas accessible to children.
- Do not apply where electrical hazards exist.
- Do not re-apply this product to a previously treated site or location before 3 months, unless re-infestation is observed or suspected.
- Do not use this product as the sole source of control for active, structural infestations by subterranean termites; it is not a substitute for mechanical alteration, soil and foundation treatments. For active, structural infestations by subterranean termites, this product can only be used to supplement a soil-applied termiticide, a termite bait system, or other product registered as a sole source for termite control. This product is intended as a supplemental tool to kill subterranean termites that are found in above ground and other locations.
- Do not apply this product, by any application method, to linden, basswood, or other Tilia species.

HOW TO USE

SHAKE WELL BEFORE USING. Hold can upright. Apply to surfaces only as spot and crack and crevice treatment. Point away from face. Slowly press trigger to dispense foam. To minimize run-off, continue to hold the tip firmly against injection point for 5 seconds after releasing the trigger. Spot treatments with this product can be made, as a temporary control measure, in advance of the date when final treatment of the structure with soil and foundation treatments is completed. To minimize run-off, continue to hold the application tip firmly against the injection point for a full 5 seconds after releasing the dispenser trigger; this will allow product in the application hose to fully expand and enter the target area.

WHERE TO USE

This product can be applied to insect galleries in damaged wood, into spaces between wooden structural members, or into voids within the construction. Locations treated include exposed wooden elements in crawlspaces, basements, or attics, unexposed wooden elements inside walls or other structural voids, exterior wooden elements in decks, fencing or siding, channels in damaged wood, in spaces between wooden elements of a structure, and junctions between wood and foundations. Use this product in residential structures subject to termite or wood-infesting insect attack.

WHEN TO USE

Apply when listed pests are seen or found.

KILLS

Ants**, Carpenter Bees (for localized control only), Household Ants** (for localized control only), Termites, and Wood-infesting beetles.

SUBTERRANEAN TERMITES

To control subterranean termite infestations in localized, above ground areas of the structure, apply a sufficient volume of foam into galleries or voids in termite-damaged wood, or into spaces between termite-damaged wooden structural members and between the sill plate and foundation where wood is vulnerable.

DRYWOOD TERMITES, WOOD-INFESTING BEETLES OR BORERS

To control drywood termites, wood-infesting beetles or borers (powder post beetles, anobid or deathwatch beetles, false powder post beetles, old house borers, wharf borers, or ambrosia or bark beetles). Apply a sufficient volume of foam into voids or channels in damaged wood of a structure, or to cracks, crevices, and spaces in and between wooden portions of a structure or between wood and the foundation, in locations vulnerable to attack (crawl spaces).

EPA Reg. 92564-60

EPA Est. No. indicated by 3rd and 4th digits of the batch number on this package.
(08) = 11623-GA-2 (08) = 35595-MO-4

BioAdvanced is a trademark of SBM Life Science Corp.

Distributed by: SBM Life Science Corp., 1001 Winstead Drive, Suite 500, Cary, NC 27513

DIRECTIONS FOR USE (cont'd)

LOCALIZED TREATMENT FOR CARPENTER BEES

Apply a sufficient volume of foam directly into gallery entrance holes. Following treatment, entrance holes may be plugged with a suitable material.

LOCALIZED TREATMENT FOR ANT INFESTATIONS**

To control or suppress ants** in houses and other structures, insert a sufficient volume of foam by crack and crevice application. Apply the volume of foam sufficient to cover the area, but do not allow excessive dripping or run-off to occur. When ant** nests are located in decks, treat the interior cavity containing the nest site by injecting a volume of this product to cover the area. Make injections into voids where ants** or their nests are present, or other places where these pests enter the structure, or where they may have been seen or found. When ant** nest site(s) are located in tree hollows or non-structural wooden constructions (e.g., posts, fences, decks), treat the interior cavity containing the nest site by injecting a volume of this product sufficient to cover the area.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE

Store in cool, dry place and avoid excessive heat (>130° F). Store in an area out of the reach of children, preferably a locked storage cabinet.

PESTICIDE DISPOSAL

If Empty:

- Non-refillable container.
 - Place empty container in trash or offer for recycling if available
- If Partly Filled:**
- Call your local solid waste agency or toll free 1-877-229-3724 for disposal instructions.
 - Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL

Do not reuse empty container. Do not puncture or incinerate. If empty place in trash or offer for recycling if available.

Important: Use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow any applicable state or local guidelines.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Wear long sleeved shirt and long pants, shoes, and socks.

ENVIRONMENTAL HAZARDS

- This pesticide is highly toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark.
- Apply this product only as specified on this label.

PHYSICAL/CHEMICAL HAZARDS

- Contents under pressure. Do not apply, use or store near heat, sparks or open flame. Do not puncture or incinerate container. Exposure to temperature above 130° F may cause bursting. This product contains a flammable propellant. Avoid drilling in areas near electrical wiring, plumbing, communication lines, etc. Do not apply where electrical short circuits might result (wall outlets, conduits, motors, switches, etc).

NOTICE: Research and testing have determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. To the extent consistent with applicable law, the Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

DOT 2Q M5655

84936405: 170509V1
Product of Germany



Kills Carpenter Bees

BIOADVANCED
SCIENCE-BASED SOLUTIONS

TERMITE & CARPENTER BEE KILLER PLUS

FOAM



Espuma que mata a las abejas carpinteras y las termitas.



- **Kills Termites you see, Kills the Termites you don't see**
- **Expands to cover hard-to-reach areas**
- **PLUS Kills ants*, wood-infesting beetles & other listed Insects**

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel booklet for ingredients and precautionary statements

FOR RESIDENTIAL USE ONLY

ACTIVE INGREDIENTS:

Imidacloprid: . . . 0.05 %

Other: 99.95 %

Total: 100.00 %

*except for carpenter, pharaoh, fire, and harvester

Not for sale, sale into, distribution and or use in Nassau, Suffolk, Kings, and Queens counties of New York

NET CONTENTS
18 FL OZ (532.3mL)

**STOP - Read This Entire Label Before Use
KEEP OUT OF REACH OF CHILDREN
FOR RESIDENTIAL USE ONLY**

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Before use, read and follow all label directions.

BEFORE USE

RESTRICTIONS:

- Do not apply in the open or on exposed surfaces, or in areas accessible to children.
- Do not apply where electrical hazards exist.
- Do not re-apply this product to a previously treated site or location before 3 months, unless re-infestation is observed or suspected.
- Do not use this product as the sole source of control for active, structural infestations by subterranean termites; it is not a substitute for mechanical alteration, soil and foundation treatments. For active, structural infestations by subterranean termites, this product can only be used to supplement a soil-applied termiticide, a termite bait system, or other product registered as a sole source for termite control. This product is intended as a supplemental tool to kill subterranean termites that are found in above ground and other locations.
- Do not apply this product, by any application method, to linden, basswood, or other Tilia species.

HOW TO USE

SHAKE WELL BEFORE USING. Hold can upright. Apply to surfaces only as spot and crack and crevice treatment. Point away from face. Slowly press trigger to dispense foam. To minimize run-off, continue to hold the tip firmly against injection point for 5 seconds after releasing the trigger. Spot treatments with this product can be made, as a temporary control measure, in advance of the date when final treatment of the structure with soil and foundation treatments is completed. To minimize run-off, continue to hold the application tip firmly against the injection point for a full 5 seconds after releasing the dispenser trigger; this will allow product in the application hose to fully expand and enter the target area.

WHERE TO USE

This product can be applied to insect galleries in damaged wood, into spaces between wooden structural members, or into voids within the construction. Locations treated include exposed wooden elements in crawlspaces, basements, or attics, unexposed wooden elements inside walls or other structural voids, exterior wooden elements in decks, fencing or siding, channels in damaged wood, in spaces between wooden elements of a structure, and junctions between wood and foundations. Use this product in residential structures subject to termite or wood-infesting insect attack.

WHEN TO USE

Apply when listed pests are seen or found.

KILLS

Ants**, Carpenter Bees (for localized control only), Household Ants** (for localized control only), Termites, and Wood-infesting beetles.

SUBTERRANEAN TERMITES

To control subterranean termite infestations in localized, above ground areas of the structure, apply a sufficient volume of foam into galleries or voids in termite-damaged wood, or into spaces between termite-damaged wooden structural members and between the sill plate and foundation where wood is vulnerable.

DRYWOOD TERMITES, WOOD-INFESTING BEETLES OR BORERS

To control drywood termites, wood-infesting beetles or borers (powder post beetles, anobiid or deathwatch beetles, false powder post beetles, old house borers, wharf borers, or ambrosia or bark beetles). Apply a sufficient volume of foam into voids or channels in damaged wood of a structure, or to cracks, crevices, and spaces in and between wooden portions of a structure or between wood and the foundation, in locations vulnerable to attack (crawl spaces).

DIRECTIONS FOR USE (cont'd)

LOCALIZED TREATMENT FOR CARPENTER BEES

Apply a sufficient volume of foam directly into gallery entrance holes. Following treatment, entrance holes may be plugged with a suitable material.

LOCALIZED TREATMENT FOR ANT INFESTATIONS**

To control or suppress ants** in houses and other structures, insert a sufficient volume of foam by crack and crevice application. Apply the volume of foam sufficient to cover the area, but do not allow excessive dripping or run-off to occur. When ant** nests are located in decks, treat the interior cavity containing the nest site by injecting a volume of this product to cover the area. Make injections into voids where ants** or their nests are present, or other places where these pests enter the structure, or where they may have been seen or found. When ant** nest site(s) are located in tree hollows or non-structural wooden constructions (e.g., posts, fences, decks), treat the interior cavity containing the nest site by injecting a volume of this product sufficient to cover the area.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE

Store in cool, dry place and avoid excessive heat (>130° F). Store in an area out of the reach of children, preferably a locked storage cabinet.

PESTICIDE DISPOSAL

If Empty:

- Non-refillable container.
- Place empty container in trash or offer for recycling if available

If Partly Filled:

- Call your local solid waste agency or toll free 1-877-229-3724 for disposal instructions.
- Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL

Do not reuse empty container. Do not puncture or incinerate. If empty place in trash or offer for recycling if available.

Important: Use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow any applicable state or local guidelines.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Wear long sleeved shirt and long pants, shoes, and socks.

ENVIRONMENTAL HAZARDS

- This pesticide is highly toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark.
- Apply this product only as specified on this label.

PHYSICAL/CHEMICAL HAZARDS

- Contents under pressure. Do not apply, use or store near heat, sparks or open flame. Do not puncture or incinerate container. Exposure to temperature above 130° F may cause bursting. This product contains a flammable propellant. Avoid drilling in areas near electrical wiring, plumbing, communication lines, etc. Do not apply where electrical short circuits might result (wall outlets, conduits, motors, switches, etc).

NOTICE: Research and testing have determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. To the extent consistent with applicable law, the Buyer assumes responsibility for lack of performance or safety if not used according to the directions.


Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

DOT 2Q M5655

84936405C 170509V1
Product of Germany

EPA Reg. 92564-60
EPA Est. No. indicated by 3rd and 4th digits of the batch number on this package.
(08) = 11623-GA-2 (08) = 35595-MO-4

BioAdvanced is a trademark of SBM Life Science Corp.
Distributed by: SBM Life Science Corp., 1001 Winstead Drive, Suite 500, Cary, NC 27513





.75" x 1.75"
OPTIONAL STICKER