

FIFRA SECTION 24(c) SPECIAL LOCAL NEED LABEL

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF OREGON

INFLAME™ 280 SL

EPA Reg. No. 91234-82

EPA SLN No. OR-200005

FOR USE ON GRASS GROWN FOR SEED PRODUCTION TO CONTROL GRASS WEED SPECIES

This label is valid until December 31, 2025, or until otherwise amended, withdrawn, cancelled, or suspended.

| | |
|---|--------------|
| Active Ingredient: | (% byweight) |
| Glufosinate-ammonium (CAS No. 77182-82-2) | 24.5% |
| Other Ingredients: | 75.5% |
| Total | 100.0% |

Contains 2.34 lbs. of Glufosinate-ammonium per gallon

KEEP OUT OF REACH OF CHILDREN

CAUTION

**Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail).**

ENVIRONMENTAL HAZARDS

Do not apply directly to water or to areas where surface water is present. Do not apply to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment wash waters or rinsate.

This pesticide is toxic to vascular plants and must be used strictly in accordance with the drift and run-off precautions on this label in order to minimize off-site exposures.

Under some conditions, this product may have a potential to run-off to surface water or adjacent land. Where possible, use methods which reduce soil erosion, such as no till, limited till and contour plowing; these methods also reduce pesticide run-off. Use of vegetation filter strips along rivers, creeks, streams, wetlands, etc. or on the downhill side of fields where run-off could occur to minimize water runoff is recommended.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This Section 24(c) Special Local Need (SLN) label and the federal label for this product must be in the possession of the user at the time of pesticide application.

Follow all applicable directions, restrictions and precautions on this SLN label and the main EPA-registered label for Inflamm 280 SL, EPA Reg. No. 91234-82.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

APPLICATION INSTRUCTIONS

For use on grasses grown for seed production; such as, perennial ryegrass, tall fescue or bentgrass.

Tolerance of grasses to **INFLAME 280 SL** herbicide is species dependent. Species tolerance in descending order is: 1) perennial ryegrass; 2) tall fescue; 3) bentgrass; 4) fine fescue; and 5) *Poa* species. For example, perennial ryegrass tends to be more tolerant to **INFLAME 280 SL** herbicide than the *Poa* species.

Directed shielded sprays are suggested in fine fescue species, orchardgrass and *Poa* species grown for seed production. Broadcast applications made after first node development can increase the potential for crop injury and yield loss.

DO NOT apply **INFLAME 280 SL** herbicide when grass grown for seed production is stressed due to drought, heat, frost, flooding, poor fertility, diseases, insects, or other reason. Stunting of grass grown for seed production may occur following application and, in some instances, seed yields may be adversely affected.

DO NOT broadcast apply **INFLAME 280 SL** herbicide on fine fescue, orchardgrass, or *Poa* species grown for seed.

WEEDS SUPPRESSED OR CONTROLLED:

- *Poa annua*
- Manna Grass
- *Poa trivialis*
- *Bromus* species (suppression only)

APPLICATION RATES AND TIMING

For best weed control and crop safety, apply when the grass seed crop is actively growing in the fall and/or spring to minimize potential for crop injury.

Fall Broadcast Application. For severe weed pressure in newly established grass seeding fields, applications may occur after the 1st tiller of the crop is established, but do not exceed a rate of 10 fluid ounces per acre. For established fields with a minimum of 4 tillers, do not exceed a rate of 16.5 fluid ounces per acre. Do not make applications after December 1st in either seedling or established grass seed stands. Use a minimum of 20 gallons of water per acre at 30-40 psi.

If additional control is required in the spring, one spring broadcast application may also be made.

Spring Broadcast Application. Apply to actively growing grass seed fields in the 4-6 tiller growth stage at a rate of 16.5 – 20.0 fluid ounces per acre. Do not make applications after April 1st except when severe weed pressure necessitates control.

Spring Hooded or Shielded Directed Spray. To avoid excessive crop phytotoxicity, use a hooded or shielded sprayer. Apply by directing spray between rows and using shielded directed sprayers to prevent spray contact with crop plants. Adjust shields to prevent spray from contacting the crop. Apply 55.0 fluid ounces per acre with shielded directed spray when the weeds are less than 8 inches tall. Apply 82.0 fluid ounces per acre when shielded directed spray when the weeds are 8 inches or taller.

RESTRICTIONS

- DO NOT graze in treated areas for one year (365 days) following application.
- If a hooded or shielded direct spray application is made, DO NOT also make a broadcast application.
- DO NOT make more than one hooded or shielded direct spray application per crop year.
- DO NOT make more than two broadcast applications per crop year (one in the fall and one in the spring).
- DO NOT apply product aerially.
- DO NOT apply this product through any type of irrigation system.
- DO NOT allow product to drift off the intended field of grass grown for seed production. Drift control is the responsibility of the applicator. Refer to local state laws, regulations, and guidelines for proper application to avoid off-target movement.

LIMITATION OF WARRANTY AND LIABILITY

IMPORTANT: READ BEFORE USE. Read the entire Directions for Use, Conditions of Warranties and Limitations of Liability before using this product. If these terms and conditions are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Disclaimer of Warranties and Limitations of Liability. **CONDITIONS:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness, injury, and other unintended consequences may result because of such factors as manner of use or application (including misuse), the presence of other materials, weather conditions, and other unknown factors, all of which are beyond the control of ATTICUS, LLC. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, ATTICUS, LLC makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. **LIMITATIONS OF LIABILITY:** To the extent consistent with applicable law, neither ATTICUS, LLC the manufacturer, nor the Seller shall be liable for any indirect, special, incidental or consequential damages resulting from the use, handling, application, storage, or disposal of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use, handling, application, or storage of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid.

24(c) Registrant:

Atticus, LLC
5000 CentreGreen Way, Suite 100
Cary, NC 27513